BULBTRONICS®
The Brightest Source On Earth

Entertainment Lighting Products

ABOUT US



Bulbtronics is one of the leading international Master Distributors of lamps, batteries, expendables and related lighting products for entertainment venues. We distribute over 60,000 products from over 150 manufacturers and we ship to anywhere in the world from our 5 stocking locations across the United States.

Bulbtronics' Entertainment Division services film, video, television, theatre, concert, nightclub and themed environments with quality brand-name products for any and all applications at competitive prices, with unparalleled customer service. Our experienced staff is always prepared to assist in identifying the correct product for your needs.

Bulbtronics is always committed to keeping current with the entertainment marketplace. As new bulbs, other light sources, batteries, and equipment enter the market, we update our database to reflect the new technology. Please visit our website at www.bulbtronics.com to see our newest product offerings.

Bulbtronics also promotes cost-saving, energy-conserving lighting solutions that include the latest in LED technology as well as compact and tubular fluorescent lamps. Among Bulbtronics' recent initiatives is a cost-efficient recycling solution that meets Universal Waste Regulation guidelines established by the EPA. RECYCLEPAK® by Veolia is an economical and convenient recycling solution for lamps, HIDs, ballasts and batteries. One price includes container, shipping to reclamation center, processing and a certificate of compliance.

For more news and information about Bulbtronics, please visit www.bulbtronics.com or call 1-800-227-2852.

ISO 9001:2008 Certified

Ordering Via Phone or Online at **www.bulbtronics.com**

At Bulbtronics our customers take top priority. Support is provided by an expert sales staff, accessible via phone or web, to help you identify the product you need for your application. If at any time you need assistance, please call toll-free 1-800-227-2852 and we will be happy to help you.

DO I HAVE TO REGISTER TO BUY?

No, you do not. You can search, add to cart and buy with QuickBuy - no registration required. Click here to view an explanation of QuickBuy and the Preferred Customer Program where registration is required.

ARE THERE ANY MINIMUM ORDER REQUIREMENTS WHEN I ORDER FROM BULBTRONICS?

Yes. When you order via phone, fax or email, orders under $50.00 are subject to a "small order charge". There are no minimum order charges when you order on Bulbtronics.com.

CAN I PURCHASE UNDER A BLANKET ORDER?

Yes, we handle blanket purchase agreements all the time. Call toll-free 1-800-227-2852 to have a sales representative set up and handle your blanket order.

I SAVED A SHOPPING CART AS A QUOTE. HOW LONG ARE THE PRICES VALID?

Shopping Cart/Quote prices are guaranteed for 30 days. After 30 days your quote will be updated automatically with the most current pricing. Quotes are saved in our system for 90 days. Keep in mind that stock availability continually changes. If you have any questions, call toll-free 1-800-227-2852.

HOW CAN I SET UP AN OPEN ACCOUNT WITH TERMS?

To set up an open account go to www.Bulbtronics.com and click on Customer Support, Credit Application. Fill in the requested information and submit. Our accounting department will review the application and contact you directly.

HOW MUCH DOES IT COST TO SHIP MY ORDER?

QuickBuy - buying without registering or logging in - is designed with a built-in shipping table (billing and shipping addresses must be the same) with two shipping options and their associated costs. With QuickBuy you can see what the costs are when you check out.

Registered Preferred Customers who login can choose from more than 12 shipping options and can have orders delivered to addresses different from the billing address. An e-mail is sent when the order has shipped (typically same or next day) detailing all applicable costs including shipping. Since products come in different shapes, sizes and weights, true shipping cost is determined only when the order is picked, packed and weighed in the warehouse. Preferred Customers have a wide choice of shipping methods and receive actual shipping costs when order is shipped.

DO YOU SHIP OUTSIDE THE U.S.?

Yes. Bulbtronics is an international company and ship all over the world. If you are an export customer, contact the Export Department via e-mail: export@bulbtronics.com, fax: 631-501-0083 or by phone: 1-631-249-2272 x352. At this time bulbtronics.com only supports U.S. and Canadian customers; QuickBuy supports only customers in the continental U.S.

TERMS & CONDTIONS

Minimum order:
There are no minimums required for orders placed on www.bulbtronics.com. For phone, fax or email orders of $24.99 or less, there is a small order charge of $10.00. For phone, fax or email orders of $25.00 to $49.99, there is a small order charge of $5.00.

Terms:
A credit application is required to establish an open account with Bulbtronics. Payment is required within 30 days from date of invoice. C.O.D. transactions may be subject to a credit check.

Most credit cards accepted:
Visa, MasterCard, American Express, Discover. The use of a credit card is subject to charge card limitations and the approval of Bulbtronics prior to shipment. International shipments required prepayment.

Quotes:
(i.e. saved shopping carts) will be saved for 30 days.

Past due:
Past due balances are subject to a 1.5% finance charge per month.

Prices:
Prices are subject to change without notice. Orders shipped from NY, CA, NV or FL are subject to sales tax.

Tax exempt status:
Accepted with copy of tax resale certificate faxed to 631-756-8385. Certificate must be on file before order is shipped or applicable sales tax will be added.

Shipping/handling charges:
Shipping and handling charges are applied to all orders. These charges are based on a customer's delivery preference, the cost of package materials applicable to product weight and size, and other special shipping and handling instructions. Most orders are shipped via Ground, unless otherwise specified. Bulbtronics will make every effort to ship within 24 hours. Note: Fluorescent tubes more than 6 ft in length and UV Germicidal lamps more than 5 ft. in length must be shipped via messenger or truck.

BULBTRONICS
The Brightest Source On Earth

Farmingdale, NY (HQs)
New York City, New York
Miami, Florida
Orlando, Florida
Hollywood, California
Las Vegas, Nevada
Munich, Germany

1-800-227-2852
sttv@bulbtronics.com

Shipping: FOB origin:
All damaged merchandise must be reported within 5 days. If the package is obviously damaged, customer should sign for the shipment as "damaged" and make a claim with the carrier. If the package shows no obvious signs of damage but the merchandise is damaged when the box is opened, contact Customer Service. The carrier is responsible for breakage in transit. Bulbtronics will assist in every possible manner in collecting claims for loss or damage.

Return policy:
Product must be returned with prior approval and issuance of a return material authorization number (RMA#). To obtain an RMA#, go on-line to Account Management (drop down on top of page), Account Settings, Return Merchandise Authorization or call 1-800-588-BULB x375. Issuance of a RMA# does not acknowledge a product defect or authorize credit to be taken. Product determined to be defective by the applicable manufacturer shall either be replaced or credit will be issued at the discretion of Bulbtronics. Product returned as defective, and is not, will be returned to the customer. Product returned due to ordering errors, or product no longer wanted by the customer, will be subject to a 25% restocking charge, provided that Bulbtronics agrees to take back the merchandise. Special orders may not be returned. No returns after 60 days.

Warranty:
Bulbtronics warrants solely to the purchasing party that the products sold by it shall be free from defects in materials and workmanship, when given normal, proper and intended usage, for the scope of the warranty granted to Bulbtronics and its customers by the applicable product manufacturer.

Purchaser shall notify Bulbtronics of any product that Purchaser believes to be defective that is covered by the warranties set forth in this warranty statement. At Bulbtronics' option, such products shall be returned by Purchaser, transportation and insurance prepaid, to Bulbtronics. Based on examination and testing by the applicable product manufacturer, Bulbtronics shall repair or replace with the same, comparable or improved product or issue an appropriate credit. In the event of a warranty adjustment, Bulbtronics shall pay appropriate shipping charges, when applicable, to return product to the Purchaser.

This warranty contains the entire agreement between the Purchasing party and Bulbtronics as to its terms. There are no warranties, expressed or implied, of merchantability, fitness or otherwise, which extend beyond the description on the face thereof. In no event will Bulbtronics be liable for any loss, or profits or any other incidental, special or consequential damages suffered by the Purchaser or its customer even if Bulbtronics has been advised of the possibility of such damages, nor for any claim against the Purchaser by any other party.

TABLE OF CONTENTS

SECT#	SINGLE ENDED 2-PIN HALOGEN, LOW VOLTAGE
1.	G22 / MED BI POST
2.	G4 / 2 PIN
3.	G5.3 / 2 PIN
4.	G5.3/4.8 / FLAT PINS
5.	G6.35 / 2 PIN
6.	G9.5 / 2 PIN
7.	GX9.5 / 2 PIN PREFOCUS
8.	GY6.35 / 2 PIN
9.	GY9.5 / 2 PIN PREFOCUS
10.	GZ9.5 / 2 PIN PREFOCUS
11.	PG22 / MED BI POST

SECT#	SINGLE ENDED 2-PIN HALOGEN, LINE VOLTAGE
12.	G22 / MED BI POST
13.	G38 / MOGUL BI POST
14.	G5.3 / 2 PIN
15.	G9.5 / 2-PIN
16.	GX38 / MOGUL BI POST
17.	GX6.35 / 2 PIN
18.	GX9.5 / 2 PIN PREFOCUS
19.	GY16
20.	GY6.35 / 2 PIN
21.	GY9.5 / 2 PIN PREFOCUS
22.	GZ6.35 / 2 PIN
23.	GZ9.5 / 2 PIN PREFOCUS
24.	LINE VOLTAGE HPL/QXL LAMPS
25.	HI-BRITE LAMPS, LOK-IT & EQUIVALENTS

SECT#	SINGLE ENDED 2-PIN HALOGEN, HIGH VOLTAGE
26.	G22 / MED BI POST
27.	G38 / MOGUL BI POST
28.	G5.3 / 2 PIN
29.	G6.35 / 2 PIN
30.	G9.5 / 2 PIN
31.	GX38 / MOGUL BI POST
32.	GX38Q
33.	GX6.35 / 2 PIN
34.	GX9.5 / 2 PIN PREFOCUS
35.	GY16 / 2 PIN PREFOCUS
36.	GY9.5 / 2 PIN PREFOCUS
37.	GZ6.35 / 2 PIN
38.	HIGH VOLTAGE HPL LAMPS

SECT#	DOUBLE ENDED HALOGEN
39.	R7S / RSC
40.	RX7S / RRSC

SECT#	PAR BULBS
41.	Shape: PAR 36 | Base: FERRULE
42.	Shape: PAR 46 | Base: MED SIDE PRONG
43.	Shape: PAR 56 | Base: MOGUL END PRONG
44.	Shape: PAR 56 | Base: GX16D/12
45.	Shape: PAR 64 | Base: EXTENDED MOGUL END PRONG

SECT#	PAR BULBS CON'T
46.	aluPAR SERIES
47.	Shape: PAR 36, 46, 56, & 64 |Base: SCREW TERMINAL

SECT#	MR BULBS
48.	MR11
49.	MR13
50.	MR16

SECT#	HID BULBS
51.	Special Types HID: CSD/CSR/CSS BULBS
52.	Special Types HID: HMI/HSD/HSR/HQI/HTI BULBS
53.	Special Types HID: SHARXS/BABY SHARXS/MAXI SHARXS/4ARXS SERIES
54.	LOK-IT
55.	Special Types HID: MSR/MSD/MSA/MSI/ MHD/MPXL BULBS
56.	Special Types HID: CMH/SPL/CID/CSI/MQI BULBS
57.	CERAMIC ST BULBS
58.	CDM BULBS

SECT#	STUDIO FLUORESCENTS
59.	2G11 / 4 PIN
60.	G10Q
61.	G13 / MEDIUM BI PIN
62.	MINI BI PIN
63.	WIRE HARNESS

SECT#	BAYONET & PREFOCUSED BASED BULBS
64.	BA15D / DC BAYONET
65.	P28S / MED PREFOCUS
66.	P40S / MOG PREFOCUS

SECT#	SCREW BASED BULBS
67.	E11 / MINI CANDELABRA BASED BULBS
68.	A BULBS
69.	PAR38 / R40 / BR40 BULBS
70.	PS25 BULBS
71.	PS35 BULBS
72.	PS52 BULBS
73.	OTHER MOG / E39,E40 BASED BULBS

SECT#	BLACKLIGHTS
74.	BLACKLIGHTS

SECT#	XENON BULBS
75.	OSRAM XENON CINEMA PROJECTION, FOLLOWSPOT & SEARCHLIGHT LAMPS
76.	OSRAM X-STAGE XENON LAMPS
77.	PHILIPS LTI XENON FOLLOWSPOT & SEARCH LIGHT LAMPS
78.	XOP BULBS
79.	PHILIPS LARGE VENUE XENON LAMPS

SECT#	PROJECTOR BULBS
80.	LCD PROJECTOR BULBS

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
211	Osram	68
212	Osram	68
300	GE	71
4405	GE	47
4435	GE	47
4436	GE	47
4505	GE	47
4509	GE	47
4515	GE	47
4535	GE	47
4541	GE	47
4543	GE	47
4545	GE	47
4552	GE	47
4553	GE	47
4559	GE	47
4591	GE	47
4594	GE	47
4595	GE	47
5761	Philips	2
6605	Philips	2
7003	Philips	33
7010	Philips	17
13117	Philips	50
13139	Philips	50
13165	Philips	48
13288	Philips	50
13298	Philips	48
13528	Philips	48
13529	Philips	48
13865	Philips	48
14553	Philips	48
14623	Philips	5
64222	Osram	11
64223	Osram	2
64255	Osram	48
64258	Osram	2
64259	Osram	2
64260	Osram	11
64261	Osram	5
64275	Osram	2
64501	Osram	17
64502	Osram	33
64505	Osram	33
64513	Osram	17
64514	Osram	17
64515	Osram	33
64516	Osram	33
64535	Osram	17
64573	Osram	17
64573	Osram	22
64602	Osram	5
64614	Osram	4
64617	Osram	48
64624	Osram	48
64637	Osram	50
64647	Osram	5
64650	Osram	5
64662	Osram	33
64678	Osram	30
1000PAR64Q/MFL	Osram	45
1000PAR64Q/MFL	Philips	45
1000PAR64Q/NSP	Osram	45
1000PAR64Q/NSP	Philips	45
1000PAR64Q/WFL	Osram	45
1000PAR64Q/WFL	Philips	45
1000PS52 130V	GE	72
1000PS52/99	GE	72
1000SBIF	GE	72
120PAR	GE	47
120PAR56/MFL	GE	47
120PAR56/WFL	GE	47
120PSR56/VNSP	GE	47
13477 R/16	Philips	39
13477R	Philips	40
13704R	Philips	39
150PAR46/1	GE	47
150PAR46/3MFL	GE	42
2000T8Q/120V/G22	Osram	12
200PAR	GE	47
200PAR46/3MFL	GE	42
200PAR46/3MFL	Osram	42
200PAR46/3NSP	GE	42
200PAR46/3NSP	Osram	42
200PAR56/MFL	GE	43
200PAR56/MFL	Osram	43
240PAR56/MFL	GE	47
240PAR56/VNSP	GE	47
240PAR56/WFL	GE	47
250BR40	Osram	69
250PAR38/HAL/FL30 120V	Osram	69
250PAR38/HAL/SP10 120V	Osram	69
250Q/CL	Philips	67
250R40/10	Osram	69
25PAR36	GE	47
25PAR36/VWFL	GE	47
25PAR36NSP	GE	47
25PAR36WFL	GE	47
25PAR46	GE	47
300 120V	Philips	71
300/99 130V	GE	71
300/99IF	GE	71
300/99IF/XL 125-130V	Osram	71
300/CL 130V	Osram	71
300/CL/99/XL 120V	Osram	71
300/IF	GE	71
300/IF 120V	Philips	71
300/IF 120V/130V	Philips	71
300/PS35/IF 130V	Osram	71
300/SBIF 120V	Osram	71
300/SBIF 130V	GE	71
300BR/FL	Osram	69
300IF 120V	Osram	71
300PAR56/MFL	GE	43
300PAR56/MFL	Osram	43
300PAR56/NSP	GE	43
300PAR56/NSP	Osram	43
300PAR56/WFL	GE	43
300PAR56/WFL	Osram	43
300PS35/CL 120V	Osram	71
300R/FL	GE	69
300R/SP	GE	69
35PAR36/H/FL30	GE	47
35PAR36/H/SP5	GE	47
35PAR36/H/SP8	GE	47
4509X	GE	47

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
4515 PAR36 30W	Osram	47
4ARXS HSD 1200W/60	Osram	53
4ARXS HSD 150W/70	Osram	53
4ARXS HSD 150W/UL/75	Osram	53
4ARXS HSD 200W/60	Osram	53
4ARXS HSD 250W/60	Osram	53
4ARXS HSD 250W/80	Osram	53
4ARXS HSD 250W/UL/75	Osram	53
4ARXS HSD 575W/60	Osram	53
4ARXS HSD 575W/72	Osram	53
4ARXS HSD 575W/UL/75	Osram	53
500 120V	Philips	71
500 130V	GE	71
500 PS35/CL 120V	Osram	71
500 PS35/IF 120V	Osram	71
500/99 120-130V	Philips	71
500/99IF 130V	GE	71
500/IF 120-130V	Philips	71
500/IF 130V	GE	71
500PAR56Q/MFL	Osram	43
500PAR56Q/MFL	Philips	43
500PAR56Q/NSP	Osram	43
500PAR56Q/NSP	Philips	43
500PAR56Q/WFL	Osram	43
500PAR56Q/WFL	Philips	43
500PAR64/MFL	GE	45
500PAR64/NSP	GE	45
500PAR64/WFL	GE	45
500PS35/CL 130V	Osram	71
500PS35/IF 130V	Osram	71
500R/3FL	GE	69
50PAR36/H/FL30	GE	47
50PAR36/H/SP5	GE	47
50PAR36/H/SP8	GE	47
50PAR36NSP	GE	47
50PAR36VNSP	GE	47
50PAR36VWFL	GE	47
50PAR36WFL	GE	47
62138 HLX	Osram	5
64251 HLX	Osram	11
64265 HLX	Osram	2
64609 HLX	Osram	11
64611 HLX	Osram	5
64617SPOT	Osram	48
64621 HLX	Osram	11
64635 HLX	Osram	50
64638 HLX	Osram	5
64641 HLX	Osram	5
64654 HLX 24V	Osram	9
64664 HLX	Osram	5
64665 HLX	Osram	5
64748 XS	Osram	36
6638P	Philips	9
6958/10H	Philips	50
6958/5H	Philips	50
6980Z	Philips	25
6981P	Philips	6
6982P	Philips	30
6989P	Philips	6
6995 I/BP	Philips	9
6995 I/BP	Philips	21
7002Y	Philips	1
7002Y	Philips	26
7002Y 115V	Philips	12
7009Z	Philips	1
7015 TXO	Philips	7
71-2526	Philips	18
71-2526	Philips	34
71-2529	Philips	18
75A19/BL	Import	74
7786R	Philips	39
85T3/RM	Osram	50
99-0201CSI	GE	56
99-0221CSI	GE	56
99-0222CID	GE	56
99-0415CID	GE	56
99-0431CID/HR	GE	56
99-1225CID	GE	56
99-1425CID/HR	GE	56
99-1435CID/HR	GE	56
A1/224 (7389)	Philips	36
A1/245 (7764)	Philips	36
A1224 (64680)	Osram	36
aluPAR 56/MFL/300W/120V	Osram	46
aluPAR 56/MFL/300W/230V	Osram	46
aluPAR 56/MFL/300W/240V	Osram	46
aluPAR 56/MFL/500W/120V	Osram	46
aluPAR 56/NSP/300W/120V	Osram	46
aluPAR 56/NSP/300W/230V	Osram	46
aluPAR 56/NSP/300W/240V	Osram	46
aluPAR 56/NSP/500W/120V	Osram	46
aluPAR 56/WFL/300W/120V	Osram	46
aluPAR 56/WFL/300W/230V	Osram	46
aluPAR 56/WFL/300W/240V	Osram	46
aluPAR 56/WFL/500W/120V	Osram	46
aluPAR 64/MFL/1000W/120V	Osram	46
aluPAR 64/MFL/1000W/230V	Osram	46
aluPAR 64/MFL/1000W/240V	Osram	46
aluPAR 64/MFL/500W/120V	Osram	46
aluPAR 64/MFL/500W/230V	Osram	46
aluPAR 64/MFL/500W/240V	Osram	46
aluPAR 64/NSP/1000W/120V	Osram	46
aluPAR 64/NSP/1000W/230V	Osram	46
aluPAR 64/NSP/1000W/240V	Osram	46
aluPAR 64/NSP/500W/120V	Osram	46
aluPAR 64/NSP/500W/230V	Osram	46
aluPAR 64/NSP/500W/240V	Osram	46
aluPAR 64/VNSP/1000W/120V	Osram	46
aluPAR 64/VNSP/1000W/230V	Osram	46
aluPAR 64/VNSP/1000W/240V	Osram	46
aluPAR 64/VNSP/500W/230V	Osram	46
aluPAR 64/VNSP/500W/240V	Osram	46
aluPAR 64/WFL/1000W/120V	Osram	46
aluPAR 64/WFL/1000W/230V	Osram	46
aluPAR 64/WFL/1000W/240V	Osram	46
aluPAR 64/WFL/500W/120V	Osram	46
BAA	Osram	50
BABY SHARXS HTI 250W/D5/80	Osram	53
BABY SHARXS HTI 300W/D5/57	Osram	53
BABY SHARXS HTI 300W/D5/65	Osram	53
BABY SHARXS HTI 400W/D5/60	Osram	53
BABY SHARXS HTI 575W/D5/56	Osram	53
BABY SHARXS HTI 575W/D5/75	Osram	53
BBA	Import	68
BBA 118V	Osram	68
BCA	Import	68

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
BCA 118V	Osram	68
BCM	Osram	31
BCM (Q20MT32/4CL)	GE	31
BCM / CP99 (64818)	Osram	27
BHC/DYS/DYV	Osram	23
BHC/DYS/DYV-5	Osram	23
BLC	GE	64
BLX	GE	64
BPESL15T/BLB	Import	74
BRH	GE	39
BRJ/EVB (64633 HLX)	Osram	5
BRL	Philips	5
BRL (64610 HLX)	Osram	5
BTH	Osram	65
BTL	Osram	65
BTL / T17 (Q500T6/CL/P)	GE	65
BTL / T17 / T24 (6800C)	Philips	65
BTM	Osram	65
BTM (Q500T6/4CL/2P)	GE	65
BTN	Osram	65
BTN (7001C)	Philips	65
BTN (Q750T7/CL/2P)	GE	65
BTP	Osram	65
BTP (6827C)	Philips	65
BTP (Q750T7/4CL/2P)	GE	65
BTR	Osram	65
BTR (6995C)	Philips	65
BTR (Q1000T7/4CL/2P)	GE	65
BVE	Philips	21
BVM (64540)	Osram	33
BVM (64540)	Osram	37
BVT	Osram	66
BVT (Q1000T7/CL/MP)	GE	66
BVV	Osram	66
BVV (Q1000T7/4CL/MP)	GE	66
BVW	Osram	66
BVW / CP53 (Q2000T10/4CL/MP)	GE	66
BWA (Q2000/4CL/BP)	GE	13
BWF (Q2000/4CL)	GE	73
BWM (Q750T7/4CL/TP)	GE	15
BWN (Q1000T7/4CL/TP)	GE	15
CAX	Osram	64
CAX	GE	64
CBX/CBS	GE	64
CDJ	GE	64
CDM-SA/R 150/942	Philips	58
CDM-SA/T 150/942	Philips	58
CDM-SA/T 315	Philips	58
CDM-SA/TD 150/942	Philips	58
CEB	GE	64
Ceramic ST 250 MiniFastFit	Philips	57
Ceramic ST 250HR	Philips	57
Ceramic ST 500HR	Philips	57
CMH150/PAR56/830/Gx16d/MFL	GE	56
CMH150/PAR56/830/Gx16d/SP	GE	56
CMH150/PAR56/830/Gx16d/WFL	GE	56
CMH150/PAR56/942/Gx16d/MFL	GE	56
CMH150/PAR56/942/Gx16d/SP	GE	56
CMH150/PAR56/942/Gx16d/WFL	GE	56
CMH150/PAR64/830/Gx16d/MFL	GE	56
CMH150/PAR64/830/Gx16d/SP	GE	56
CMH150/PAR64/830/Gx16d/WFL	GE	56
CMH150/PAR64/942/Gx16d/MFL	GE	56
CMH150/PAR64/942/Gx16d/SP	GE	56
CMH150/PAR64/942/Gx16d/WFL	GE	56
CP/63 (6984P)	Philips	34
CP/65 (6999P)	Philips	34
CP105 (1250/650)	GE	32
CP110 (6980Z)	Philips	1
CP110 (93723)	Osram	25
CP23	GE	34
CP23 (64720)	Osram	34
CP24	GE	34
CP29	GE	27
CP29 / CP85 (6963Z)	Philips	27
CP30 (1250/1250)	GE	32
CP32 (2500/2500)	GE	32
CP51	GE	65
CP53	GE	66
CP55 / CP75 (6994Y)	Philips	26
CP58 (1250/2500)	GE	32
CP59	GE	73
CP75 (64787)	Osram	26
CP79	GE	19
CP79	GE	35
CP81 (64673)	Osram	36
CP82 (64674)	Osram	36
CP83	GE	27
CP85 (64805)	Osram	27
CP86 (Q500PAR64/VNSP)	GE	45
CP87 (Q500PAR64/NSP)	GE	45
CP88 (Q500PAR64/MFL)	GE	45
CP90	GE	34
CP90 (64754)	Osram	34
CP90 (6895P)	Philips	34
CP91	GE	26
CP91 (64796)	Osram	26
CP91 (6894Y)	Philips	26
CP92	GE	12
CP92	GE	26
CP92 (64777)	Osram	26
CP92 (6975Z)	Philips	26
CP93	GE	26
CP93 (64756)	Osram	26
CP94	GE	27
CSD250/2/SE	GE	51
CSR1200/2/SE	GE	51
CSR1200/DE	GE	51
CSR1200/S/DE/60	GE	51
CSR1200/S/DE/72	GE	51
CSR1200/SA	GE	51
CSR1200/SE/HR	GE	51
CSR1200/SE/HR/UV-C	GE	51
CSR12000/DE	GE	51
CSR12000/SE/HR	GE	51
CSR125/SE/HR	GE	51
CSR18000/DE	GE	51
CSR18000/S/DE	GE	51
CSR18000/SE/HR	GE	51
CSR200/DE	GE	51
CSR200/SE/HR	GE	51
CSR2000/SA	GE	51
CSR2500/DE	GE	51
CSR2500/SE/HR	GE	51
CSR2500/SE/HR/UV-C	GE	51
CSR400/S/DE/70	GE	51

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
CSR400/S/DE/90	GE	51
CSR400/SE/HR	GE	51
CSR400/SE/HR/75	GE	51
CSR4000/DE	GE	51
CSR4000/SE/HR	GE	51
CSR4000/SE/HR/UV-C	GE	51
CSR575/2/SE	GE	51
CSR575/2/T/SE	GE	51
CSR575/DE	GE	51
CSR575/S/DE/70	GE	51
CSR575/SE/HR	GE	51
CSR575/SE/HR/UV-C	GE	51
CSR575/SS/DE/75	GE	51
CSR6000/DE	GE	51
CSR6000/SE/HR	GE	51
CSR6000/SE/HR/UV-C	GE	51
CSR700/2/SE	GE	51
CSR700/S/DE/60	GE	51
CSR700/S/DE/75	GE	51
CSR700/SA	GE	51
CSR700/SA/72	GE	51
CSR800/SE/HR/UV-C	GE	51
CSS150/CAP/50	GE	51
CSS575/855/GY9.5	GE	51
CXZ	Osram	13
CXZ (Q1500T10/4CL)	GE	13
CYV	Osram	13
CYV (6995Y)	Philips	13
CYV (Q1000T7/4CL/BP)	GE	13
CYX	Osram	13
CYX (6994Z)	Philips	13
CYX (Q2000T10/4CL)	GE	13
DDL	Osram	50
DDL	Philips	50
DDM	Osram	50
DDM	Philips	50
DDS	Osram	50
DDS	Philips	50
DED (64618)	Osram	50
DKX/DSF (Q1500PS52)	GE	72
DKZ/DSE (Q1000PS52)	GE	72
DNE	Osram	50
DNF	Philips	50
DNF	Osram	50
DNF	GE	50
DNS/FMC	Osram	65
DPY	Osram	13
DPY / CP29 (Q5000T20/4CL)	GE	13
DRB	GE	65
DRS / A1/58	GE	65
DSE (Q1000)	GE	73
DSF (Q1500)	GE	73
DTA	Osram	66
DTA (Q1500T8/4CL)	GE	66
DTY	Osram	13
DTY (Q10M/T24/4CL)	GE	13
DVS (Q500T3/CL)	GE	39
DVY	GE	14
DWE	Osram	47
DWE (Q650PAR36/1)	GE	47
DWT	Osram	40
DWT (1000T6Q/CL)	Philips	40
DWT (13203R)	Philips	39
DWT (Q1000T6/CL)	GE	40
DXB	GE	69
DXC	GE	69
DXW	Osram	39
DXW (1000T5Q/CL)	Philips	39
DXW (Q1000T5/4CL)	GE	39
DXX / P213	GE	39
DXX / P213 (13162R)	Philips	39
DXX / P213 (64571)	Osram	39
DYH	GE	14
DYR / A1223 (64686)	Osram	36
DYR / A1233	GE	36
DYS/300	Osram	23
DYS/DYV/BHC	Philips	23
DYS/DYV/BHC / A1/264	GE	23
DZA	GE	3
DZE/FDS	Osram	10
EAL	GE	69
EBV	Import	70
EBV (#2)	GE	70
EBV 118V	Osram	70
EBW	Import	70
EBW (#B2)	GE	70
ECA	Import	68
ECA 120V	Osram	68
ECR / CP83 (64815)	Osram	27
ECT	GE	70
ECT	Import	70
ECT 120V	Osram	70
EFM	Philips	50
EFM	GE	50
EFM (64607)	Osram	50
EFN	Philips	50
EFN	GE	50
EFN (64615 HLX)	Osram	50
EFP	Philips	50
EFP	GE	50
EFP (64627 HLX)	Osram	50
EFP/X (64629 HLX)	Osram	50
EFP-5H / A1231-5H (6834-5H)	Philips	50
EFP-8H / A1231-8H (6834-8H)	Philips	50
EFR	Philips	50
EFR	GE	50
EFR (64634 HLX)	Osram	50
EFR-5 (64620)	Osram	50
EFR-5H / A1223-5H (6423-5H)	Philips	50
EFX	Osram	12
EGC (Q500/5CL/P)	GE	65
EGE	Philips	65
EGE	Osram	65
EGE (Q500CL/P)	GE	65
EGF (Q750/4CL/P)	GE	65
EGG	Philips	65
EGG	Osram	65
EGG (Q750CL/P)	GE	65
EGJ	Osram	65
EGJ	Philips	65
EGJ (Q1000/4/CL/P)	GE	65
EGK	Osram	65
EGK (Q1000/4/P)	GE	65
EGM (Q1000CL/P)	GE	65
EGN	Osram	12
EGN (Q500T8)	GE	12

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
EGR	Osram	12
EGR (6827Z)	Philips	12
EGR (Q750T7/4CL)	GE	12
EGT	Osram	12
EGT (6995Z)	Philips	12
EGT (Q1000T7/4CL)	GE	12
EGW (64535)	Osram	20
EGY (64575)	Osram	33
EHA	Osram	21
EHA	Philips	23
EHC (Q500/5CL)	GE	15
EHC/EHB	Osram	15
EHD	Osram	15
EHD (500Q/CL)	Philips	15
EHD (Q500CL/TP)	GE	15
EHE (64626 HLX)	Osram	11
EHF	Osram	15
EHF (Q750/4CL)	GE	15
EHG	Osram	15
EHG (750Q/CL)	Philips	15
EHG (Q750CL/TP)	GE	15
EHJ	Philips	5
EHJ (64655 HLX)	Osram	5
EHJ-5H	Philips	5
EHJ-X	Philips	5
EHM (Q300T3/CL)	GE	39
EHP	Osram	39
EHP (Q300T4/CL)	GE	39
EHR	Osram	39
EHT (250Q/CL)	Philips	67
EHT (Q250CL/MC)	GE	67
EHZ (Q300T3)	GE	39
EJA	Osram	50
EJA	Philips	50
EJG	Osram	39
EJG (Q750T3/4CL)	GE	39
EJL	Osram	50
EJL	Philips	50
EJM	Osram	50
EJM	Philips	50
EJV	Philips	50
EJV (93637)	Osram	50
EKB	Osram	23
EKB (Q420/4CL/2PP)	GE	21
EKD (Q650/3CL/2PP)	GE	18
EKE	Philips	50
EKE (93638)	Osram	50
EKE 150W LongLife	Philips	50
EKE/X	Osram	50
EKM / P2/7 (13989R)	Philips	39
EKM / P2/7 (64741)	Osram	39
EKM / P2/7 (Q1MT3/4CL)	GE	39
EKP/ENA	Osram	50
EKZ	Philips	50
ELC	GE	50
ELC	Philips	50
ELC (64653 HLX)	Osram	50
ELC/500	GE	50
ELC-10 (64659)	Osram	50
ELC-10H / A1259-10H (JCR)	Philips	50
ELC-3 (93653)	Osram	50
ELC-5H / A1259-5H (JCR)	Philips	50
ELC-7/X	Osram	50
ELC-HL	Osram	50
ELD	Osram	50
ELD	Philips	50
ELH	Philips	50
ELH (93518)	Osram	50
ELN / P2/12 (64751)	Osram	39
EMD (Q750T3/4)	GE	39
EME / P2/11 (13477 R)	Philips	39
EME / P2/11 (Q800T3)	GE	39
EMF / P2/11 (Q800T3)	GE	39
ENG	Osram	50
ENG	Philips	50
ENH	GE	50
ENH	Philips	50
ENH (93506)	Osram	50
ENH SPOT	Osram	50
ENH-5	Osram	50
ENL (93609)	Osram	50
ENX	Philips	50
ENX (93525)	Osram	50
ENX-5	Osram	50
ENX-5	Philips	50
ENX-7	Osram	50
EPT	Osram	50
EPX (64619)	Osram	50
EPZ (64608)	Osram	50
ESA/EHD (7387)	Philips	2
ESA/FHD (64225)	Osram	2
ESB (64250 HLX)	Osram	2
ESB (7388)	Philips	2
ESM (Q250MC)	GE	67
ESN (100Q/CL)	Philips	67
ESN (Q100CL/MC/2V)	GE	67
ESP	GE	64
ESR	GE	64
ESS	Philips	64
ESS	GE	64
ETB	GE	64
ETC	Philips	64
ETC	GE	64
ETF	Philips	64
ETF	GE	64
ETG (150Q/CL)	Philips	67
ETG (Q150CL/MC)	GE	67
ETH (150Q)	Philips	67
ETH (Q150MC)	GE	67
ETJ	Osram	50
EVA	Philips	8
EVA (64623 HLX)	Osram	8
EVC	Philips	5
EVC (64657 HLX)	Osram	5
EVC 10H	Philips	5
EVD	GE	5
EVD (64663 HLX)	Osram	5
EVD-X (7787)	Philips	5
EVR (500Q/CL)	Philips	67
EVR (Q500CL/MC)	GE	67
EVW	Philips	50
EVW	GE	50
EVW (93505)	Osram	50
EWE	GE	65
EXC / CP60 (64737/3)	Osram	45
EXC / CP60 (64737/4)	Osram	45

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
EXC / CP60 (Q1MPAR64)	GE	45
EXD / CP61 (64738/3)	Osram	45
EXD / CP61 (64738/4)	Osram	45
EXD / CP61 (Q1MPAR64)	GE	45
EXE / CP62 (64739/3)	Osram	45
EXE / CP62 (64739/4)	Osram	45
EXE / CP62 (Q1MPAR64)	GE	45
EXR	Osram	49
EXR	Philips	49
EXV	GE	50
EXW	Osram	49
EXW	Philips	49
EXX	GE	50
EXY	Osram	49
EXY	Philips	49
EYB	Philips	3
EYB	Osram	3
EYB	GE	3
EYB-5	Osram	3
EYB-5	GE	3
EYB-7	Osram	3
EYH/FKT	GE	14
EZE	Osram	49
EZK	GE	50
F100/T12/HO	Kino Flo	61
F120/T12/HO	Kino Flo	61
F2/T2	Kino Flo	63
F20/T12	Kino Flo	61
F20T12/CINEMA32/HO	GE	61
F20T12/CINEMA32/HO/CVG	GE	61
F20T12/CINEMA55/HO	GE	61
F20T12/CINEMA55/HO/CVG	GE	61
F30/T12/HO	Kino Flo	61
F32/T8	Kino Flo	61
F32T8BLB	Import	74
F4/T2	Kino Flo	63
F40/BLB/RP	Osram	74
F40/T12	Kino Flo	61
F40/T12/HO	Kino Flo	61
F40BLB	GE	74
F40T12/CINEMA32/HO	GE	61
F40T12/CINEMA32/HO/CVG	GE	61
F40T12/CINEMA55/HO	GE	61
F40T12/CINEMA55/HO/CVG	GE	61
F48T8/CINEMA32	GE	61
F48T8/CINEMA32/CVG	GE	61
F48T8/CINEMA55	GE	61
F48T8/CINEMA55/CVG	GE	61
F55/CFL	Kino Flo	59
F55/QFL	Kino Flo	60
F55BX/CINPLUS/32	GE	59
F55BX/CINPLUS/55	GE	59
F55BX/STUDIOBIAX32	GE	59
F55BX/STUDIOBIAX56	GE	59
F6/T5	Kino Flo	62
F60/T12/HO	Kino Flo	61
F65/T12/HO	Kino Flo	61
F72T12/CINEMA32/HO	GE	61
F72T12/CINEMA32/HO/CVG	GE	61
F72T12/CINEMA55/HO	GE	61
F72T12/CINEMA55/HO/CVG	GE	61
F75/T12/HO	Kino Flo	61
F8/T5	Kino Flo	62
F96/CFL	Kino Flo	60
F96T12/CINEMA32/HO	GE	61
F96T12/CINEMA32/HO/CVG	GE	61
F96T12/CINEMA55/HO	GE	61
F96T12/CINEMA55/HO/CVG	GE	61
FAD	Osram	39
FAD / P2/6 (Q650T4/4CL)	GE	39
FAL	Osram	39
FAL	GE	39
FAL (420T6QCL)	Philips	39
FAY (Q650PAR36/3D)	GE	41
FBE (Q650PAR36/5D)	GE	47
FBG/FBD	GE	14
FBO (Q650PAR36/5)	GE	47
FBX / P2/6 (Q650T4/4)	GE	39
FBY (Q1000T5/4)	GE	39
FC20/T5	Kino Flo	60
FC30/T5	Kino Flo	60
FCB	Osram	39
FCB / A1/228	GE	39
FCL (500T3Q/CL)	Philips	39
FCL (Q500T3/CL)	GE	39
FCM	Osram	39
FCM / P2/20 (7786R)	Philips	39
FCM / P2/28 (Q1000T3/4CL)	GE	39
FCM/HIR (Q650T3/4)	GE	39
FCR	Philips	8
FCR (64625 HLX)	Osram	8
FCS	Philips	5
FCS	GE	5
FCS / A1/216 (64640 HLX)	Osram	5
FCS-X	Philips	5
FCW (Q650PAR36/6)	GE	41
FCX (Q650PAR36/7)	GE	41
FDA	Osram	39
FDB	Osram	39
FDB (Q1500T4/4CL)	GE	39
FDF / P2/30 (Q500T3/4CL)	GE	39
FDF/HIR (Q350T2/4CL)	GE	39
FDG (64579)	Osram	39
FDG / P1/12 (PF801R)	Philips	39
FDN	Osram	39
FDN / P2/31 (Q500T3/4)	GE	39
FDS (64643)	Osram	9
FDS/DZE	Philips	10
FDS/DZE (64643)	Osram	10
FDT (64628)	Osram	9
FDV (64642 HLX)	Osram	5
FEL / CP77 (64743)	Osram	15
FEL / CP77 (6983P)	Philips	15
FEL / CP77 (Q1000/4CL)	GE	15
FEP / CP77 (6983P)	Philips	30
FEP / CP77 (93734)	Osram	30
FEP / CP77 (Q1MT6/4CL)	GE	30
FER	Osram	40
FER (Q1000T6/4CL)	GE	40
FER/EHS (1000T6Q/4CL)	Philips	40
FEV	Osram	64
FEV	Philips	64
FEV	GE	64
FEX / P2/27 (Q2MT8/4CL)	GE	40
FEX / P227 (64781)	Osram	40
FEY	Osram	40

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
FEY (7012R)	Philips	40
FEY / P2/27 (Q2000T8/4CL)	GE	40
FFJ	Osram	39
FFM	GE	39
FFM	Osram	39
FFN	Osram	45
FFN (Q1000PAR64/1)	GE	45
FFP	Osram	45
FFP (Q1000PAR64/2)	GE	45
FFR	Osram	45
FFR (Q1000PAR64/5)	GE	45
FFS	Osram	45
FFS (Q1000PAR64/6)	GE	45
FFT	Osram	39
FFT (1000T4Q)	Philips	39
FFT (Q1000T3/1CL)	GE	39
FFT/HIR (Q675T3/4)	GE	39
FGT (Q1500T4/4)	GE	39
FHM	Osram	39
FHM / P2/29 (7786R/16)	Philips	39
FHM / P2/29 (Q1000/T3/4)	GE	39
FHS	GE	49
FHS	Osram	49
FHS	Philips	49
FJX	Philips	50
FKB / T13	GE	65
FKB / T13 / T22 (6998C)	Philips	65
FKD / T14	GE	65
FKD / T14 / T20 (6996C)	Philips	65
FKE / T15	GE	65
FKF / T17	GE	65
FKH / CP39	GE	26
FKH / CP39 (64721)	Osram	26
FKH / CP39 / CP68 (6993Z)	Philips	26
FKJ / CP40	GE	26
FKJ / CP40 / CP71 (6995Z)	Philips	26
FKJ / CP71 (64747)	Osram	26
FKK / CP41	GE	27
FKK / CP73 (64789)	Osram	27
FKK / FKP / CP41 / CP73 (6994Z)	Philips	27
FKN / CP52	GE	65
FKR	GE	30
FKT/EYH	Osram	14
FKW	Osram	21
FKW / CP81 (Q300T8)	GE	21
FKY	Philips	48
FLE	Osram	50
FLK	Osram	15
FLK (6985P)	Philips	15
FLK (Q575T6)	GE	15
FLK PLUS (HPR 575/115)	Osram	15
FLK/LL (Q575T6)	GE	15
FLK/X 115V	Osram	15
FLW	Philips	8
FMR	Osram	21
FMR (Q600T5)	GE	21
FNS (64512)	Osram	17
FNT	Philips	5
FNT (64656 HLX)	Osram	5
FRE / T26	GE	21
FRG	Osram	21
FRG / CP82 (Q500T8)	GE	21
FRH / CP82	GE	36
FRH / CP82 (6873P)	Philips	36
FRJ / CP82	GE	36
FRJ / CP82 (6873P)	Philips	36
FRK	Osram	21
FRK (6638P)	Philips	21
FRK / CP89 (Q650T8)	GE	21
FRL / CP89	GE	36
FRL / CP89 (64717)	Osram	36
FRL / CP89 (6638P)	Philips	36
FRM / CP89	GE	36
FRM / CP89 (64717)	Osram	36
FRM / CP89 (6638P)	Philips	36
FSH	Osram	14
FSK / CP81	GE	36
FSK / CP81 (6872P)	Philips	36
FSL / CP81	GE	36
FSL / CP81 (6872P)	Philips	36
FSX (93592)	Osram	36
FSY (93591)	Osram	36
FTK	Osram	21
FTL / CP43	GE	35
FTM / CP43	GE	35
FTM / CP43 / CP72 (6994P)	Philips	35
FTM / CP72 (64788)	Osram	35
FVA / CP24 / CP70 (6995P)	Philips	34
FVA / CP70	GE	34
FVA / CP70 (64745)	Osram	34
FVB / CP70	GE	34
FVC / CP23 / CP67 (6993P)	Philips	34
FVL	GE	14
FVL	Osram	14
FVM	GE	14
FVM	Osram	14
FWP / T11 / T19 (6996P)	Philips	34
FWP / T19	GE	34
FWP / T19 (64744)	Osram	34
FWR / T11 / T19 (6996P)	Philips	34
FWR / T19	GE	34
FWS / T29	GE	34
FWS / T29 (64752)	Osram	34
FWS / T29 (6897P)	Philips	34
FWT / T29	GE	34
FWT / T29 (6897P)	Philips	34
FXL	Osram	50
FXL	Philips	50
FXL-HL	Osram	50
GAB (6995 I/BP)	Philips	36
GAC (6995 I/BP)	Philips	21
GAD (6995 I/BP)	Philips	36
GCA	Osram	14
GCK / GCT / T26 / T27 (6823P)	Philips	36
GCL / GCS / T26 / T27 (6823P)	Philips	36
GCS / T26	GE	36
GCS / T27	GE	36
GCT / T26	GE	36
GCT / T27	GE	36
GCT / T27 (64718)	Osram	36
GCV / GVH / T18 / T25 (6820P)	Philips	36
GCV / T25	GE	36
GCV / T25 (64670)	Osram	36
GCW / GCJ / T18 / T25 (6820P)	Philips	36
GCW / T18	GE	36
GCW / T25	GE	36

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
GDA	Philips	40
GDA (PF821R)	Philips	39
GFA (Q1200PAR64/5)	GE	45
GFB (Q1200PAR64/2)	GE	45
GFC (Q1200PAR64/1)	GE	45
GKV	GE	30
GKV (64716)	Osram	30
GKV (6986P)	Philips	30
GKV (Q575T6/4CL)	GE	30
GKV/LL	GE	30
GLA (575/115/2000)	Osram	15
GLA (6992P)	Philips	15
GLA (Q575T6/4CL)	GE	15
GLB (6991P)	Philips	30
GLB (6999P)	Philips	30
GLC (575/115/300)	Osram	15
GLC (6989P)	Philips	15
GLC (Q575T6/5CL)	GE	15
GLD (6981P)	Philips	15
GLD (750/115/300)	Osram	15
GLD (Q750T6/4CL)	GE	15
GLE (750/115/1500)	Osram	15
GLE (Q750T6/4CL)	GE	15
GLF	Osram	28
H37KB-250	Philips	74
H400BL	Iwasaki	74
H4405	GE	47
H4515	GE	47
H7604	GE	47
H7616	GE	47
H7635	GE	47
Hi-Brite 1200 FastFit	Philips	25
Hi-Brite 1200/115 FastFit	Philips	25
Hi-Brite 1200/230 FastFit	Philips	25
Hi-Brite 1200/240 FastFit	Philips	25
Hi-Brite 7015 TXO	Philips	25
Hi-Brite 750 FastFit	Philips	25
Hi-Brite 750/115 FastFit	Philips	25
Hi-Brite 800/230 FastFit	Philips	25
HMI 1200 W/DXS	Osram	52
HMI 1200 W/SEL XS	Osram	52
HMI 12000 W/DXS	Osram	52
HMI 12000 W/SE XS	Osram	52
HMI 12000 W/SE/GX51 XS	Osram	52
HMI 18000 W/DXS	Osram	52
HMI 18000 W/SE/GX51 XS	Osram	52
HMI 200 W/SE	Osram	52
HMI 250 W/SE	Osram	52
HMI 2500 W/DXS	Osram	52
HMI 2500 W/S XS	Osram	52
HMI 2500 W/SE XS	Osram	52
HMI 400 W/SE	Osram	52
HMI 4000 W/DXS	Osram	52
HMI 4000 W/SE XS	Osram	52
HMI 575 W/DXS	Osram	52
HMI 575 W/SEL XS	Osram	52
HMI 6000 W/DXS	Osram	52
HMI 6000 W/SE XS	Osram	52
HMI 700 W/SE XS	Osram	52
HP 1200/80	Osram	25
HPA40030/SL	Philips	74
HPA400S	Philips	74
HPL 375/115 (UCF)	Osram	24
HPL 375/115/X (UCF)	Osram	24
HPL 550/77 (UCF)	Osram	24
HPL 550/77/X (UCF)	Osram	24
HPL 575/115 (UCF)	Osram	24
HPL 575/115/LL (7007LL)	Philips	24
HPL 575/115/SL (7007)	Philips	24
HPL 575/115/X (UCF)	Osram	24
HPL 575/120 (UCF)	Osram	24
HPL 575/120/X (UCF)	Osram	24
HPL 575/230 (93728)	Osram	38
HPL 575/230/LL (7007 LL)	Philips	38
HPL 575/230/SL (7007)	Philips	38
HPL 575/230/X (93728)	Osram	38
HPL 575/240 (93728)	Osram	38
HPL 575/240/LL (7007 LL)	Philips	38
HPL 575/240/SL (7007)	Philips	38
HPL 575/240/X (93728)	Osram	38
HPL 750/115 (UCF)	Osram	24
HPL 750/115/SL (7008)	Philips	24
HPL 750/115/X (UCF)	Osram	24
HPL 750/120 (UCF)	Osram	24
HPL 750/120/X (UCF)	Osram	24
HPL 750/230 (7008)	Philips	38
HPL 750/230 (93729)	Osram	38
HPL 750/230/X (93729)	Osram	38
HPL 750/240 (7008)	Philips	38
HPL 750/240 (93729)	Osram	38
HPL 750/240/X (93729)	Osram	38
HPL 750/77 (UCF)	Osram	24
HPL375/C	GE	24
HPL375/LL	GE	24
HPL550/C 77V	GE	24
HPL575	GE	38
HPL575/C 115V	GE	24
HPL575/C 120V	GE	24
HPL575/LL/C 115V	GE	24
HPL575/LL/C 120V	GE	24
HPL575-X LL	GE	38
HPL750	GE	38
HPL750/C 115V	GE	24
HPL750/LL/C	GE	24
HPL750-XLL-C	GE	38
HQI-DE150/NDX	Osram	52
HQI-DE150/WDX	Osram	52
HQI-DE70/NDX	Osram	52
HQI-R150/NDX/FO	Osram	52
HQI-SE 150/NDX	Osram	52
HSR 1200/60	Osram	52
HSR 400/60	Osram	52
HSR 575/60	Osram	52
HSR 575/72	Osram	52
HSR 700/60	Osram	52
HTI 1200 W/SE XS	Osram	52
HTI 150 W	Osram	52
HTI 152 W	Osram	52
HTI 1800W/SE XS	Osram	52
HTI 250 W/22	Osram	52
HTI 250 W/32	Osram	52
HTI 2500 W/DEL	Osram	52
HTI 2500 W/SE XS	Osram	52
HTI 400 W/24	Osram	52
HTI 4000 W/DE	Osram	52
HTI 403 W/24	Osram	52

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
HTI 600 W/SE	Osram	52
HTI 700 W/SE/75 XS	Osram	52
HTI 705 W/SE XS	Osram	52
HTI S 35/12	Osram	52
HWHV 1200W/220V	Osram	34
HWLV 1200W 80V	Osram	25
HWMV 1200W/115V	Osram	18
HX48	GE	27
HX5000	GE	13
HX5000/240	GE	27
HX800	GE	30
LOK-IT! 1200W/80V/32/P47	Osram	54
LOK-IT! 1200W/80V/32/P50	Osram	54
LOK-IT! 750W/80V/32/P47	Osram	54
LOK-IT! 750W/80V/32/P50	Osram	54
LOK-IT! HCD 250W/42/P47	Osram	54
LOK-IT! HMI 575W/60/P47	Osram	54
LOK-IT! HTI 1500W/60/P47	Osram	54
LOK-IT! HTI 1500W/60/P50	Osram	54
LTIX-10001W-HS	Philips	77
LTIX-1000W-HS	Philips	77
LTIX-1600W-HS	Philips	77
LTIX-2000W-H	Philips	77
LTIX-2000W-HEHS	Philips	77
LTIX-2000W-HS	Philips	77
LTIX-2000W-HTP	Philips	77
LTIX-2000W-SHSC	Philips	77
LTIX-2000W-XB	Philips	77
LTIX-2000W-XS	Philips	77
LTIX-2500W-HS	Philips	77
LTIX-3000W-H	Philips	77
LTIX-3000W-HEHS	Philips	77
LTIX-3000W-HS	Philips	77
LTIX-4000W-HTP	Philips	77
LTIX-4000W-XS	Philips	77
LTIX-4202W-HEHS	Philips	77
LTIX-4500W-HS	Philips	77
LTIX-6002W-HS	Philips	77
LTIX-7000W-HS	Philips	77
LTIX-7000W-XS	Philips	77
LTIX-700W-HS	Philips	77
LTIX-8000W-HEHS	Philips	77
M/38 (6874P)	Philips	36
M40 (64672)	Osram	36
M40 (6877P)	Philips	36
MAXI SHARXS HTI 2000W/D10/60	Osram	53
MHD 1800	Philips	55
MHD 200	Philips	55
MHL-450	Ushio	74
MPXL DL35 24PK	Philips	55
MPXL DL50	Philips	55
MPXL DUV	Philips	55
MPXL RP50	Philips	55
MQI/2000/T9/40	GE	56
MSA 2000 SE	Philips	55
MSA 2500 DE	Philips	55
MSD 1200	Philips	55
MSD 150/2	Philips	55
MSD 200	Philips	55
MSD 200/2	Philips	55
MSD 250	Philips	55
MSD 250/2	Philips	55
MSD 300/2 MiniFastFit GOLD	Philips	55
MSD 575	Philips	55
MSD 575 HR	Philips	55
MSD 700	Philips	55
MSI 1200	Philips	55
MSI 12000	Philips	55
MSI 1800	Philips	55
MSI 2500	Philips	55
MSI 4000	Philips	55
MSI 575	Philips	55
MSI 575/2	Philips	55
MSI 6000	Philips	55
MSR 1200	Philips	55
MSR 1200 FastFit GOLD	Philips	55
MSR 1200 HR	Philips	55
MSR 1200 SA	Philips	55
MSR 1200 SA/2 DE GOLD	Philips	55
MSR 1200 SA/DE GOLD	Philips	55
MSR 1200 SA/SE GOLD	Philips	55
MSR 1200/2	Philips	55
MSR 12000 HR	Philips	55
MSR 125 HR	Philips	55
MSR 1510 SA/2 DE GOLD	Philips	55
MSR 1510 SA/DE GOLD	Philips	55
MSR 18000 HR	Philips	55
MSR 1800DE	Philips	55
MSR 200 HR	Philips	55
MSR 2000 SA	Philips	55
MSR 2000 SA GOLD FastFit	Philips	55
MSR 2000/2 SA GOLD FastFit	Philips	55
MSR 250 HR	Philips	55
MSR 2500 HR	Philips	55
MSR 2500/2 FastFit GOLD	Philips	55
MSR 300 FastFit GOLD	Philips	55
MSR 300/2 MiniFastFit GOLD	Philips	55
MSR 400	Philips	55
MSR 400 HR	Philips	55
MSR 400 SA	Philips	55
MSR 400 SA/2 DE GOLD	Philips	55
MSR 400 SA/DE GOLD	Philips	55
MSR 4000 HR	Philips	55
MSR 575 HR	Philips	55
MSR 575 SA/2 DE GOLD	Philips	55
MSR 575/2	Philips	55
MSR 6000 HR	Philips	55
MSR 700	Philips	55
MSR 700 FastFit GOLD	Philips	55
MSR 700 SA	Philips	55
MSR 700 SA/2 DE GOLD	Philips	55
MSR 700 SA/DE GOLD	Philips	55
MSR 700/2	Philips	55
MSR 700/2 FastFit GOLD	Philips	55
MSR 700/2 MiniFastFit GOLD	Philips	55
OC1200	GE	25
P1/12 (64580)	Osram	39
P1/12 (PF801R)	Philips	39
P2/10 (7775R/16)	Philips	39
P2/10 (Q625T3/4CL)	GE	39
P2/12 (6358R)	Philips	39
P2/12 (Q1250T3)	GE	39
P2/20 (64583)	Osram	39
P2/35 (13704R)	Philips	39
P217 (64576)	Osram	33
PAR56 230V 300W MFL	Philips	44

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
PAR56 230V 300W NSP	Philips	44
PAR56 230V 300W WFL	Philips	44
PAR56 240V 300W MFL	Philips	44
PAR56 240V 300W NSP	Philips	44
PAR56 240V 300W WFL	Philips	44
PAR64 1000W 230V CP60	Philips	45
PAR64 1000W 230V CP61	Philips	45
PAR64 1000W 230V CP62	Philips	45
PAR64 1000W 240V CP60	Philips	45
PAR64 1000W 240V CP61	Philips	45
PAR64 1000W 240V CP62	Philips	45
PF808	Philips	33
PF810	Philips	29
PF821 R	Philips	40
PF821R 230V	Philips	39
PF821R 240V	Philips	39
PH211	Import	68
PH212	Import	68
PH213	Import	68
Q1000PAR64MFL	GE	45
Q1000PAR64NSP	GE	45
Q1000PAR64WFL	GE	45
Q100CL/DC	GE	64
Q100CL/MC	GE	67
Q100DC	GE	64
Q100MC	GE	67
Q12MT26/4CL	GE	16
Q12MT26/4CL	GE	31
Q235T4/3	GE	10
Q24MT32/4CL	GE	31
Q250CL/DC	GE	64
Q250CL/MC	GE	67
Q250DC	GE	64
Q250MC	GE	67
Q250PAR/FL30	GE	69
Q250PAR/SP10	GE	69
Q350T3/CL/HIR	GE	39
Q400CL/MC	GE	67
Q400MC	GE	67
Q4559	GE	47
Q4559X	GE	47
Q500CL/DC	GE	64
Q500DC	GE	64
Q500PAR56MFL	GE	43
Q500PAR56NSP	GE	43
Q500PAR56WFL	GE	43
Q500T3/CL/6	GE	39
QXL 750/77 (93721)	Osram	24
QXL 750/77/X (93721)	Osram	24
SHARXS HTI 1200W/D7/60	Osram	53
SHARXS HTI 1200W/D7/75	Osram	53
SHARXS HTI 1500W/D7/60	Osram	53
SHARXS HTI 200W/D3/70	Osram	53
SHARXS HTI 400W/D3/75	Osram	53
SHARXS HTI 575W/D4/60	Osram	53
SHARXS HTI 575W/D4/75	Osram	53
SHARXS HTI 700W/D4/60	Osram	53
SHARXS HTI 700W/D4/75	Osram	53
SPL1000/PAR64/840	GE	56
SPL1000/PAR64/HR	GE	56
SPL1500/H/652	GE	56
STUDIOLINE 55W/3200	Osram	59
STUDIOLINE 55W/5600	Osram	59

PART NUMBER	MFG	SECTION #
T11	GE	34
T11 (Q1000T8/CL)	GE	18
T12	GE	34
T12 (64719)	Osram	34
T12 / T21 (6998P)	Philips	34
T13	GE	65
T14	GE	65
T16	GE	66
T17	GE	65
T17 / T24 (6800C)	Philips	65
T28	GE	65
T29	GE	18
VL150	Philips	33
VL300	Philips	17
VL300	Philips	33
XBO 1000 W/HS OFR	Osram	75
XBO 1000 W/HSC OFR	Osram	75
XBO 1000 W/HTP OFR	Osram	75
XBO 10000 W/HS OFR	Osram	75
XBO 1600 W CL OFR	Osram	75
XBO 1600 W XL OFR	Osram	75
XBO 1600 W/CA OFR	Osram	75
XBO 1600 W/HS CL OFR	Osram	75
XBO 1600 W/HS XL OFR	Osram	75
XBO 1600 W/HSC CL OFR	Osram	75
XBO 1600 W/HSC XL OFR	Osram	75
XBO 2000 W/DHP OFR	Osram	75
XBO 2000 W/DTP OFR	Osram	75
XBO 2000 W/H CL OFR	Osram	75
XBO 2000 W/H OFR	Osram	75
XBO 2000 W/H XL OFR	Osram	75
XBO 2000 W/HCC OFR	Osram	75
XBO 2000 W/HPS OFR	Osram	75
XBO 2000 W/HS CL OFR	Osram	75
XBO 2000 W/HS OFR	Osram	75
XBO 2000 W/HTP CL OFR	Osram	75
XBO 2000 W/HTP OFR	Osram	75
XBO 2000 W/HTP XL OFR	Osram	75
XBO 2000 W/HTT OFR	Osram	75
XBO 2000 W/SHSC CL OFR	Osram	75
XBO 2000 W/SHSC OFR	Osram	75
XBO 2001 W/HTP OFR	Osram	75
XBO 2500 W OFR	Osram	75
XBO 2500 W/HS CL OFR	Osram	75
XBO 2500 W/HS OFR	Osram	75
XBO 2500 W/HS XL OFR	Osram	75
XBO 2500 W/HTP OFR	Osram	75
XBO 3000 W/DHP OFR	Osram	75
XBO 3000 W/DHS OFR	Osram	75
XBO 3000 W/DTP OFR	Osram	75
XBO 3000 W/H CL OFR	Osram	75
XBO 3000 W/H OFR	Osram	75
XBO 3000 W/H XL OFR	Osram	75
XBO 3000 W/HPS OFR	Osram	75
XBO 3000 W/HS CL OFR	Osram	75
XBO 3000 W/HS OFR	Osram	75
XBO 3000 W/HS XL OFR	Osram	75
XBO 3000 W/HSLA OFR	Osram	75
XBO 3000 W/HTC OFR	Osram	75
XBO 3000 W/HTP CL OFR	Osram	75
XBO 3000 W/HTP OFR	Osram	75
XBO 3000 W/HTP XL OFR	Osram	75
XBO 3600 W/HTC OFR	Osram	75

STAGE, THEATRE AND TELEVISION BULB INDEX

PART NUMBER	MFG	SECTION #
XBO 3600 W/HTM OFR	Osram	75
XBO 4000 W/DHP OFR	Osram	75
XBO 4000 W/HS CL OFR	Osram	75
XBO 4000 W/HS XL OFR	Osram	75
XBO 4000 W/HSA OFR	Osram	75
XBO 4000 W/HTP CL OFR	Osram	75
XBO 4000 W/HTP XL OFR	Osram	75
XBO 4200 W/CA OFR	Osram	75
XBO 4200 W/GS OFR	Osram	75
XBO 4200 W/HPS OFR	Osram	75
XBO 4500 W/DHP OFR	Osram	75
XBO 4500 W/DTP OFR	Osram	75
XBO 4500 W/HS OFR	Osram	75
XBO 4500 W/HS XL OFR	Osram	75
XBO 4500 W/HSLA OFR	Osram	75
XBO 4500 W/HTP OFR	Osram	75
XBO 4500 W/HTP XL OFR	Osram	75
XBO 500 W/H OFR	Osram	75
XBO 5000 W/H CL OFR	Osram	75
XBO 5000 W/H OFR	Osram	75
XBO 5000 W/H XL OFR	Osram	75
XBO 5000 W/HBM CL OFR	Osram	75
XBO 5000 W/HBM XL OFR	Osram	75
XBO 5000 W/HTP OFR	Osram	75
XBO 6000 W/DHP OFR	Osram	75
XBO 6000 W/DTP OFR	Osram	75
XBO 6000 W/HS CL OFR	Osram	75
XBO 6000 W/HS OFR	Osram	75
XBO 6000 W/HS XL OFR	Osram	75
XBO 6000 W/HSLA OFR	Osram	75
XBO 6000 W/HTP OFR	Osram	75
XBO 6000 W/HTP XL OFR	Osram	75
XBO 6500 W/DHP OFR	Osram	75
XBO 6500 W/HSLA OFR	Osram	75
XBO 7000 W/HS CL OFR	Osram	75
XBO 7000 W/HS OFR	Osram	75
XBO 7000 W/HS XL OFR	Osram	75
XBO 8000 W/HS OFR	Osram	75
XBO 900 W OFR	Osram	75
XE 2003 HS	Philips	79
XE 2003CH	Philips	79
XE 2200 SHSC	Philips	79
XE 2200BA	Philips	79
XE 3000 SHSC	Philips	79
XE 3000BA	Philips	79
XE 3002 SHSC	Philips	79
XE 3002DP	Philips	79
XE 3003 SHSC	Philips	79
XE3003BA	Philips	79
XOP 15-OF	Philips	78
XOP 25-OF	Philips	78
XSTAGE 2000W OFR	Osram	76
XSTAGE 3000W OFR	Osram	76
XSTAGE 4000W OFR	Osram	76
XSTAGE 7000W OFR	Osram	76

Brands Offered

Altman	Desisti	Litepanel	Robe
American DJ	Elation	Little Light	Rosco
Anton Bauer	ETC	Lowel	Strand
Apollo	Frezzi	LTM	Strong
Arri	Gam	Lycian	Supervision
Arriflex	High End Systems	Martin	Time Square Lighting
Brightline	James Thomas	Maxlite	TMB
Chauvet	K5600	MBT	TPR Enterprises
Chimera	Kinoflo	Mole Richardson	Traxon
Color Kinetics	KW-2	National Specialty	Uni-Par
Colormotion	L & E	Nexxus	Vari-Lite
Colortran	Lamar	NSI	Wide Loyal
Cool-Lux	LEDtronics	NSL	Wybron
CREE / LLF	Lightech	OptiLed	
Dedolight	Lightolier	Photoflex	

SINGLE ENDED 2-PIN HALOGEN, LOW VOLTAGE

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
SECTION 1 - G22 / MED BI POST									
7002Y	PHILIPS	1000	100	N/A	G22 / MED BI POST	2.85"	250	N/A	29000
7009Z	PHILIPS	1200	80	N/A	G22 / MED BI POST	N/A	200	3250	36000
CP110 (6980Z)	PHILIPS	1200	80	N/A	G22 / MED BI POST	N/A	200	3250	36000
SECTION 2 - G4 / 2 PIN									
6605	PHILIPS	10	6	T3	G4 / 2 PIN	0.77"	2000	2700	150
64223	OSRAM	10	6	T3	G4 / 2 PIN	0.94"	300	N/A	150
ESA/EHD (7387)	PHILIPS	10	6	T2 1/2	G4 / 2 PIN	0.77"	100	3200	200
ESA/FHD (64225)	OSRAM	10	6	T3	G4 / 2 PIN	0.77"	100	N/A	200
ESB (64250 HLX)	OSRAM	20	6	T3 1/2	G4 / 2 PIN	0.77"	100	N/A	480
ESB (7388)	PHILIPS	20	6	T3	G4 / 2 PIN	0.77"	100	3200	420
64258	OSRAM	20	12	T3	G4 / 2 PIN	0.77"	2000	N/A	350
64259	OSRAM	20	12	T3	G4 / 2 PIN	0.77"	1500	N/A	400
5761	PHILIPS	30	6	T3 1/2	G4 / 2 PIN	0.77"	100	3200	765
64265 HLX	OSRAM	30	6	T2	G4 / 2 PIN	0.77"	100	3200	765
64275	OSRAM	35	6	T3	G4 / 2 PIN	1.02"	50	N/A	780
SECTION 3 - G5.3 / 2 PIN									
DZA	GE	30	10.8	T3 1/2	G5.3 / 2 PIN	1.06"	400	3100	530
EYB	PHILIPS	360	82	T5	G5.3 / 2 PIN	1.25"	75	3250	10000
EYB	OSRAM	360	82	T3 1/2	G5.3 / 2 PIN	1.25"	75	3250	10000
EYB	GE	360	82	T3 1/2	G5.3 / 2 PIN	1.25"	75	3250	10000
EYB-5	OSRAM	360	86	T3 1/2	G5.3 / 2 PIN	1.25"	75	3250	10000
EYB-5	GE	360	86	T3 1/2	G5.3 / 2 PIN	1.25"	75	3250	
EYB-7	OSRAM	360	88	T3 1/2	G5.3 / 2 PIN	1.25"	75	3250	10000
SECTION 4 - G5.3/4.8 / FLAT PINS									
64614	OSRAM	75	12	T2 1/2	G5.3/4.8 / FLAT PINS	2.32"	25	N/A	N/A

SINGLE ENDED 2-PIN HALOGEN, LOW VOLTAGE

SECTION 5 - G6.35 / 2 PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
64647	OSRAM	12	24	T4	G6.35 / 2 PIN	1.18"	300	N/A	3600
64261	OSRAM	30	12	T3 1/4	G6.35 / 2 PIN	1.18"	50	N/A	750
64602	OSRAM	50	12	T3 1/4	G6.35 / 2 PIN	1.18"	1100	N/A	1000
64611 HLX	OSRAM	50	12	T3 1/4	G6.35 / 2 PIN	1.09"	100	N/A	1350
BRL	PHILIPS	50	12	T3 1/2	G6.35 / 2 PIN	1.18"	50	3400	1500
BRL (64610 HLX)	OSRAM	50	12	T3	G6.35 / 2 PIN	1.18"	50	N/A	1600
64650	OSRAM	50	23	T4	G6.35 / 2 PIN	1.18"	1300	N/A	1000
14623	PHILIPS	95	17	T4	G6.35 / 2 PIN	1.26"	2000	3000	2150
62138 HLX	OSRAM	100	12	T3	G6.35 / 2 PIN	1.06"	50	N/A	2800
64638 HLX	OSRAM	100	24	T3	G6.35 / 2 PIN	1.18"	300	N/A	2900
BRJ/EVB (64633 HLX)	OSRAM	150	15	T3 1/4	G6.35 / 2 PIN	1.18"	50	N/A	5600
64641 HLX	OSRAM	150	24	T4	G6.35 / 2 PIN	1.18"	2000	N/A	2700
FCS	PHILIPS	150	24	T4	G6.35 / 2 PIN	1.18"	50	3400	6000
FCS	GE	150	24	T4	G6.35 / 2 PIN	1.18"	50	3300	4500
FCS / A1/216 (64640 HLX)	OSRAM	150	24	T4	G6.35 / 2 PIN	1.18"	50	N/A	6000
FCS-X	PHILIPS	150	24	T4	G6.35 / 2 PIN	1.18"	50	3400	6000
FDV (64642 HLX)	OSRAM	150	24	T4	G6.35 / 2 PIN	1.26"	300	N/A	5000
EHJ	PHILIPS	250	24	T4	G6.35 / 2 PIN	1.3"	50	3400	9400
EHJ (64655 HLX)	OSRAM	250	24	T4	G6.35 / 2 PIN	1.3"	50	N/A	10000
EHJ-5H	PHILIPS	250	24	T4	G6.35 / 2 PIN	1.3"	500	3200	N/A
EHJ-X	PHILIPS	250	24	T4	G6.35 / 2 PIN	1.3"	50	3400	10000
EVC	PHILIPS	250	24	T5	G6.35 / 2 PIN	1.3"	300	3200	8400
EVC (64657 HLX)	OSRAM	250	24	T4	G6.35 / 2 PIN	1.3"	300	N/A	9000
EVC 10H	PHILIPS	250	24	T5	G6.35 / 2 PIN	1.3"	1000	3200	8400
FNT	PHILIPS	275	24	T6	G6.35 / 2 PIN	1.3"	75	3400	1000
FNT (64656 HLX)	OSRAM	275	24	T4	G6.35 / 2 PIN	1.3"	75	N/A	10000
64664 HLX	OSRAM	400	36	T6	G6.35 / 2 PIN	1.42"	150	N/A	14500
64665 HLX	OSRAM	400	36	T6	G6.35 / 2 PIN	1.42"	300	N/A	400
EVD	GE	400	36	T6	G6.35 / 2 PIN	1.42"	50	3200	14500
EVD (64663 HLX)	OSRAM	400	36	T6	G6.35 / 2 PIN	1.42"	50	N/A	16000
EVD-X (7787)	PHILIPS	400	36	T6	G6.35 / 2 PIN	1.42"	50	3400	16625

SECTION 6 - G9.5 / 2 PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
6989P	PHILIPS	575	100	N/A	G9.5	2.38"	300	3200	15500
6981P	PHILIPS	750	100	N/A	G9.5	2.38"	300	3200	20250

SECTION 7 - GX9.5 / 2 PIN PREFOCUS



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
7015 TXO	PHILIPS	750	100	N/A	GX9.5 / 2 PIN PREFOCUS	1.83"	300	3200	20250

SECTION 8 - GY6.35 / 2 PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
EVA	PHILIPS	100	12	T3 1/2	GY6.35 / 2 PIN	1.18"	1000	3200	2500
EVA (64623 HLX)	OSRAM	100	12	T4	GY6.35 / 2 PIN	1.18"	2000	N/A	2800
FCR	PHILIPS	100	12	T3 1/2	GY6.35 / 2 PIN	1.18"	50	3400	3400
FCR (64625 HLX)	OSRAM	100	12	T3 1/2	GY6.35 / 2 PIN	1.18"	50	N/A	3600
FLW	PHILIPS	300	24	T6	GY6.35 / 2 PIN	1.3"	50	3400	10450

SINGLE ENDED 2-PIN HALOGEN, LOW VOLTAGE

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
SECTION 9 - GY9.5 / 2 PIN PREFOCUS									
FDT (64628)	OSRAM	100	12	T4	GY9.5 / 2 PIN PREFOCUS	1.06"	50	N/A	3000
FDS (64643)	OSRAM	150	24	T6	GY9.5 / 2 PIN PREFOCUS	1.32"	100	N/A	5000
64654 HLX 24V	OSRAM	250	24	T6	GY9.5 / 2 PIN PREFOCUS	1.38"	300	N/A	9000
6638P	PHILIPS	650	100	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	300	N/A	17800
6995 I/BP	PHILIPS	1000	100	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	200	3200	30000
SECTION 10 - GZ9.5 / 2 PIN PREFOCUS									
DZE/FDS	OSRAM	150	24	T4	GY9.5 / 2 PIN PREFOCUS	1.31"	100	3300	4000
FDS/DZE (64643)	OSRAM	150	24	T5	GY9.5 / 2 PIN PREFOCUS	1.31"	100	N/A	5000
Q235T4/3	GE	235	33	T4	GY9.5 / 2 PIN PREFOCUS	1.54"	150	3125	6000
SECTION 11 - PG22 / MED BI POST									
64222	OSRAM	10	6	T3	PG22 / MED BI POST	0.55"	300	N/A	150
64251 HLX	OSRAM	20	6	T3	PG22 / MED BI POST	0.55"	100	N/A	500
64260	OSRAM	30	12	T3	PG22 / MED BI POST	0.55"	50	N/A	800
64609 HLX	OSRAM	50	12	T3	PG22 / MED BI POST	0.71"	50	N/A	1550
64621 HLX	OSRAM	100	12	T3	PG22 / MED BI POST	0.71"	2000	3300	2750
EHE (64626 HLX)	OSRAM	100	12	T4	PG22 / MED BI POST	0.71"	50	N/A	3600

BATTERIES

Brands Offered

Anton Bauer Batteries & Accessories
Duracell/Procell
Energizer
IDX
Maha/PowerEx
Panasonic
Rayovac

Products Offered

AAA, AA, C, D, 9V Batteries
Adaptors
Battery Belts
Battery Chargers
Cables
Camera Lights
Gold Mounts
Holders
Power Supplies
Rechargeable Batteries

SINGLE ENDED 2-PIN HALOGEN, LINE VOLTAGE

SECTION 12 - G22 / MED BI POST



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
EFX	OSRAM	500	120	T5	G22 / MED BI POST	4"	2000	3000	10000
EGN	OSRAM	500	120	T6	G22 / MED BI POST	2.52"	100	3200	13000
EGN (Q500T8)	GE	500	120	T8	G22 / MED BI POST	2.52"	150	3200	13000
EGR (6827Z)	PHILIPS	750	120	T9	G22 / MED BI POST	2.52"	150	3200	21000
EGR	OSRAM	750	120	T7	G22 / MED BI POST	2.52"	200	3200	20000
EGR (Q750T7/4CL)	GE	750	120	T7	G22 / MED BI POST	2.52"	200	3200	21000
7002Y 115V	PHILIPS	1000	115	N/A	G22 / MED BI POST	2.5"	250	3200	29000
EGT	OSRAM	1000	120	T6	G22 / MED BI POST	2.52"	250	3200	27500
EGT (6995Z)	PHILIPS	1000	120	T7	G22 / MED BI POST	2.52"	250	3200	28500
EGT (Q1000T7/4CL)	GE	1000	120	T7	G22 / MED BI POST	2.52"	250	3200	28500
2000T8Q/120V/G22	OSRAM	2000	120	T8	G22 / MED BI POST	3.11"	2000	3200	45000
CP92	GE	2000	120	G13	G22 / MED BI POST	3.54"	400	3200	55000

SECTION 13 - G38 / MOGUL BI POST



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
CYV	OSRAM	1000	120	T7	G38 / MOGUL BI POST	5"	200	3200	27500
CYV (6995Y)	PHILIPS	1000	120	T10	G38 / MOGUL BI POST	5"	200	3200	28500
CYV (Q1000T7/4CL/BP)	GE	1000	120	T7	G38 / MOGUL BI POST	5"	200	3200	28500
CXZ	OSRAM	1500	120	T8	G38 / MOGUL BI POST	5"	325	3200	38500
CXZ (Q1500T10/4CL)	GE	1500	120	T10	G38 / MOGUL BI POST	5"	400	3200	44500
BWA (Q2000/4CL/BP)	GE	2000	120	T8	G38 / MOGUL BI POST	5"	500	3200	54000
CYX	OSRAM	2000	120	T11	G38 / MOGUL BI POST	5"	300	3200	55000
CYX (6994Z)	PHILIPS	2000	120	T10	G38 / MOGUL BI POST	5"	300	3200	59000
CYX (Q2000T10/4CL)	GE	2000	120	T10	G38 / MOGUL BI POST	5"	350	3200	59000
DPY	OSRAM	5000	120	T17	G38 / MOGUL BI POST	6.5"	500	3200	143000
DPYM	OSRAM	5000	120	T17	G38 / MOGUL BI POST	6.5"	500	3200	140000
DPY / CP29 (Q5000T20/4CL)	GE	5000	120	T20	G38 / MOGUL BI POST	6.5"	500	3200	143000
HX5000	GE	5000	120	T20	G38 / MOGUL BI POST	6.5"	250	3200	147000
DTY	OSRAM	10000	120	T24	G38 / MOGUL BI POST	22.13"	350	3200	290500
DTY (Q10M/T24/4CL)	GE	10000	120	T24	G38 / MOGUL BI POST	22.13"	300	3200	290000

SECTION 14 - G5.3 / 2 PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
FVM	GE	105	120	T4	G5.3 / 2 PIN	1.26"	250	3200	2200
FVM	OSRAM	105	120	T4	G5.3 / 2 PIN	1.26"	250	3200	2250
FSH	OSRAM	125	120	T3	G5.3 / 2 PIN	1.26"	200	3200	2500
FVL	GE	200	120	T4	G5.3 / 2 PIN	1.26"	250	3200	5200
FVL	OSRAM	200	120	T4	G5.3 / 2 PIN	1.26"	200	3200	5200
EYH/FKT	GE	250	120	G6	G5.3 / 2 PIN	1.42"	200	3000	6000
FKT/EYH	OSRAM	250	120	T6	G5.3 / 2 PIN	1.42"	200	3125	5400
GCA	OSRAM	250	120	T3	G5.3 / 2 PIN	1.26"	200	3200	5700
FBG/FBD	GE	500	120	G6	G5.3 / 2 PIN	1.73"	50	3200	13200
DYH	GE	600	120	G7	G5.3 / 2 PIN	1.42"	75	3200	17000
DVY	GE	650	120	G6	G5.3 / 2 PIN	1.42"	25	3300	20000

Image Courtesy of OSRAM SYLVANIA Inc

SINGLE ENDED 2-PIN HALOGEN, LINE VOLTAGE

SECTION 15 - G9.5 / 2-PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
EHC (Q500/5CL)	GE	500	120	T6	G9.5 / 2-PIN	2.36"	500	3150	12700
EHC/EHB	OSRAM	500	120	T4	G9.5 / 2-PIN	2.36"	300	3200	13000
EHD	OSRAM	500	120	T4	G9.5 / 2-PIN	2.36"	2000	3000	10600
EHD (500Q/CL)	PHILIPS	500	120	T5	G9.5 / 2-PIN	2.36"	2000	3000	10600
EHD (Q500CL/TP)	GE	500	120	T6	G9.5 / 2-PIN	2.36"	2000	2900	10000
FLK	OSRAM	575	115	T5	G9.5 / 2-PIN	2.36"	300	3200	16500
FLK (6985P)	PHILIPS	575	115	T8	G9.5 / 2-PIN	2.36"	300	3200	16500
FLK (Q575T6)	GE	575	115	T6	G9.5 / 2-PIN	2.36"	300	3200	16500
FLK PLUS (HPR 575/115)	OSRAM	575	115	T6	G9.5 / 2-PIN	2.32"	300	3200	16500
FLK/LL (Q575T6)	GE	575	115	T6	G9.5 / 2-PIN	2.36"	1500	3100	12800
FLK/X 115V	OSRAM	575	115	T5	G9.5 / 2-PIN	2.36"	2000	3200	10000
GLA (575/115/2000)	OSRAM	575	115	T6	G9.5 / 2-PIN	2.36"	2000	3050	10500
GLA (6992P)	PHILIPS	575	115	T7	G9.5 / 2-PIN	2.36"	1500	3100	13000
GLA (Q575T6/4CL)	GE	575	115	T6	G9.5 / 2-PIN	2.36"	1500	3050	13000
GLC (575/115/300)	OSRAM	575	115	T6	G9.5 / 2-PIN	2.36"	300	3250	15500
GLC (6989P)	PHILIPS	575	115	T7	G9.5 / 2-PIN	2.36"	400	3200	15500
GLC (Q575T6/5CL)	GE	575	115	T6	G9.5 / 2-PIN	2.36"	300	3200	14500
GLD (6981P)	PHILIPS	750	115	T6	G9.5 / 2-PIN	2.36"	300	3200	20500
GLD (750/115/300)	OSRAM	750	115	T6	G9.5 / 2-PIN	2.36"	300	3250	19000
GLD (Q750T6/4CL)	GE	750	115	T6	G9.5 / 2-PIN	2.36"	300	3200	19000
GLE (750/115/1500)	OSRAM	750	115	T6	G9.5 / 2-PIN	2.36"	1500	3050	17400
GLE (Q750T6/4CL)	GE	750	115	T6	G9.5 / 2-PIN	2.36"	1500	3050	17400
BWM (Q750T7/4CL/TP)	GE	750	120	T7	G9.5 / 2-PIN	2.36"	200	3200	21000
EHF	OSRAM	750	120	T5	G9.5 / 2-PIN	2.36"	300	3300	20400
EHF (Q750/4CL)	GE	750	120	T6	G9.5 / 2-PIN	2.36"	300	3200	20000
EHG	OSRAM	750	120	T5	G9.5 / 2-PIN	2.36"	2000	3000	15400
EHG (750Q/CL)	PHILIPS	750	120	T5	G9.5 / 2-PIN	2.36"	2000	3000	15000
EHG (Q750CL/TP)	GE	750	120	T6	G9.5 / 2-PIN	2.36"	2000	3000	15000
BWN (Q1000T7/4CL/TP)	GE	1000	120	T7	G9.5 / 2-PIN	2.36"	250	3200	28500
FEL / CP77 (6983P)	PHILIPS	1000	120	T6	G9.5 / 2-PIN	2.36"	300	3200	27500
FEL / CP77 (64743)	OSRAM	1000	120	T6	G9.5 / 2-PIN	2.36"	300	3200	27500
FEL / CP77 (Q1000/4CL)	GE	1000	120	T6	G9.5 / 2-PIN	2.36"	300	3200	27500

SECTION 16 - GX38 / MOGUL BI POST



Q12MT26/4CL	GE	12000	120	T26	GX38 / MOGUL BI POST	22.13"	150	3400	420000

SECTION 17 - GX6.35 / 2 PIN

64501	OSRAM	150	120	T4	GX6.35 / 2 PIN	1.18"	25	3400	4500
7010	PHILIPS	300	120	N/A	GX6.35 / 2 PIN	N/A	150	N/A	7000
64513	OSRAM	300	120	T6	GX6.35 / 2 PIN	1.06"	150	3200	7700
64514	OSRAM	300	120	T6	GX6.35 / 2 PIN	1.06"	75	3400	8100
FNS (64512)	OSRAM	300	120	T6	GX6.35 / 2 PIN	1.06"	15	3350	9300
VL300	PHILIPS	300	120	N/A	GX6.35 / 2 PIN	N/A	20	3200	8700
64535	OSRAM	650	120	T7	GX6.35 / 2 PIN	1.18"	15	3400	20000
64573	OSRAM	1000	120	T7	GX6.35 / 2 PIN	1.5"	15	3400	33000



SINGLE ENDED 2-PIN HALOGEN, LINE VOLTAGE

SECTION 18 - GX9.5 / 2 PIN PREFOCUS



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
EKD (Q650/3CL/2PP)	GE	650	120	G6	GX9.5 / 2 PIN PREFOCUS	1.46"	25	3300	20000
71-2526	PHILIPS	1000	120	N/A	GX9.5 / 2 PIN PREFOCUS	2.17"	180	N/A	27000
T11 (Q1000T8/CL)	GE	1000	120	G11	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3050	23500
HWMV 1200W/115V	OSRAM	1200	115	T7	GX9.5 / 2 PIN PREFOCUS	2.17"	300	3200	37000
71-2529	PHILIPS	1200	120	N/A	GX9.5 / 2 PIN PREFOCUS	2.17"	100	N/A	34000
T29	GE	1200	120	G11	GX9.5 / 2 PIN PREFOCUS	2.64"	400	3050	30500

SECTION 19 - GY16

CP79	GE	2000	120	G13	GY16	2.76"	350	3200	54000

SECTION 20 - GY6.35 / 2 PIN



EGW (64535)	OSRAM	650	120	T8	GY6.35 / 2 PIN	1.18"	15	3400	20000

SECTION 21 - GY9.5 / 2 PIN PREFOCUS



FKW	OSRAM	300	120	T6	GY9.5 / 2 PIN PREFOCUS	1.81"	200	3200	7800
FKW / CP81 (Q300T8)	GE	300	120	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	50	3200	6900
EKB (Q420/4CL/2PP)	GE	420	120	G7	GY9.5 / 2 PIN PREFOCUS	1.46"	75	3200	11000
EHA	OSRAM	500	120	T6	GY9.5 / 2 PIN PREFOCUS	1.44"	50	3200	N/A
FRG	OSRAM	500	120	T6	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	13000
FRG / CP82 (Q500T8)	GE	500	120	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	13000
FTK	OSRAM	500	120	T6	GY9.5 / 2 PIN PREFOCUS		1.44"	200	3200
12000									
FMR	OSRAM	600	120	T5	GY9.5 / 2 PIN PREFOCUS	2"	2000	3000	1250
FMR (Q600T5)	GE	600	120	T5	GY9.5 / 2 PIN PREFOCUS	2"	2000	3050	12600
BVE	PHILIPS	625	120	T6	GY9.5 / 2 PIN PREFOCUS	1.75"	75	3350	N/A
FRE / T26	GE	650	120	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	500	3100	15500
FRK	OSRAM	650	120	T7	GY9.5 / 2 PIN PREFOCUS	1.81"	200	3200	16900
FRK (6638P)	PHILIPS	650	120	N/A	GY9.5 / 2 PIN PREFOCUS	1.81"	200	3200	17500
FRK / CP89 (Q650T8)	GE	650	120	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	200	3200	16900
6995 I/BP	PHILIPS	1000	115	N/A	GY9.5 / 2 PIN PREFOCUS	1.8"	250	3200	27000
GAC (6995 I/BP)	PHILIPS	1000	120	N/A	GY9.5 / 2 PIN PREFOCUS	1.8"	250	3200	27000

SECTION 22 - GZ6.35 / 2 PIN

64573	OSRAM	1000	120	T8	GZ6.35 / 2 PIN	1.5"	15	3400	33000

SECTION 23 - GZ9.5 / 2 PIN PREFOCUS



DYS/300	OSRAM	300	120	T6	GZ9.5 / 2 PIN PREFOCUS	1.46"		3200	7500
EKB	OSRAM	420	120	T6	GZ9.5 / 2 PIN PREFOCUS	1.46"	75	3200	11000
BHC/DYS/DYV	OSRAM	600	120	T6	GZ9.5 / 2 PIN PREFOCUS	1.46"	75	3200	17500
DYS/DYV/BHC	PHILIPS	600	120	G7	GZ9.5 / 2 PIN PREFOCUS	1.46"	75	3200	17000
BHC/DYS/DYV-5	OSRAM	600	125	T6	GZ9.5 / 2 PIN PREFOCUS	1.46"	75	3200	17500

SINGLE ENDED 2-PIN HALOGEN, LINE VOLTAGE



SECTION 24 - LINE VOLTAGE HPL/QXL LAMPS



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
HPL 375/115 (UCF)	OSRAM	375	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	10540
HPL 375/115/X (UCF)	OSRAM	375	115	T8	MED BI PIN W/ HEAT SINK	2.36"	1000	2950	8000
HPL375/C	GE	375	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3250	10540
HPL375/LL	GE	375	115	T6	MED BI PIN W/ HEAT SINK	2.36"	1000	3050	8000
HPL 550/77 (UCF)	OSRAM	550	77	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3265	16170
HPL 550/77/X (UCF)	OSRAM	550	77	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3065	12160
HPL550/C 77V	GE	550	77	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3250	16170
HPL 575/115 (UCF)	OSRAM	575	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3265	16520
HPL 575/115/X (UCF)	OSRAM	575	115	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3065	12360
HPL 575/115/SL (7007)	PHILIPS	575	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3250	16520
HPL575/C 115V	GE	575	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	16500
HPL575/LL/C 115V	GE	575	115	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3050	12360
HPL 575/115/LL (7007LL)	PHILIPS	575	115	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3050	12360
HPL 575/120 (UCF)	OSRAM	575	120	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3265	16460
HPL 575/120/X (UCF)	OSRAM	575	120	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3050	12360
HPL575/C 120V	GE	575	120	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	16520
HPL575/LL/C 120V	GE	575	120	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3050	12360
HPL 750/77 (UCF)	OSRAM	750	77	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3265	22950
QXL 750/77 (93721)	OSRAM	750	77	T6	QXL	1.5"	300	3250	22950
QXL 750/77/X (93721)	OSRAM	750	77	T6	QXL	1.5"	1500	3050	18000
HPL 750/115 (UCF)	OSRAM	750	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3265	21900
HPL 750/115/X (UCF)	OSRAM	750	115	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	16400
HPL 750/115/SL (7008)	PHILIPS	750	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3250	21900
HPL750/C 115V	GE	750	115	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	22000
HPL750/LL/C	GE	750	115	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3050	16400
HPL 750/120 (UCF)	OSRAM	750	120	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3250	21900
HPL 750/120/X (UCF)	OSRAM	750	120	T6	MED BI PIN W/ HEAT SINK	2.36"	2000	3065	16400

SECTION 25 - HI-BRITE LAMP, LOK-IT & EQUIVALENTS

HI-BRITE 750 FASTFIT	PHILIPS	750	80	N/A	PGJX50	2.52"	300	3250	2250
HI-BRITE 750/115 FASTFIT	PHILIPS	750	115	N/A	PGJX50	N/A	300	3200	20500
HI-BRITE 7015 TXO	PHILIPS	750	100	N/A	GX9.5 / 2 PIN PREFOCUS	1.8"	300	3200	18600
HI-BRITE 800/230 FASTFIT	PHILIPS	800	230	N/A	PGJX50	N/A	200	3200	20000
6980Z	PHILIPS	1200	80	T8	G22 / MED BI POST	2.52"	300	3300	37500
CP110 (93723)	OSRAM	1200	80	T8	G22 / MED BI POST	2.52"	300	3200	37500
HI-BRITE 1200 FASTFIT	PHILIPS	1200	80	N/A	PGJX50	3.31"	200	3250	36000
HP 1200/80	OSRAM	1200	80	T8	G22 / MED BI POST	2.52"	250	3200	37500
LOK-IT! 1200W/80V/32/P50	OSRAM	1200	80	N/A	PGJX50	300	3200	37500	
HWLV 1200W 80V	OSRAM	1200	80	T7	G22 / MED BI POST	2.52"	300	3200	37500
OC1200	GE	1200	80	T8	G22 / MED BI POST	2.52"	300	3300	37500
HI-BRITE 1200/115 FASTFIT	PHILIPS	1200	115	N/A	PGJX50	3.31"	300	3200	33600
HI-BRITE 1200/230 FASTFIT	PHILIPS	1200	230	N/A	PGJX50	3.31"	300	3200	29000
HI-BRITE 1200/240 FASTFIT	PHILIPS	1200	240	N/A	PGJX50	3.31"	300	3200	29000

SINGLE ENDED 2-PIN HALOGEN, HIGH VOLTAGE

SECTION 26 - G22 / MED BI POST



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
FKH / CP39	GE	650	230	T8	G22 / MED BI POST	2.52"	100	3200	16900
FKH / CP39 (64721)	OSRAM	650	230	T8	G22 / MED BI POST	2.52"	100	3200	16800
FKH / CP39 / CP68 (6993Z)	PHILIPS	650	230	T24	G22 / MED BI POST	2.52"	120	3200	16500
7002Y	PHILIPS	1000	230	UVR11	G22 / MED BI POST	2.52"	250	3200	29000
FKJ / CP40	GE	1000	230	T8	G22 / MED BI POST	2.52"	200	3200	26000
FKJ / CP40 / CP71 (6995Z)	PHILIPS	1000	230	T7	G22 / MED BI POST	2.52"	240	3200	25000
FKJ / CP71 (64747)	OSRAM	1000	230	T6	G22 / MED BI POST	2.52"	200	3200	26000
7002Y	PHILIPS	1000	240	T7	G22 / MED BI POST	2.52"	250	3200	29000
FKJ / CP40	GE	1000	240	T8	G22 / MED BI POST	2.52"	200	3200	26000
FKJ / CP40 / CP71 (6995Z)	PHILIPS	1000	240	T7	G22 / MED BI POST	2.52"	240	3200	25000
FKJ / CP71 (64747)	OSRAM	1000	240	T6	G22 / MED BI POST	2.52"	200	3200	26000
CP93 (64756)	OSRAM	1200	230	N/A	G22 / MED BI POST	2.52"	200	3200	30000
CP93	GE	1200	240	G11	G22 / MED BI POST	2.52"	200	3200	33000
CP55 / CP75 (6994Y)	PHILIPS	2000	230	N/A	G22 / MED BI POST	2.95"	400	N/A	50000
CP75 (64787)	OSRAM	2000	230	TB13	G22 / MED BI POST	2.95"	400	3200	52000
CP92	GE	2000	230	G13	G22 / MED BI POST	3.54"	400	3200	52000
CP92 (6975Z)	PHILIPS	2000	230	N/A	G22 / MED BI POST	3.54"	400	N/A	50000
CP92 (64777)	OSRAM	2000	230	T13	G22 / MED BI POST	3.54"	400	3200	52000
CP92	GE	2000	240	G13	G22 / MED BI POST	3.54"	400	3200	52000
CP92 (6975Z)	PHILIPS	2000	240	N/A	G22 / MED BI POST	3.54"	400	N/A	50000
CP91	GE	2500	230	G13	G22 / MED BI POST	3.54"	400	3200	67500
CP91 (64796)	OSRAM	2500	230	TB13	G22 / MED BI POST	3.54"	400	3200	65000
CP91 (6894Y)	PHILIPS	2500	230	TB13	G22 / MED BI POST	3.2"	350	3200	67500
CP91	GE	2500	240	G13	G22 / MED BI POST	3.54"	400	3200	67500
CP91 (6894Y)	PHILIPS	2500	240	TB13	G22 / MED BI POST	3.2"	350	3200	67500

SECTION 27 - G38 / MOGUL BI POST



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
FKK / CP41	GE	2000	230	G10	G38 / MOGUL BI POST	5"	400	3200	54000
FKK / CP73 (64789)	OSRAM	2000	230	T11	G38 / MOGUL BI POST	5"	400	3200	52000
FKK / FKP / CP41 / CP73 (6994Z)	PHILIPS	2000	230	N/A	G38 / MOGUL BI POST	5"	400	N/A	52000
FKK / CP41	GE	2000	240	G10	G38 / MOGUL BI POST	5"	400	3200	54000
FKK / CP73 (64789)	OSRAM	2000	240	T11	G38 / MOGUL BI POST	5"	400	3200	52000
FKK / FKP / CP41 / CP73 (6994Z)	PHILIPS	2000	240	N/A	G38 / MOGUL BI POST	5"	400	N/A	50000
CP94	GE	2500	240	G13	G38 / MOGUL BI POST	5"	400	3200	67500
HX48	GE	3000	230	G15	G38 / MOGUL BI POST	5"	400	3200	82000
HX48	GE	3000	240	G15	G38 / MOGUL BI POST	5"	400	3200	82000
CP29	GE	5000	230	G20	G38 / MOGUL BI POST	6.5"	500	3200	135000

Image Courtesy of OSRAM SYLVANIA Inc

SINGLE ENDED 2-PIN HALOGEN, HIGH VOLTAGE

SECTION 27 - G38 / MOGUL BI POST CON'T



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
CP29 / CP85 (6963Z)	PHILIPS	5000	230	T19	G38 / MOGUL BI POST	6.5"	400	3200	132500
CP85 (64805)	OSRAM	5000	230	T19	G38 / MOGUL BI POST	6.5"	400	3200	135000
CP29	GE	5000	240	G20	G38 / MOGUL BI POST	6.5"	500	3200	135000
CP29 / CP85 (6963Z)	PHILIPS	5000	240	T19	G38 / MOGUL BI POST	6.5"	400	3200	132500
CP85 (64805)	OSRAM	5000	240	T19	G38 / MOGUL BI POST	6.5"	400	3200	135000
HX5000/240	GE	5000	240	T20	G38 / MOGUL BI POST	6.5"	250	3200	133000
CP83	GE	10000	230	T27	G38 / MOGUL BI POST	22.13"	500	3200	280000
ECR / CP83 (64815)	OSRAM	10000	230	T22	G38 / MOGUL BI POST	10"	400	3200	280000
CP83	GE	10000	240	T27	G38 / MOGUL BI POST	22.13"	500	3200	280000
BCM 208V	OSRAM	20000	208	T24	G38 / MOGUL BI POST	13.94"	400	3200	570000
BCM / CP99 (64818)	OSRAM	20000	230	T24	G38 / MOGUL BI POST	13.94"	350	3200	580000

SECTION 28 - G5.3 / 2 PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
GLF	OSRAM	235	230	T4	G5.3 / 2 PIN	1.26"	100	3100	5100

SECTION 29 - G6.35 / 2 PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
PF810	PHILIPS	650	230	N/A	G6.35 / 2 PIN	1.32"	15	3300	21100
PF810	PHILIPS	650	240	N/A	G6.35 / 2 PIN	1.32"	15	3300	21100

SECTION 30 - G9.5 / 2 PIN



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
GLB (6999P)	PHILIPS	575	230	T7	G9.5 / 2 PIN	2.36"	1500	3100	13000
GKV (64716)	OSRAM	600	230	T6	G9.5 / 2 PIN	2.38"	250	3200	14000
GKV (6986P)	PHILIPS	600	230	T6	G9.5 / 2 PIN	2.36"	400	3200	15000
GKV (Q575T6/4CL)	GE	600	230	T6	G9.5 / 2 PIN	2.36"	250	3200	14000
GKV/LL	GE	600	230	T6	G9.5 / 2 PIN	2.36"	1500	3000	11000
GLB (6991P)	PHILIPS	600	230	T7	G9.5 / 2 PIN	2.36"	1500	3100	13000
GKV	GE	600	240	T6	G9.5 / 2 PIN	2.36"	250	3200	14000
GKV (64716)	OSRAM	600	240	T6	G9.5 / 2 PIN	2.38"	250	3200	14000
GKV (6986P)	PHILIPS	600	240	T6	G9.5 / 2 PIN	2.36"	400	3200	15000
GKV/LL	GE	600	240	T6	G9.5 / 2 PIN	2.36"	1500	3000	11000
GLB (6991P)	PHILIPS	600	240	T7	G9.5 / 2 PIN	2.36"	1500	3100	13000
FKR	GE	650	230	T6	G9.5 / 2 PIN	2.36"	300	3100	15000
FKR	GE	650	240	T6	G9.5 / 2 PIN	2.36"	300	3100	15000
64678	OSRAM	800	230	N/A	G9.5 / 2 PIN	2.36"	250	3200	20000
6982P	PHILIPS	800	230	T6	G9.5 / 2 PIN	2.36"	300	3200	20000
HX800	GE	800	230	T6	G9.5 / 2 PIN	2.36"	250	3200	20000
6982P	PHILIPS	800	240	T6	G9.5 / 2 PIN	2.36"	300	3200	20000
HX800	GE	800	240	T6	G9.5 / 2 PIN	2.36"	250	3200	20000
FEP / CP77 (6983P)	PHILIPS	1000	230	T6	G9.5 / 2 PIN	2.36"	250	3200	26000
FEP / CP77 (Q1MT6/4CL)	GE	1000	230	T6	G9.5 / 2 PIN	2.36"	300	3200	25000
FEP / CP77 (6983P)	PHILIPS	1000	240	T6	G9.5 / 2 PIN	2.36"	250	3200	26000
FEP / CP77 (93734)	OSRAM	1000	240	T6	G9.5 / 2 PIN	2.36"	150	3200	23000
FEP / CP77 (Q1MT6/4CL)	GE	1000	240	T6	G9.5 / 2 PIN	2.36"	300	3200	25000

SINGLE ENDED 2-PIN HALOGEN, HIGH VOLTAGE

SECTION 31 - GX38 / MOGUL BI POST



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
Q12MT26/4CL	GE	12000	230	T26	GX38 / MOGUL BI POST	22.13"	130	3400	420000
Q12MT26/4CL	GE	12000	240	T26	GX38 / MOGUL BI POST	22.13"	130	3400	420000
BCM (Q20MT32/4CL)	GE	20000	208	T32	GX38 / MOGUL BI POST	32.13"	400	3200	580000
BCM	OSRAM	20000	230	T32	GX38 / MOGUL BI POST	32.13"	350	3200	580000
BCM (Q20MT32/4CL)	GE	20000	230	T32	GX38 / MOGUL BI POST	32.13"	400	3200	580000
BCM (Q20MT32/4CL)	GE	20000	240	T32	GX38 / MOGUL BI POST	32.13"	400	3200	580000
Q24MT32/4CL	GE	24000	230	T32	GX38 / MOGUL BI POST	32.13"	150	3400	800000
Q24MT32/4CL	GE	24000	240	T32	GX38 / MOGUL BI POST	32.13"	150	3400	800000

SECTION 32 - GX38Q



CP105 (1250/650)	GE	1250	230	G18	GX38Q	5.63"	250	3050	27M/13M
CP30 (1250/1250)	GE	1250	230	G18	GX38Q	5.63"	300	3200	27M/56M
CP105 (1250/650)	GE	1250	240	G18	GX38Q	5.63"	250	3050	27M/13M
CP30 (1250/1250)	GE	1250	240	G18	GX38Q	5.63"	300	3200	27M/56M
CP58 (1250/2500)	GE	1250	240	G22	GX38Q	5.63"	300	3200	27M/91M
CP32 (2500/2500)	GE	2500	230	G22	GX38Q	5.63"	300	3200	59M/127M
CP32 (2500/2500)	GE	2500	240	G22	GX38Q	5.63"	300	3200	59M/127M

SECTION 33 - GX6.35 / 2 PIN

7003	PHILIPS	150	230	N/A	GX6.35 / 2 PIN	N/A	150	N/A	3000
64502	OSRAM	150	230	T4	GX6.35 / 2 PIN	1.18"	25	3400	4000
VL150	PHILIPS	150	230	N/A	GX6.35 / 2 PIN	N/A	20	3200	3750
VL150	PHILIPS	150	240	N/A	GX6.35 / 2 PIN	N/A	20	3200	3750
64505	OSRAM	200	230	T6	GX6.35 / 2 PIN	1.06"	25	3200	5100
64505	OSRAM	200	240	T6	GX6.35 / 2 PIN	1.06"	25	3200	5150
64515	OSRAM	300	230	T6	GX6.35 / 2 PIN	1.06"	15	3300	9600
64516	OSRAM	300	230	T6	GX6.35 / 2 PIN	1.06"	75	3100	7400
64662	OSRAM	300	230	T6	GX6.35 / 2 PIN	1.83"	2000	2900	5000
PF808	PHILIPS	300	230	N/A	GX6.35 / 2 PIN	N/A	15	3200	8550
VL300	PHILIPS	300	230	N/A	GX6.35 / 2 PIN	N/A	20	3200	8550
BVM (64540)	OSRAM	650	230	T7	GX6.35 / 2 PIN	1.18"	15	3400	20000
BVM (64540)	OSRAM	650	240	T7	GX6.35 / 2 PIN	1.18"	15	3400	20000
EGY (64575)	OSRAM	1000	230	T8	GX6.35 / 2 PIN	1.5"	15	3400	33000
P217 (64576)	OSRAM	1000	230	T8	GX6.35 / 2 PIN	1.5"	75	3200	28000
EGY (64575)	OSRAM	1000	240	T8	GX6.35 / 2 PIN	1.5"	15	3400	33000

SECTION 34 - GX9.5 / 2 PIN PREFOCUS



CP23	GE	650	230	T8	GX9.5 / 2 PIN PREFOCUS	2.17"	100	3200	16900
CP23 (64720)	OSRAM	650	230	T8	GX9.5 / 2 PIN PREFOCUS	2.17"	100	3200	16800
CP/65 (6999P)	PHILIPS	650	230	N/A	GX9.5 / 2 PIN PREFOCUS	2.17"	100	N/A	N/A
FVC / CP23 / CP67 (6993P)	PHILIPS	650	230	N/A	GX9.5 / 2 PIN PREFOCUS	2.17"	100	N/A	16500
T12	GE	650	230	T8	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3000	13500
T12 (64719)	OSRAM	650	230	T11	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3000	12000
T12 / T21 (6998P)	PHILIPS	650	230	T6	GX9.5 / 2 PIN PREFOCUS	2.13"	750	3000	13000
CP23	GE	650	240	T8	GX9.5 / 2 PIN PREFOCUS	2.17"	100	3200	16900
T12	GE	650	240	T8	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3000	13500
T12 / T21 (6998P)	PHILIPS	650	240	T6	GX9.5 / 2 PIN PREFOCUS	2.13"	750	3000	13000
71-2526	PHILIPS	1000	230	N/A	GX9.5 / 2 PIN PREFOCUS	2.17"	200	N/A	25000
CP24	GE	1000	230	A23	GX9.5 / 2 PIN PREFOCUS	2.17"	200	3200	26000
CP/63 (6984P)	PHILIPS	1000	230	N/A	GX9.5 / 2 PIN PREFOCUS	2.17"	150	N/A	N/A
FVA / CP24 / CP70 (6995P)	PHILIPS	1000	230	T11	GX9.5 / 2 PIN PREFOCUS	2.17"	240	3200	25000
FVA / CP70	GE	1000	230	T11	GX9.5 / 2 PIN PREFOCUS	2.17"	200	3200	25000
FVA / CP70 (64745)	OSRAM	1000	230	T7	GX9.5 / 2 PIN PREFOCUS	2.17"	200	3200	26000

SINGLE ENDED 2-PIN HALOGEN, HIGH VOLTAGE

SECTION 34 - GX9.5 / 2 PIN PREFOCUS CON'T



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
FWP / T19	GE	1000	230	T11	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3050	21000
FWP / T19 (64744)	OSRAM	1000	230	T7	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3000	20500
FWP / T11 / T19 (6996P)	PHILIPS	1000	230	T9	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3050	21000
T11	GE	1000	230	G11	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3050	23000
CP24	GE	1000	240	G11	GX9.5 / 2 PIN PREFOCUS	2.17"	200	3200	26000
FVA / CP24 / CP70 (6995P)	PHILIPS	1000	240	T11	GX9.5 / 2 PIN PREFOCUS	2.17"	240	3200	25000
FVA / CP70 (64745)	OSRAM	1000	240	T7	GX9.5 / 2 PIN PREFOCUS	2.17"	200	3200	26000
FVB / CP70	GE	1000	240	T11	GX9.5 / 2 PIN PREFOCUS	2.17"	200	3200	25000
FWP / T19 (64744)	OSRAM	1000	240	T7	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3000	20500
FWR / T19	GE	1000	240	T11	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3050	21000
FWR / T11 / T19 (6996P)	PHILIPS	1000	240	T9	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3050	21000
T11	GE	1000	240	G11	GX9.5 / 2 PIN PREFOCUS	2.17"	750	3050	23000
HWHV 1200W/220V	OSRAM	1200	220	T7	GX9.5 / 2 PIN PREFOCUS	2.17"	300	3200	33500
CP90	GE	1200	230	G11	GX9.5 / 2 PIN PREFOCUS	2.64"	200	3200	33000
CP90 (6895P)	PHILIPS	1200	230	N/A	GX9.5 / 2 PIN PREFOCUS	2.64"	200	N/A	30000
CP90 (64754)	OSRAM	1200	230	T8	GX9.5 / 2 PIN PREFOCUS	2.64"	200	3200	30000
FWS / T29	GE	1200	230	G11	GX9.5 / 2 PIN PREFOCUS	2.64"	400	3050	29000
FWS / T29 (64752)	OSRAM	1200	230	T7	GX9.5 / 2 PIN PREFOCUS	2.64"	400	3000	28600
FWS / T29 (6897P)	PHILIPS	1200	230	G11	GX9.5 / 2 PIN PREFOCUS	2.64"	400	3000	27600
CP90	GE	1200	240	G11	GX9.5 / 2 PIN PREFOCUS	2.64"	200	3200	33000
FWS / T29 (64752)	OSRAM	1200	240	T7	GX9.5 / 2 PIN PREFOCUS	2.64"	400	3000	28600
FWT / T29	GE	1200	240	G11	GX9.5 / 2 PIN PREFOCUS	2.64"	400	3050	29000
FWT / T29 (6897P)	PHILIPS	1200	240	G11	GX9.5 / 2 PIN PREFOCUS	2.64"	400	3000	27600

SECTION 35 - GY16 / 2 PIN PREFOCUS

CP79	GE	2000	230	G13	GY16 / 2 PIN PREFOCUS	2.76"	350	3200	54000
FTM / CP43	GE	2000	230	G15	GY16 / 2 PIN PREFOCUS	2.76"	400	3200	54000
FTM / CP43 / CP72 (6994P)	PHILIPS	2000	230	N/A	GY16 / 2 PIN PREFOCUS	2.76"	320	N/A	50000
FTM / CP72 (64788)	OSRAM	2000	230	T9 1/2	GY16 / 2 PIN PREFOCUS	2.76"	400	3200	52000
CP79	GE	2000	240	G13	GY16 / 2 PIN PREFOCUS	2.76"	350	3200	54000
FTL / CP43	GE	2000	240	G13	GY16 / 2 PIN PREFOCUS	2.76"	400	3200	54000
FTM / CP43 / CP72 (6994P)	PHILIPS	2000	240	N/A	GY16 / 2 PIN PREFOCUS	2.76"	380	N/A	50000
FTM / CP72 (64788)	OSRAM	2000	240	T9 1/2	GY16 / 2 PIN PREFOCUS	2.76"	400	3200	52000

SECTION 36 - GY9.5 / 2 PIN PREFOCUS



CP81 (64673)	OSRAM	300	230	T6	GY9.5 / 2 PIN PREFOCUS	1.83"	200	3200	7500
FSL / CP81	GE	300	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	6900
FSL / CP81 (6872P)	PHILIPS	300	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	180	3200	7800
M/38 (6874P)	PHILIPS	300	230	T8	GY9.5 / 2 PIN PREFOCUS	1.83"	2000	2950	5100
CP81 (64673)	OSRAM	300	240	T6	GY9.5 / 2 PIN PREFOCUS	1.83"	200	3200	7500
FSK / CP81	GE	300	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	6900
FSK / CP81 (6872P)	PHILIPS	300	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	180	3200	7800
M/38 (6874P)	PHILIPS	300	240	T8	GY9.5 / 2 PIN PREFOCUS	1.83"	2000	2950	5100
FSX (93592)	OSRAM	400	230	T6	GY9.5 / 2 PIN PREFOCUS	1.44"	753200	N/A	
FSY (93591)	OSRAM	400	240	T6	GY9.5 / 2 PIN PREFOCUS	1.44"	753200	N/A	
A1/224 (7389)	PHILIPS	500	230	T7	GY9.5 / 2 PIN PREFOCUS	1.47"	753200	14000	
A1224 (64680)	OSRAM	500	230	T7	GY9.5 / 2 PIN PREFOCUS	1.44"	503200	14500	
CP82 (64674)	OSRAM	500	230	T6	GY9.5 / 2 PIN PREFOCUS	1.83"	200	3200	13500
FRH / CP82	GE	500	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	12500
FRH / CP82 (6873P)	PHILIPS	500	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	180	3200	13500
GCV / T25	GE	500	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	360	3000	11000
GCV / T25 (64670)	OSRAM	500	230	T7	GY9.5 / 2 PIN PREFOCUS	1.83"	300	3000	11000
GCV / GVH / T18 / T25 (6820P)	PHILIPS	500	230	T18	GY9.5 / 2 PIN PREFOCUS	1.81"	360	3000	11000
M40 (64672)	OSRAM	500	230	T7	GY9.5 / 2 PIN PREFOCUS	1.83"	2000	2900	8500
M40 (6877P)	PHILIPS	500	230	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	2000	2950	10000

SINGLE ENDED 2-PIN HALOGEN, HIGH VOLTAGE

SECTION 36 - GY9.5 / 2 PIN PREFOCUS CON'T



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
A1/224 (7389)	PHILIPS	500	240	T7	GY9.5 / 2 PIN PREFOCUS	1.47"	75	3200	14000
A1224 (64680)	OSRAM	500	240	T7	GY9.5 / 2 PIN PREFOCUS	1.44"	50	3200	14500
CP82 (64674)	OSRAM	500	240	T6	GY9.5 / 2 PIN PREFOCUS	1.83"	200	3200	13500
FRJ / CP82	GE	500	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	12500
FRJ / CP82 (6873P)	PHILIPS	500	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	180	3200	13500
GCV / T25 (64670)	OSRAM	500	240	T7	GY9.5 / 2 PIN PREFOCUS	1.83"	300	3000	11000
GCW / T18	GE	500	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	400	3050	11000
GCW / T25	GE	500	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	360	3000	11000
GCW / GCJ / T18 / T25 (6820P)	PHILIPS	500	240	T18	GY9.5 / 2 PIN PREFOCUS	1.81"	360	3000	11000
M40 (64672)	OSRAM	500	240	T7	GY9.5 / 2 PIN PREFOCUS	1.83"	2000	2900	8500
M40 (6877P)	PHILIPS	500	240	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	2000	2950	10000
DYR / A1233	GE	650	220	G7	GY9.5 / 2 PIN PREFOCUS	1.46"	50	3200	16500
DYR / A1223 (64686)	OSRAM	650	230	G7	GY9.5 / 2 PIN PREFOCUS	1.44"	50	3200	16500
FRL / CP89	GE	650	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	16250
FRL / CP89 (6638P)	PHILIPS	650	230	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	150	N/A	15600
FRL / CP89 (64717)	OSRAM	650	230	T7	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	16250
GCK / GCT / T26 / T27 (6823P)	PHILIPS	650	230	T7	GY9.5 / 2 PIN PREFOCUS	1.81"	600	3050	14500
GCT / T26	GE	650	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	400	3100	15500
GCT / T27	GE	650	230	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	400	3050	14500
GCT / T27 (64718)	OSRAM	650	230	T7	GY9.5 / 2 PIN PREFOCUS	1.83"	400	3000	14500
DYR / A1223 (64686)	OSRAM	650	240	G7	GY9.5 / 2 PIN PREFOCUS	1.44"	50	3200	16500
DYR / A1233	GE	650	240	G7	GY9.5 / 2 PIN PREFOCUS	1.46"	50	3200	16500
FRM / CP89	GE	650	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	16250
FRM / CP89 (6638P)	PHILIPS	650	240	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	150	N/A	15600
FRM / CP89 (64717)	OSRAM	650	240	T7	GY9.5 / 2 PIN PREFOCUS	1.81"	150	3200	16250
GCL / GCS / T26 / T27 (6823P)	PHILIPS	650	240	T7	GY9.5 / 2 PIN PREFOCUS	1.81"	600	3050	14500
GCS / T26	GE	650	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	400	3100	15500
GCS / T27	GE	650	240	T8	GY9.5 / 2 PIN PREFOCUS	1.81"	400	3050	14500
GCT / T27 (64718)	OSRAM	650	240	T7	GY9.5 / 2 PIN PREFOCUS	1.83"	400	3000	14500
A1/245 (7764)	PHILIPS	800	230	N/A	GY9.5 / 2 PIN PREFOCUS	1.75"	75	N/A	21500
64748 XS	OSRAM	1000	230	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	250	3200	25000
GAB (6995 I/BP)	PHILIPS	1000	230	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	250	3200	25000
64748 XS	OSRAM	1000	240	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	250	3200	25000
GAD (6995 I/BP)	PHILIPS	1000	240	N/A	GY9.5 / 2 PIN PREFOCUS	1.83"	250	3200	25000

SECTION 37 - GZ6.35 / 2 PIN

BVM (64540)	OSRAM	650	230	T8	GZ6.35 / 2 PIN	1.18"	15	3400	20000

SECTION 38 - HIGH VOLTAGE HPL LAMPS



HPL 575/230/SL (7007)	PHILIPS	575	230	T6	MED BI PIN W/ HEAT SINK	2.36"	400	3200	14900
HPL 575/230/LL (7007 LL)	PHILIPS	575	230	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3100	11780
HPL 575/230 (93728)	OSRAM	575	230	T6	MED BI PIN W/ HEAT SINK	2.36"	400	3200	14900
HPL 575/230/X (93728)	OSRAM	575	230	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	11780
HPL575	GE	575	230	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	14900
HPL575-X LL	GE	575	230	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	11780
HPL 575/240/SL (7007)	PHILIPS	575	240	T6	MED BI PIN W/ HEAT SINK	2.36"	400	3200	14900
HPL 575/240/LL (7007 LL)	PHILIPS	575	240	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3100	11780
HPL 575/240 (93728)	OSRAM	575	240	T6	MED BI PIN W/ HEAT SINK	2.36"	400	3200	14900
HPL 575/240/X (93728)	OSRAM	575	240	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	11780

SINGLE ENDED 2-PIN HALOGEN, HIGH VOLTAGE



SECTION 38 - HIGH VOLTAGE HPL LAMPS CON'T

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
HPL575	GE	575	240	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	14900
HPL575-X LL	GE	575	240	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	11780
HPL 750/230 (7008)	PHILIPS	750	230	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	20650
HPL 750/230 (93729)	OSRAM	750	230	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	19750
HPL 750/230/X (93729)	OSRAM	750	230	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	15600
HPL750	GE	750	230	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	19750
HPL750-XLL-C	GE	750	230	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	15600
HPL 750/240 (7008)	PHILIPS	750	240	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	20650
HPL 750/240 (93729)	OSRAM	750	240	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	19750
HPL 750/240/X (93729)	OSRAM	750	240	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	15600
HPL750	GE	750	240	T6	MED BI PIN W/ HEAT SINK	2.36"	300	3200	19750
HPL750-XLL-C	GE	750	240	T6	MED BI PIN W/ HEAT SINK	2.36"	1500	3050	15600

COLOR MEDIA GEL / SLEEVES / DICHROIC GLASS

Brands Offered

Apollo
GAM
Lee
Rosco

Products Offered

Acrylic Glazes
Acrylic Panels
Arc Correction Filters
Color Correction Filters
Color Effects Filters
Daylight Conversion Filters
Dichroic Filters
Diffusion & Frosts
Fluorescent Correction Filters
Fluorescent Light Filters
Fluorescent Sleeves
Glass Dichroic Filters
Grid Cloths
Heat Shield
High Temperature Filters
Neutral Density Filters
Polariser
Protection Media
Protective Filters
Reflection Materials
Scrims
Spuns
Sun 85
Tungsten Conversion Filters
Ultra Violet Absorption

APOLLO DESIGN TECHNOLOGY, INC.

GAM PRODUCTS, INC.

LEE Filters

rosco

All colors of gels offered - rolls and sheets!

DOUBLE ENDED HALOGEN



SECTION 39 - R7S / RSC



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
EHM (Q300T3/CL)	GE	300	120	T3	R7S / RSC	4.69"	2000	2950	5950
EHP	OSRAM	300	120	T4	R7S / RSC	2.95"	2500	2900	5000
EHP (Q300T4/CL)	GE	300	120	T4	R7S / RSC	3.11"	2000	2900	5650
EHZ (Q300T3)	GE	300	120	T3	R7S / RSC	4.69"	2000	2950	5900
FDF/HIR (Q350T2/4CL)	GE	350	120	T2	R7S / RSC	4.69"	400	3200	13250
Q350T3/CL/HIR	GE	350	120	T3	R7S / RSC	4.69"	2000	3000	10000
EHR	OSRAM	400	120	T4	R7S / RSC	3.17"	2000	3000	7500
FDA	OSRAM	400	120	T4	R7S / RSC	2.95"	250	3200	10400
FAL	OSRAM	420	120	T4	R7S / RSC	2.41"	75	3200	11000
FAL	GE	420	120	T4	R7S / RSC	2.41"	90	3200	11000
FAL (420T6QCL)	PHILIPS	420	120	T6	R7S / RSC	2.41"	75	3200	11000
FFM	GE	420	120	T4	R7S / RSC	3.11"	75	3200	11000
FFM	OSRAM	420	120	T4	R7S / RSC	3.11"	75	3200	11000
FCL (500T3Q/CL)	PHILIPS	500	120	T3	R7S / RSC	4.69"	2600	3000	10500
FCL (Q500T3/CL)	GE	500	120	T3	R7S / RSC	4.69"	2000	3000	11100
FDF / P2/30 (Q500T3/4CL)GE	500	120	T3	R7S / RSC		4.69"	400	3200	13250
FDN	OSRAM	500	120	T2 1/2	R7S / RSC	4.69"	400	3200	12800
FDN / P2/31 (Q500T3/4)	GE	500	120	T3	R7S / RSC	4.69"	400	3200	12800
GDA (PF821R)	PHILIPS	500	120	N/A	R7S / RSC	5.24"	50	3200	12500
Q500T3/CL/6	GE	500	120	T3	R7S / RSC	4.69"	1500	2950	10950
DVS (Q500T3/CL)	GE	500	130	T3	R7S / RSC	4.69"	2000	3000	10550
PF821R 230V	PHILIPS	500	230	N/A	R7S / RSC	5.24"	75	3200	11000
PF821R 240V	PHILIPS	500	240	N/A	R7S / RSC	5.24"	75	3200	11000
FCB	OSRAM	600	120	T4	R7S / RSC	3.74"	75	3200	16500
FCB / A1/228	GE	600	120	T4	R7S / RSC	3.74"	75	3250	17000
FFJ	OSRAM	600	120	T4	R7S / RSC	2.41"	75	3200	16500
P2/10 (7775R/16)	PHILIPS	625	230	T3	R7S / RSC	7.5"	150	3200	16250
P2/10 (Q625T3/4CL)	GE	625	230	T3	R7S / RSC	7.44"	300	3200	16900
P2/10 (7775R/16)	PHILIPS	625	240	T3	R7S / RSC	7.5"	150	3200	16250
P2/10 (Q625T3/4CL)	GE	625	240	T3	R7S / RSC	7.44"	300	3200	16900
FAD	OSRAM	650	120	T4	R7S / RSC	3.11"	100	3200	16500
FAD / P2/6 (Q650T4/4CL)	GE	650	120	T4	R7S / RSC	3.11"	100	3200	16500
FBX / P2/6 (Q650T4/4)	GE	650	120	T4	R7S / RSC	3.11"	100	3200	16500
FCM/HIR (Q650T3/4)	GE	650	120	T3	R7S / RSC	4.69"	400	3275	25200
FFT/HIR (Q675T3/4)	GE	675	120	T3	R7S / RSC	6.57"	400	3250	26400
EJG	OSRAM	750	120	T3	R7S / RSC	4.69"	400	3200	20600
EJG (Q750T3/4CL)	GE	750	120	T3	R7S / RSC	4.69"	400	3200	20600
EMD (Q750T3/4)	GE	750	120	T3	R7S / RSC	4.69"	400	3200	19500

Image Courtesy of OSRAM SYLVANIA Inc

DOUBLE ENDED HALOGEN



SECTION 39 - R7S / RSC CON'T



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
DXX / P213	GE	800	230	T4	R7S / RSC	3.11"	75	3200	21400
DXX / P213 (64571)	OSRAM	800	230	T4	R7S / RSC	2.95"	75	3200	21000
DXX / P213 (13162R)	PHILIPS	800	230	T4	R7S / RSC	2.95"	75	3200	21000
EME / P2/11 (13477 R)	PHILIPS	800	230	T3 1/2	R7S / RSC	4.69"	150	3200	24000
13477 R/16	PHILIPS	800	240	T3 1/2	R7S / RSC	4.69"	150	3200	24000
DXX / P213	GE	800	240	T4	R7S / RSC	3.11"	75	3200	21400
DXX / P213 (64571)	OSRAM	800	240	T4	R7S / RSC	2.95"	75	3200	21000
DXX / P213 (13162R)	PHILIPS	800	240	T4	R7S / RSC	2.95"	75	3200	21000
EME / P2/11 (13477 R)	PHILIPS	800	240	T3 1/2	R7S / RSC	4.69"	150	3200	24000
EME / P2/11 (Q800T3)	GE	800	240	T3	R7S / RSC	4.69"	150	3200	22000
EMF / P2/11 (Q800T3)	GE	800	240	T3	R7S / RSC	4.69"	150	3200	21400
7786R	PHILIPS	1000	100	N/A	R7S / RSC	4.63"	N/A	N/A	N/A
BRH	GE	1000	120	T5	R7S / RSC	3.74"	75	3350	30000
DWT (13203R)	PHILIPS	1000	120	N/A	R7S / RSC	5.57"	N/A	N/A	N/A
DXW	OSRAM	1000	120	T5	R7S / RSC	3.74"	150	3200	28000
DXW (1000T5Q/CL)	PHILIPS	1000	120	T5	R7S / RSC	3.74"	150	3200	28000
DXW (Q1000T5/4CL)	GE	1000	120	T5	R7S / RSC	3.74"	150	3200	28000
FBY (Q1000T5/4)	GE	1000	120	T5	R7S / RSC	3.74"	150	3200	26000
FCM	OSRAM	1000	120	T3	R7S / RSC	4.69"	400	3200	28000
FCM / P2/20 (7786R)	PHILIPS	1000	120	T3	R7S / RSC	4.69"	300	3200	28000
FCM / P2/28 (Q1000T3/4CL)	GE	1000	120	T3	R7S / RSC	4.69"	400	3200	28000
FDG (64579)	OSRAM	1000	120	T2 3/4	R7S / RSC	4.79"	15	3400	33000
FFT	OSRAM	1000	120	T3	R7S / RSC	6.57"	300	3200	27000
FFT (1000T4Q)	PHILIPS	1000	120	T3	R7S / RSC	6.57"	300	3200	27000
FFT (Q1000T3/1CL)	GE	1000	120	T3	R7S / RSC	6.57"	400	3200	26400
FHM	OSRAM	1000	120	T3	R7S / RSC	4.69"	300	3200	27300
FHM / P2/29 (7786R/16)	PHILIPS	1000	120	T3	R7S / RSC	4.69"	400	3200	27300
FHM / P2/29 (Q1000/T3/4)	GE	1000	120	T3	R7S / RSC	4.69"	400	3200	27300
P1/12 (PF801R)	PHILIPS	1000	120	N/A	R7S / RSC	4.93"	15	3400	34000
7786R	PHILIPS	1000	230	N/A	R7S / RSC	4.63"	N/A	N/A	N/A
EKM / P2/7 (64741)	OSRAM	1000	230	T3	R7S / RSC	7.31"	200	3200	25000
EKM / P2/7 (13989R)	PHILIPS	1000	230	N/A	R7S / RSC	7.44"	N/A	N/A	N/A
EKM / P2/7 (Q1MT3/4CL)	GE	1000	230	T3	R7S / RSC	7.44"	300	3200	28000
FDG / P1/12 (PF801R)	PHILIPS	1000	230	N/A	R7S / RSC	4.93"	15	3400	34000
P1/12 (64580)	OSRAM	1000	230	T3	R7S / RSC	5"	15	3400	35000
P2/20 (64583)	OSRAM	1000	230	T3 1/2	R7S / RSC	4.5"	300	3200	27000
P2/35 (13704R)	PHILIPS	1000	230	T4	R7S / RSC	3.62"	120	3200	26500
13704R	PHILIPS	1000	240	N/A	R7S / RSC	3.61"	N/A	N/A	N/A
7786R	PHILIPS	1000	240	N/A	R7S / RSC	4.63"	N/A	N/A	N/A
EKM / P2/7 (64741)	OSRAM	1000	240	T3	R7S / RSC	7.31"	200	3200	25000
EKM / P2/7 (13989R)	PHILIPS	1000	240	N/A	R7S / RSC	7.44"	N/A	N/A	N/A
EKM / P2/7 (Q1MT3/4CL)	GE	1000	240	T3	R7S / RSC	7.44"	300	3200	28000
P1/12 (64580)	OSRAM	1000	240	T3	R7S / RSC	5"	15	3400	35000
P2/20 (64583)	OSRAM	1000	240	T3 1/2	R7S / RSC	4.5"	300	3200	27000
ELN / P2/12 (64751)	OSRAM	1250	230	T3 1/2	R7S / RSC	7.31"	200	3200	33500
P2/12 (6358R)	PHILIPS	1250	230	N/A	R7S / RSC	7.44"	N/A	N/A	N/A
P2/12 (Q1250T3)	GE	1250	230	T3	R7S / RSC	7.44"	300	3200	35000
ELN / P2/12 (64751)	OSRAM	1250	240	T3 1/2	R7S / RSC	7.31"	200	3200	33500
P2/12 (6358R)	PHILIPS	1250	240	N/A	R7S / RSC	7.44"	N/A	N/A	N/A
P2/12 (Q1250T3)	GE	1250	240	T3	R7S / RSC	7.44"	300	3200	35000
FDB	OSRAM	1500	120	T4	R7S / RSC	6.57"	400	3200	41200
FDB (Q1500T4/4CL)	GE	1500	120	T3	R7S / RSC	6.57"	400	3200	41250
FGT (Q1500T4/4)	GE	1500	120	T4	R7S / RSC	6.57"	400	3200	40200

DOUBLE ENDED HALOGEN

SECTION 40 - RX7S / RRSC



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
GDA	PHILIPS	500	120	T3 1/2	RX7S / RRSC	5.25"	75	3200	11000
PF821 R	PHILIPS	500	230	T8	RX7S / RRSC	5"	75	3200	11000
13477R	PHILIPS	800	220	T3 1/2	RX7S / RRSC	4.72"	150	3200	21600
DWT	OSRAM	1000	120	T6	RX7S / RRSC	5.63"	2000	3000	22000
DWT (1000T6Q/CL)	PHILIPS	1000	120	T6	RX7S / RRSC	5.63"	2000	3000	23400
DWT (Q1000T6/CL)	GE	1000	120	T6	RX7S / RRSC	5.63"	2000	3000	23400
FER	OSRAM	1000	120	T6	RX7S / RRSC	5.63"	500	3200	27500
FER (Q1000T6/4CL)	GE	1000	120	T6	RX7S / RRSC	5.63"	500	3200	27500
FER/EHS (1000T6Q/4CL)	PHILIPS	1000	120	T6	RX7S / RRSC	5.63"	500	3200	27500
FER/EHS (1000T6Q/4CL)	PHILIPS	1000	120	T6	RX7S / RRSC	5.63"	500	3200	27500
FEY	OSRAM	2000	120	T8	RX7S / RRSC	5.63"	400	3200	57400
FEY (7012R)	PHILIPS	2000	120	T6	RX7S / RRSC	5.63"	400	3200	57000
FEY / P2/27 (Q2000T8/4CL)	GE	2000	120	T10	RX7S / RRSC	5.63"	400	3200	57000
FEX / P2/27 (Q2MT8/4CL)	GE	2000	230	T10	RX7S / RRSC	5.63"	300	3200	50000
FEX / P227 (64781)	OSRAM	2000	230	T8	RX7S / RRSC	5.63"	300	3200	50000
FEX / P2/27 (Q2MT8/4CL)	GE	2000	240	T10	RX7S / RRSC	5.63"	300	3200	50000
FEX / P227 (64781)	OSRAM	2000	240	T8	RX7S / RRSC	5.63"	300	3200	50000

PAR BULBS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	CENTERBEAM CANDLEPOWER (CP)
SECTION 41 - SHAPE: PAR 36 | BASE: FERRULE ** = Approximate CP*								
FAY (Q650PAR36/3D)	GE	650	120	PAR36	FERRULE	30	5000	36000*
FCW (Q650PAR36/6)	GE	650	120	PAR36	FERRULE	100	3200	9000*
FCX (Q650PAR36/7)	GE	650	120	PAR36	FERRULE	100	3200	24000*
SECTION 42 - SHAPE: PAR 46 | BASE: MED SIDE PRONG								
150PAR46/3MFL	GE	150	125	PAR46	MED SIDE PRONG	2000	2750	8000*
200PAR46/3MFL	GE	200	120	PAR46	MED SIDE PRONG	2000	2750	11500*
200PAR46/3MFL	OSRAM	200	120	PAR46	MED SIDE PRONG	2000	2750	11500*
200PAR46/3NSP	GE	200	120	PAR46	MED SIDE PRONG	2000	2750	31000*
200PAR46/3NSP	OSRAM	200	120	PAR46	MED SIDE PRONG	2000	2750	31000*
200PAR46/3MFL	OSRAM	200	125	PAR46	MED SIDE PRONG	2000	2750	11500*
200PAR46/3MFL	GE	200	130	PAR46	MED SIDE PRONG	2000	2750	11500*
200PAR46/3NSP	GE	200	130	PAR46	MED SIDE PRONG	2000	2750	31000*
SECTION 43 - SHAPE: PAR 56 | BASE: MOGUL END PRONG								
200PAR56/MFL	GE	200	120	PAR56	G16D / MOG END PRONG	2000	2750	15000*
200PAR56/MFL	OSRAM	200	120	PAR56	G16D / MOG END PRONG	2000	2750	15000*
300PAR56/MFL	GE	300	120	PAR56	G16D / MOG END PRONG	2000	2750	24000*
300PAR56/MFL	OSRAM	300	120	PAR56	G16D / MOG END PRONG	2000	2750	24000*
300PAR56/NSP	GE	300	120	PAR56	G16D / MOG END PRONG	2000	2750	68000*
300PAR56/NSP	OSRAM	300	120	PAR56	G16D / MOG END PRONG	2000	2750	68000*
300PAR56/WFL	GE	300	120	PAR56	G16D / MOG END PRONG	2000	2750	11000*
300PAR56/WFL	OSRAM	300	120	PAR56	G16D / MOG END PRONG	2000	2750	11000*
300PAR56/MFL	OSRAM	300	130	PAR56	G16D / MOG END PRONG	2000	2750	24000*
300PAR56/WFL	GE	300	130	PAR56	G16D / MOG END PRONG	2000	2750	11000*
300PAR56/MFL	GE	300	230	PAR56	G16D / MOG END PRONG	2000		30000*
300PAR56/NSP	GE	300	230	PAR56	G16D / MOG END PRONG	2000		40000*
300PAR56/WFL	GE	300	230	PAR56	G16D / MOG END PRONG	2000		10000*
300PAR56/MFL	GE	300	240	PAR56	G16D / MOG END PRONG	2000		30000*
300PAR56/NSP	GE	300	240	PAR56	G16D / MOG END PRONG	2000		40000*
300PAR56/WFL	GE	300	240	PAR56	G16D / MOG END PRONG	2000		10000*







Image Courtesy of OSRAM SYLVANIA Inc

PAR BULBS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	CENTERBEAM CANDLEPOWER (CP)
SECTION 43 - SHAPE: PAR 56 | BASE: MOGUL END PRONG CON'T								
500PAR56Q/MFL	OSRAM	500	120	PAR56	G16D / MOG END PRONG	4000	2950	43000*
500PAR56Q/MFL	PHILIPS	500	120	PAR56	G16D / MOG END PRONG	4000	2950	43000*
500PAR56Q/NSP	OSRAM	500	120	PAR56	G16D / MOG END PRONG	4000	2950	96000*
500PAR56Q/NSP	PHILIPS	500	120	PAR56	G16D / MOG END PRONG	4000	2950	96000*
500PAR56Q/WFL	OSRAM	500	120	PAR56	G16D / MOG END PRONG	4000	2950	19000*
500PAR56Q/WFL	PHILIPS	500	120	PAR56	G16D / MOG END PRONG	4000	2950	19000*
Q500PAR56MFL	GE	500	120	PAR56	G16D / MOG END PRONG	4000	2950	43000*
Q500PAR56NSP	GE	500	120	PAR56	G16D / MOG END PRONG	4000	2950	96000*
Q500PAR56WFL	GE	500	120	PAR56	G16D / MOG END PRONG	4000	2950	19000*
SECTION 44 - SHAPE: PAR 56 | BASE: GX16D/12								
PAR56 230V 300W NSP	PHILIPS	300	230	PAR56	GX16D/12	2000	3000	60000
PAR56 230V 300W MFL	PHILIPS	300	230	PAR56	GX16D/12	2000	3000	30000
PAR56 230V 300W WFL	PHILIPS	300	230	PAR56	GX16D/12	2000	3000	15000
PAR56 240V 300W NSP	PHILIPS	300	240	PAR56	GX16D/12	2000	3000	60000
PAR56 240V 300W MFL	PHILIPS	300	240	PAR56	GX16D/12	2000	3000	30000
PAR56 240V 300W WFL	PHILIPS	300	240	PAR56	GX16D/12	2000	3000	15000

PAR BULBS



SECTION 45 - SHAPE: PAR 64 | BASE: EXTENDED MOGUL END PRONG

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)	CENTERBEAM CANDLEPOWER (CP)
500PAR64/MFL	GE	500	120	PAR64	GX16D / EMEP	2000	2800	37000*
500PAR64/NSP	GE	500	120	PAR64	GX16D / EMEP	2000	2800	110000*
500PAR64/WFL	GE	500	120	PAR64	GX16D / EMEP	2000	2800	13000*
500PAR64/MFL	GE	500	230	PAR64	GX16D / EMEP	2000	2700	37000*
500PAR64/WFL	GE	500	230	PAR64	GX16D / EMEP	2000	2700	13000
CP86 (Q500PAR64/VNSP)	GE	500	230	PAR64	GX16D / EMEP	300	3200	240000*
CP87 (Q500PAR64/NSP)	GE	500	230	PAR64	GX16D / EMEP	300	3200	140000*
CP88 (Q500PAR64/MFL)	GE	500	230	PAR64	GX16D / EMEP	300	3200	65000*
CP86 (Q500PAR64/VNSP)	GE	500	240	PAR64	GX16D / EMEP	300	3200	240000*
CP87 (Q500PAR64/NSP)	GE	500	240	PAR64	GX16D / EMEP	300	3200	140000*
CP88 (Q500PAR64/MFL)	GE	500	240	PAR64	GX16D / EMEP	300	3200	65000*
1000PAR64Q/MFL	OSRAM	1000	120	PAR64	GX16D / EMEP	4000	3000	
1000PAR64Q/MFL	PHILIPS	1000	120	PAR64	GX16D / EMEP	4000	3000	
1000PAR64Q/NSP	OSRAM	1000	120	PAR64	GX16D / EMEP	4000	3000	
1000PAR64Q/NSP	PHILIPS	1000	120	PAR64	GX16D / EMEP	4000	3000	
1000PAR64Q/WFL	OSRAM	1000	120	PAR64	GX16D / EMEP	4000	3000	
1000PAR64Q/WFL	PHILIPS	1000	120	PAR64	GX16D / EMEP	4000	3000	
FFN	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	350000
FFN (Q1000PAR64/1)	GE	1000	120	PAR64	GX16D / EMEP	800	3200	400000*
FFP	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	235000
FFP (Q1000PAR64/2)	GE	1000	120	PAR64	GX16D / EMEP	800	3200	330000*
FFR	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	130000
FFR (Q1000PAR64/5)	GE	1000	120	PAR64	GX16D / EMEP	800	3200	125000*
FFS	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	33000
FFS (Q1000PAR64/6)	GE	1000	120	PAR64	GX16D / EMEP	800	3200	40000*
Q1000PAR64MFL	GE	1000	120	PAR64	GX16D / EMEP	4000	3000	80000*
Q1000PAR64NSP	GE	1000	120	PAR64	GX16D / EMEP	4000	3000	200000*
Q1000PAR64WFL	GE	1000	120	PAR64	GX16D / EMEP	4000	3000	33000*
EXC / CP60 (64737/3)	OSRAM	1000	230	PAR64	GX16D / EMEP	300	3200	400000
PAR64 1000W 230V CP60	PHILIPS	1000	230	PAR64	GX16D / EMEP	300	3200	400000
EXC / CP60 (Q1MPAR64)	GE	1000	230	PAR64	GX16D / EMEP	300	3200	352000*
EXD / CP61 (64738/3)	OSRAM	1000	230	PAR64	GX16D / EMEP	300	3200	275000
PAR64 1000W 230V CP61	PHILIPS	1000	230	PAR64	GX16D / EMEP	300	3200	400000
EXD / CP61 (Q1MPAR64)	GE	1000	230	PAR64	GX16D / EMEP	300	3200	297000*
EXE / CP62 (64739/3)	OSRAM	1000	230	PAR64	GX16D / EMEP	300	3200	130000
PAR64 1000W 230V CP62	PHILIPS	1000	230	PAR64	GX16D / EMEP	300	3200	400000
EXE / CP62 (Q1MPAR64)	GE	1000	230	PAR64	GX16D / EMEP	300	3200	138000*
EXC / CP60 (64737/4)	OSRAM	1000	240	PAR64	GX16D / EMEP	300	3200	400000
PAR64 1000W 240V CP60	PHILIPS	1000	240	PAR64	GX16D / EMEP	300	3200	400000
EXC / CP60 (Q1MPAR64)	GE	1000	240	PAR64	GX16D / EMEP	300	3200	352000*
EXD / CP61 (64738/4)	OSRAM	1000	240	PAR64	GX16D / EMEP	300	3200	275000
PAR64 1000W 240V CP61	PHILIPS	1000	240	PAR64	GX16D / EMEP	300	3200	400000
EXD / CP61 (Q1MPAR64)	GE	1000	240	PAR64	GX16D / EMEP	300	3200	297000*
EXE / CP62 (64739/4)	OSRAM	1000	240	PAR64	GX16D / EMEP	300	3200	130000
PAR64 1000W 240V CP62	PHILIPS	1000	240	PAR64	GX16D / EMEP	300	3200	400000
EXE / CP62 (Q1MPAR64)	GE	1000	240	PAR64	GX16D / EMEP	300	3200	138000*
GFA (Q1200PAR64/5)	GE	1200	120	PAR64	GX16D / EMEP	400	3200	160000*
GFB (Q1200PAR64/2)	GE	1200	120	PAR64	GX16D / EMEP	400	3200	450000*
GFC (Q1200PAR64/1)	GE	1200	120	PAR64	GX16D / EMEP	400	3200	540000*

PAR BULBS

SECTION 46 - ALUPAR SERIES



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMP (K)	CENTERBEAM CANDLEPWR (CP)
ALUPAR 56/MFL/300W/120V	OSRAM	300	120	PAR56	GX16D / EMEP	2000	2950	24000
ALUPAR 56/NSP/300W/120V	OSRAM	300	120	PAR56	GX16D / EMEP	2000	2950	68000
ALUPAR 56/WFL/300W/120V	OSRAM	300	120	PAR56	GX16D / EMEP	2000	2950	11000
ALUPAR 56/MFL/300W/230V	OSRAM	300	230	PAR56	GX16D / EMEP	2000	2950	30000
ALUPAR 56/NSP/300W/230V	OSRAM	300	230	PAR56	GX16D / EMEP	2000	2950	70000
ALUPAR 56/WFL/300W/230V	OSRAM	300	230	PAR56	GX16D / EMEP	2000	2950	10000
ALUPAR 56/MFL/300W/240V	OSRAM	300	240	PAR56	GX16D / EMEP	2000	2950	30000
ALUPAR 56/NSP/300W/240V	OSRAM	300	240	PAR56	GX16D / EMEP	2000	2950	70000
ALUPAR 56/WFL/300W/240V	OSRAM	300	240	PAR56	GX16D / EMEP	2000	2950	10000
ALUPAR 56/MFL/500W/120V	OSRAM	500	120	PAR56	GX16D / EMEP	2000	2950	30000
ALUPAR 56/NSP/500W/120V	OSRAM	500	120	PAR56	GX16D / EMEP	2000	2950	70000
ALUPAR 56/WFL/500W/120V	OSRAM	500	120	PAR56	GX16D / EMEP	2000	2950	10000
ALUPAR 64/MFL/500W/120V	OSRAM	500	120	PAR64	GX16D / EMEP	2000	3200	37000
ALUPAR 64/NSP/500W/120V	OSRAM	500	120	PAR64	GX16D / EMEP	2000	3200	110000
ALUPAR 64/WFL/500W/120V	OSRAM	500	120	PAR64	GX16D / EMEP	2000	3200	13000
ALUPAR 64/MFL/500W/230V	OSRAM	500	230	PAR64	GX16D / EMEP	300	3200	65000
ALUPAR 64/NSP/500W/230V	OSRAM	500	230	PAR64	GX16D / EMEP	300	3200	140000
ALUPAR 64/VNSP/500W/230V	OSRAM	500	230	PAR64	GX16D / EMEP	300	3200	240000
ALUPAR 64/MFL/500W/240V	OSRAM	500	240	PAR64	GX16D / EMEP	300	3200	65000
ALUPAR 64/NSP/500W/240V	OSRAM	500	240	PAR64	GX16D / EMEP	300	3200	140000
ALUPAR 64/VNSP/500W/240V	OSRAM	500	240	PAR64	GX16D / EMEP	300	3200	240000
ALUPAR 64/MFL/1000W/120V	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	125000
ALUPAR 64/NSP/1000W/120V	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	330000
ALUPAR 64/VNSP/1000W/120V	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	400000
ALUPAR 64/WFL/1000W/120V	OSRAM	1000	120	PAR64	GX16D / EMEP	800	3200	40000
ALUPAR 64/MFL/1000W/230V	OSRAM	1000	230	PAR64	GX16D / EMEP	300	3200	138000
ALUPAR 64/NSP/1000W/230V	OSRAM	1000	230	PAR64	GX16D / EMEP	300	3200	297000
ALUPAR 64/VNSP/1000W/230V	OSRAM	1000	230	PAR64	GX16D / EMEP	300	3200	352000
ALUPAR 64/WFL/1000W/230V	OSRAM	1000	230	PAR64	GX16D / EMEP	300	3200	38000
ALUPAR 64/MFL/1000W/240V	OSRAM	1000	240	PAR64	GX16D / EMEP	300	3200	138000
ALUPAR 64/NSP/1000W/240V	OSRAM	1000	240	PAR64	GX16D / EMEP	300	3200	297000
ALUPAR 64/VNSP/1000W/240V	OSRAM	1000	240	PAR64	GX16D / EMEP	300	3200	352000
ALUPAR 64/WFL/1000W/240V	OSRAM	1000	240	PAR64	GX16D / EMEP	300	3200	38000

SECTION 47 - SHAPE: PAR 36, 46, 56, & 64 | BASE: SCREW TERMINAL



PAR 36



PAR 46

25PAR36	GE	25	5.5	PAR36	SCREW TERMINAL	1000	3000	19700*
25PAR36/VWFL	GE	25	12	PAR36	SCREW TERMINAL	2000		160*
25PAR36NSP	GE	25	12	PAR36	SCREW TERMINAL	2000		2600*
25PAR36WFL	GE	25	12	PAR36	SCREW TERMINAL	2000		360*
4515 PAR36 30W	OSRAM	30	6	PAR36	SCREW TERMINAL	100		55000*
4515	GE	30	6.4	PAR36	SCREW TERMINAL	100		55000*
H4515	GE	30	6.4	PAR36	SCREW TERMINAL	100		67000*
4405	GE	30	12.8	PAR36	SCREW TERMINAL	100		50000*
H4405	GE	30	12.8	PAR36	SCREW TERMINAL	100		66000*
35PAR36/H/FL30	GE	35	12	PAR36	SCREW TERMINAL	4000	3050	900*
35PAR36/H/SP5	GE	35	12	PAR36	SCREW TERMINAL	4000	3050	25000*
35PAR36/H/SP8	GE	35	12	PAR36	SCREW TERMINAL	4000	3050	20000*
H7616	GE	37.5	12.8	PAR36	SCREW TERMINAL	300		70000*
50PAR36/H/FL30	GE	50	12	PAR36	SCREW TERMINAL	4000	3050	1300*
50PAR36/H/SP5	GE	50	12	PAR36	SCREW TERMINAL	4000	3050	35000*
50PAR36/H/SP8	GE	50	12	PAR36	SCREW TERMINAL	4000	3050	30000*
50PAR36NSP	GE	50	12	PAR36	SCREW TERMINAL	2000		11000*
50PAR36VNSP	GE	50	12	PAR36	SCREW TERMINAL	2000		19000*
50PAR36VWFL	GE	50	12	PAR36	SCREW TERMINAL	2000		600*
50PAR36WFL	GE	50	12	PAR36	SCREW TERMINAL	2000		900*

PAR BULBS

SECTION 47 - SHAPE: PAR 36, 46, 56, & 64 | BASE: SCREW TERMINAL CON'T



PAR 56



PAR 64

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMP (K)	CENTERBEAM CANDLEPWR (CP)
H7604	GE	50	12.8	PAR36	SCREW TERMINAL	100		100000*
4505	GE	50	28	PAR36	SCREW TERMINAL	40		45000*
4509	GE	100	13	PAR36	SCREW TERMINAL	25		110000*
4509X	GE	100	13	PAR36	SCREW TERMINAL	25		110000*
4591	GE	100	28	PAR36	SCREW TERMINAL	25		90000*
4594	GE	100	28	PAR36	SCREW TERMINAL	300		70000*
4595	GE	100	28	PAR36	SCREW TERMINAL	300		60000*
DWE	OSRAM	650	120	PAR36	SCREW TERMINAL	100	3200	24000*
DWE (Q650PAR36/1)	GE	650	120	PAR36	SCREW TERMINAL	100	3200	24000*
FBE (Q650PAR36/5D)	GE	650	120	PAR36	SCREW TERMINAL	30	5000	36000*
FBO (Q650PAR36/5)	GE	650	120	PAR36	SCREW TERMINAL	30	3400	67000*
25PAR46	GE	25	5.5	PAR46	SCREW TERMINAL	1000		55000*
4535	GE	30	6.4	PAR46	SCREW TERMINAL	100		95000*
4435	GE	30	12.8	PAR46	SCREW TERMINAL	100		75000*
4436	GE	35	12.8	PAR46	SCREW TERMINAL	300		60000*
H7635	GE	50	12.8	PAR46	SCREW TERMINAL	100		160000*
150PAR46/1	GE	150	32	PAR46	SCREW TERMINAL	800		100000*
4553	GE	250	28	PAR46	SCREW TERMINAL	25		300000*
4545	GE	100	12	PAR56	SCREW TERMINAL	100		225000*
4543	GE	100	12.5	PAR56	SCREW TERMINAL	50		225000*
120PAR56/MFL	GE	120	12	PAR56	SCREW TERMINAL	2000		19000*
120PAR56/WFL	GE	120	12	PAR56	SCREW TERMINAL	2000		5625*
120PSR56/VNSP	GE	120	12	PAR56	SCREW TERMINAL	2000		60000*
200PAR	GE	200	30	PAR56	SCREW TERMINAL	350		230000*
240PAR56/MFL	GE	240	12	PAR56	SCREW TERMINAL	2000		46000*
240PAR56/VNSP	GE	240	12	PAR56	SCREW TERMINAL	2000		140000*
240PAR56/WFL	GE	240	12	PAR56	SCREW TERMINAL	2000		13000*
4541	GE	450	28	PAR56	SCREW TERMINAL	25		470000*
120PAR	GE	120	6	PAR64	SCREW TERMINAL	3000		180000*
4552	GE	250	28	PAR64	SCREW TERMINAL	25		50000*
4559	GE	600	28	PAR64	SCREW TERMINAL	25		600000*
Q4559	GE	600	28	PAR64	SCREW TERMINAL	25		600000*
Q4559X	GE	600	28	PAR64	SCREW TERMINAL	100		765000*

GOBOS



Brands Offered

Apollo
GAM
Lee
Rosco

Products Offered

Black & White Glass Gobos
Custom Glass
Custom Steel
Dichroic Gobos
Glass Color Gobos
Standard Stainless Steel Gobos

MR BULBS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)
SECTION 48 - SHAPE: MR11							
FKY	PHILIPS	9	6	MR11	G3.9 / 2 PIN	250	N/A
13528	PHILIPS	15	6	MR11	GZ4 / 2 PIN	500	N/A
64255	OSRAM	20	8	MR11	GZX4 / 2 PIN	50	N/A
13298	PHILIPS	52	10	MR11	GZ4 / 2 PIN	20	N/A
14553	PHILIPS	52	10	MR11	GZ4 / 2 PIN	20	N/A
13865	PHILIPS	75	12	MR11	G5.3/4.8 / FLAT PINS	50	N/A
64617	OSRAM	75	12	MR11	G5.3/4.8 / FLAT PINS	25	N/A
64617SPOT	OSRAM	75	12	MR11	G5.3/4.8 / FLAT PINS	25	N/A
64624	OSRAM	100	12	MR11	G5.3/4.8 / FLAT PINS	25	N/A
SECTION 49 - SHAPE: MR13							
EZE	OSRAM	150	82	MR13	GX5.3 / 2 PIN	150	N/A
EXY	OSRAM	250	82	MR13	GX5.3 / 2 PIN	200	N/A
EXY	PHILIPS	250	82	MR13	GX5.3 / 2 PIN	250	3250
EXR	OSRAM	300	82	MR13	GX5.3 / 2 PIN	35	N/A
EXR	PHILIPS	300	82	MR13	GX5.3 / 2 PIN	35	3350
EXW	OSRAM	300	82	MR13	GX5.3 / 2 PIN	15	N/A
FHS	GE	300	82	MR13	GX5.3 / 2 PIN	70	N/A
FHS	OSRAM	300	82	MR13	GX5.3 / 2 PIN	70	N/A
FHS	PHILIPS	300	82	MR13	GX5.3 / 2 PIN	70	3300
SECTION 50 - SHAPE: MR16							
EKZ	PHILIPS	30	10.8	MR16	GX5.3 / 2 PIN	200	3100
FJX	PHILIPS	30	13.8	MR16	GX5.3 / 2 PIN	500	3150
EPT	OSRAM	42	11	MR16	GX5.3 / 2 PIN	8000	2900
EFM	GE	50	8	MR16	GZ6.35 / 2 PIN	50	3300
EFM (64607)	OSRAM	50	8	MR16	GZ6.35 / 2 PIN	50	N/A
ENL (93609)	OSRAM	50	12	MR16	GX5.3 / 2 PIN	4000	3000
EPZ (64608)	OSRAM	50	14	MR16	GX5.3 / 2 PIN	1000	N/A
13139	PHILIPS	75	12	MR16	GX5.3 / 2 PIN	1000	N/A
EFN	PHILIPS	75	12	MR16	GZ6.35 / 2 PIN	50	3350
EFN	GE	75	12	MR16	GZ6.35 / 2 PIN	50	3350
EFN (64615 HLX)	OSRAM	75	12	MR16	GZ6.35 / 2 PIN	50	N/A







Image Courtesy of OSRAM SYLVANIA Inc

SECTION 50 - SHAPE: MR16 CON'T



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)
BAA	OSRAM	75	28	MR16	GX5.3 / 2 PIN	2000	3000
DDM	OSRAM	80	19	MR16	GX5.3 / 2 PIN	50	N/A
DDM	PHILIPS	80	19	MR16	GX5.3 / 2 PIN	50	3350
DDS	OSRAM	80	21	MR16	GX5.3 / 2 PIN	1000	N/A
DDS	PHILIPS	80	21	MR16	GX5.3 / 2 PIN	1000	3125
EKP/ENA	OSRAM	80	30	MR16	GX5.3 / 2 PIN	25	N/A
DED (64618)	OSRAM	85	14	MR16	GX5.3 / 2 PIN	1000	N/A
85T3/RM	OSRAM	85	82	MR16	GX5.3 / 2 PIN	40	N/A
EPX (64619)	OSRAM	90	14	MR16	GX5.3 / 2 PIN	500	N/A
64637	OSRAM	100	12	MR16	GZ6.35 / 2 PIN	1500	N/A
EFP	PHILIPS	100	12	MR16	GZ6.35 / 2 PIN	50	3350
EFP	GE	100	12	MR16	GZ6.35 / 2 PIN	50	3350
EFP (64627 HLX)	OSRAM	100	12	MR16	GZ6.35 / 2 PIN	50	N/A
EFP-5H / A1231-5H (6834-5H)	PHILIPS	100	12	MR16	GZ6.35 / 2 PIN	500	3100
EFP-8H / A1231-8H (6834-8H)	PHILIPS	100	12	MR16	GZ6.35 / 2 PIN	800	3100
EFP/X (64629 HLX)	OSRAM	100	12	MR16	GZ6.35 / 2 PIN	600	N/A
EXV	GE	100	12	MR16	GX5.3 / 2 PIN	50	3350
64635 HLX	OSRAM	150	15	MR16	GZ6.35 / 2 PIN	50	N/A
EFR	PHILIPS	150	15	MR16	GZ6.35 / 2 PIN	50	3350
EFR	GE	150	15	MR16	GZ6.35 / 2 PIN	50	3350
EFR (64634 HLX)	OSRAM	150	15	MR16	GZ6.35 / 2 PIN	50	N/A
EFR-5 (64620)	OSRAM	150	15	MR16	GZ6.35 / 2 PIN	500	N/A
EFR-5H / A1223-5H (6423-5H)	PHILIPS	150	15	MR16	GZ6.35 / 2 PIN	500	N/A
13117	PHILIPS	150	17	MR16	GX5.3 / 2 PIN	1000	3200
DDL	OSRAM	150	20	MR16	GX5.3 / 2 PIN	500	3150
DDL	PHILIPS	150	20	MR16	GX5.3 / 2 PIN	500	3150
DNF	PHILIPS	150	21	MR16	GX7.9 / 2 PIN	25	3400
DNF	OSRAM	150	21	MR16	GX7.9 / 2 PIN	25	N/A
DNF	GE	150	21	MR16	GX7.9 / 2 PIN	25	N/A
EJA	OSRAM	150	21	MR16	GX5.3 / 2 PIN	40	3400
EJA	PHILIPS	150	21	MR16	GX5.3 / 2 PIN	40	3350
EJM	OSRAM	150	21	MR16	GX5.3 / 2 PIN	40	3400
EJM	PHILIPS	150	21	MR16	GX5.3 / 2 PIN	40	3400
EJV (93637)	OSRAM	150	21	MR16	GX5.3 / 2 PIN	100	N/A
EKE	PHILIPS	150	21	MR16	GX5.3 / 2 PIN	200	3400
EKE (93638)	OSRAM	150	21	MR16	GX5.3 / 2 PIN	200	3300
EKE/X	OSRAM	150	21	MR16	GX5.3 / 2 PIN	1000	3150
ELD	OSRAM	150	21	MR16	GX5.3 / 2 PIN	40	3200
ELD	PHILIPS	150	21	MR16	GX5.3 / 2 PIN	40	3350
DNE	OSRAM	150	120	MR16	GX7.9 / 2 PIN	15	N/A
EZK	GE	150	120	MR16	GY5.3 / 2 PIN	200	3200
EJL	OSRAM	200	24	MR16	GX5.3 / 2 PIN	50	N/A
EJL	PHILIPS	200	24	MR16	GX5.3 / 2 PIN	50	3400
6958/5H	PHILIPS	250	24	MR16	G6.35 / 2 PIN	500	3200
6958/10H	PHILIPS	250	24	MR16	G6.35 / 2 PIN	1000	3200
ELC	GE	250	24	MR16	GX5.3 / 2 PIN	50	3400
ELC	PHILIPS	250	24	MR16	GX5.3 / 2 PIN	50	3200
ELC (64653 HLX)	OSRAM	250	24	MR16	GX5.3 / 2 PIN	50	3400
ELC/500	GE	250	24	MR16	GX5.3 / 2 PIN	500	3350
ELC-10 (64659)	OSRAM	250	24	MR16	GX5.3 / 2 PIN	1000	N/A
ELC-3 (93653)	OSRAM	250	24	MR16	GX5.3 / 2 PIN	300	3250
ELC-5H / A1259-5H (JCR)	PHILIPS	250	24	MR16	GX5.3 / 2 PIN	500	3200
ELC-10H / A1259-10H (JCR)	PHILIPS	250	24	MR16	GX5.3 / 2 PIN	1000	N/A
ELC-7/X	OSRAM	250	24	MR16	GX5.3 / 2 PIN	700	3200
ELC-HL	OSRAM	250	24	MR16	GX5.3 / 2 PIN	50	N/A

MR BULBS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE (HR)	DESIGN COLOR TEMPERATURE (K)
SECTION 50 - SHAPE: MR16 CON'T							
EVW	PHILIPS	250	82	MR16	GY5.3 / 2 PIN	50	3300
EVW	GE	250	82	MR16	GY5.3 / 2 PIN	50	3300
EVW (93505)	OSRAM	250	82	MR16	GY5.3 / 2 PIN	50	3300
ENH	GE	250	120	MR16	GY5.3 / 2 PIN	175	3250
ENH	PHILIPS	250	120	MR16	GY5.3 / 2 PIN	175	3250
ENH (93506)	OSRAM	250	120	MR16	GY5.3 / 2 PIN	175	N/A
ENH SPOT	OSRAM	250	120	MR16	GY5.3 / 2 PIN	175	N/A
ETJ	OSRAM	250	120	MR16	GY5.3 / 2 PIN	175	N/A
EXX	GE	250	120	MR16	GY5.3 / 2 PIN	25	3300
ENH-5	OSRAM	250	125	MR16	GY5.3 / 2 PIN	175	N/A
ELH (93518)	OSRAM	300	120	MR16	GY5.3 / 2 PIN	35	N/A
ENG	OSRAM	300	120	MR16	GY5.3 / 2 PIN	15	N/A
ENX	PHILIPS	360	82	MR16	GY5.3 / 2 PIN	75	3300
ENX (93525)	OSRAM	360	82	MR16	GY5.3 / 2 PIN	75	N/A
FLE	OSRAM	360	82	MR16	GY5.3 / 2 PIN	75	N/A
ENX-5	OSRAM	360	86	MR16	GY5.3 / 2 PIN	75	N/A
ENX-5	PHILIPS	360	86	MR16	GY5.3 / 2 PIN	75	3300
ENX-7	OSRAM	360	88	MR16	GY5.3 / 2 PIN	75	N/A
FXL	OSRAM	410	82	MR16	GY5.3 / 2 PIN	75	N/A
FXL	PHILIPS	410	82	MR16	GY5.3 / 2 PIN	50	3300
FXL-HL	OSRAM	410	82	MR16	GY5.3 / 2 PIN	40	N/A



TAPE

Products Offered	Brands Offered
Artist Tape	3M
Cable Path Tape	Permacel
Camouflage Tape	Polyken
Double-Sided Tape	ProTape
Electrical Tape	Rosco
Film Tape	Shurtape
Floor Tape	
Gaffer Tape	
Glow Tape	
Masking Tape	
Measurement Tape	
Photographic Tape	
Printed Artist Tape	
Spike Tape	

All colors and widths of tape offered. Ask about special order items.

www.sylvania.com



© 2009 OSRAM SYLVANIA

One hand. One touch. Two options.

OSRAM Lok-it!®. The one-touch lamp replacement.

Now with both cold and hot-restart versions, and improved socket designs to support them, OSRAM has the solution. If you want the fit that's really fast, the OSRAM family of Lok-it!® lamps and sockets is your answer.

To find out more, call Bulbtronics at 1-800-227-2852 or email sttv@bulbtronics.com.

PG47 Base

PGJX50 Base

OSRAM

Faster fitting for more free time.

Philips Hi-Brite and Philips MSR Gold FastFit rear load lamps let you change lamps in seconds. So, if you're looking for a fast fit lamp to save you time, they're music to your ears.
www.philips.com/lighting/entertainment

BULBTRONICS
The Brightest Source On Earth

PHILIPS
sense and simplicity

For more information, call 1-800-227-2852 or email sttv@bulbtronics.com

1-800-227-2852 • www.bulbtronics.com

GE Consumer & Industrial
Lighting

Consider it sunscreen for the silver screen.

The GE CSR-UV-C lamp is the first lamp in the film industry to reduce harmful UV-C emissions by 85% while providing excellent color stability and reliability. It also produces consistent color temperature of 5600K over the life of the lamp, ensuring consistent performance in all types of fixtures. So you get the lighting you want, and UV rays stay out of the picture.

For more information, visit gelighting.com.

imagination at work

SHOWBIZ®
for stage, studio, film and television lighting

© 2009 General Electric Company. SHOWBIZ® is a registered trademark of General Electric Company.

1-800-227-2852 • www.bulbtronics.com

HID BULBS

SECTION 51 - SPECIAL TYPES HID: CSD/CSR/CSS BULBS



CSR



CSS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	INITIAL LUMENS
CSR125/SE/HR	GE	125	80	T5	GZX9.5	200	5600	9400
CSS150/CAP/50	GE	140	85	T7	GY9.5 / 2 PIN PREFOCUS	1000	5000	10000
CSR200/SE/HR	GE	200	70	T6	GZY9.5	200	5600	15000
CSR200/DE	GE	200	80	T4 1/2	X515	300	6000	16000
CSD250/2/SE	GE	250	94	T7	GY9.5 / 2 PIN PREFOCUS	3000	9000	18000
CSR400/S/DE/70	GE	400	49	T6 1/2	SFC10-4	750	7000	26000
CSR400/S/DE/90	GE	400	49	T6 1/2	SFC10-4	750	9000	26000
CSR400/SE/HR	GE	400	70	T7	GZZ9.5	750	6000	32000
CSR400/SE/HR/75	GE	400	70	T7	GZZ9.5	1500	7500	28000
CSR575/DE	GE	575	95	T6 1/2	SFC10-4 AI/M4	750	6000	29000
CSR575/S/DE/70	GE	575	95	T6 1/2	SFC10-4	750	7000	40000
CSR575/SE/HR	GE	575	95	T9 1/2	G22 / MED BI POST	750	6000	48000
CSR575/SE/HR/UV-C	GE	575	95	T9 1/2	G22 / MED BI POST	750	5600	49000
CSS575/855/GY9.5	GE	575	95	T7	GY9.5 / 2 PIN PREFOCUS	500	5500	40250
CSR575/2/SE	GE	575	97	T9	GX9.5 / 2 PIN PREFOCUS	1000	7200	46000
CSR575/2/T/SE	GE	575	97	T9	GX9.5 / 2 PIN PREFOCUS	1000	7200	42000
CSR575/SS/DE/75	GE	575	100	T6 1/2	SFC10-4	500	7500	44000
CSR700/2/SE	GE	700	70	T9	G22 / MED BI POST	1000	7200	55000
CSR700/S/DE/60	GE	700	70	T6 1/2	SFC10-4	750	6000	59000
CSR700/S/DE/75	GE	700	70	T6 1/2	SFC10-4	750	7500	59000
CSR700/SA	GE	700	70	G7	GY9.5 / 2 PIN PREFOCUS	500	5600	58000
CSR700/SA/72	GE	700	70	G7	GY9.5 / 2 PIN PREFOCUS	500	7200	58000
CSR800/SE/HR/UV-C	GE	800	95	T9 1/2	G22 / MED BI POST	1000	5600	64000
CSR1200/2/SE	GE	1200	100	T12	G22 / MED BI POST	800	7200	110000
CSR1200/DE	GE	1200	100	T8 1/2	SFC10.5-6	750	6000	110000
CSR1200/S/DE/60	GE	1200	100	T6 1/2	SFC10-4	500	6000	110000
CSR1200/S/DE/72	GE	1200	100	T6 1/2	SFC10-4	750	7200	110000
CSR1200/SA	GE	1200	100	G9	GY22 / 2 PIN	750	5800	96000
CSR1200/SE/HR	GE	1200	100	T13	G38 / MOGUL BI POST	750	6000	110000
CSR1200/SE/HR/UV-C	GE	1200	100	T13	G38 / MOGUL BI POST	750	5600	110000
CSR2000/SA	GE	1800	100	G9	GY22 / 2 PIN	750	6000	155000
CSR2500/DE	GE	2500	115	T9 1/2	SFA21-12	500	6000	240000
CSR2500/SE/HR	GE	2500	115	T19 1/2	G38 / MOGUL BI POST	500	6000	220000
CSR2500/SE/HR/UV-C	GE	2500	115	T19 1/2	G38 / MOGUL BI POST	500	5600	220000
CSR4000/DE	GE	4000	200	T12	SFA21-12	500	6000	410000
CSR4000/SE/HR	GE	4000	200	T24	G38 / MOGUL BI POST	500	6000	380000
CSR4000/SE/HR/UV-C	GE	4000	200	T24	G38 / MOGUL BI POST	500	5600	380000

HID BULBS

SECTION 51 - SPECIAL TYPES HID: CSD/CSR/CSS BULBS CON'T

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	INITIAL LUMENS
CSR6000/DE	GE	6000	125	T16	25X51 CYL 165MM LEAD	300	6000	570000
CSR6000/SE/HR	GE	6000	130	T26 1/2	G38 / MOGUL BI POST	300	6000	540000
CSR6000/SE/HR/UV-C	GE	6000	130	T26 1/2	G38 / MOGUL BI POST	300	5600	540000
CSR12000/DE	GE	12000	160	T22 1/2	30X70 CYL 165MM LEAD	300	6000	1100000
CSR12000/SE/HR	GE	12000	160	T32	G38 / MOGUL BI POST	250	6000	1100000
CSR18000/DE	GE	18000	225	T28	30X70 CYL 165MM LEAD	300	6000	1650000
CSR18000/S/DE	GE	18000	225	T28	30X70 CYL 165MM LEAD	300	6000	1650000
CSR18000/SE/HR	GE	18000	225	T32	G51	250	6000	1650000

SECTION 52 - SPECIAL TYPES HID: HMI/HSD/HSR/HQI/HTI BULBS

HMI



HMI

HMI



HSR



HSR

HTI

HTI

HMI 1200 W/DXS	OSRAM	1200	100	T8	SFC15.5	1000	6000	110000
HMI 1200 W/SEL XS	OSRAM	1200	100	T13	G38 / MOGUL BI POST	1000	6000	110000
HMI 12000 W/DXS	OSRAM	12000	160	BT20	S30	500	6000	1150000
HMI 12000 W/SE XS	OSRAM	12000	160	T32	GX38 / MOGUL BI POST	300	6000	1150000
HMI 12000 W/SE/GX51 XS	OSRAM	12000	160	T32	GX51	300	6000	1150000
HMI 18000 W/DXS	OSRAM	18000	225	BT24	S30	300	6000	1700000
HMI 18000 W/SE/GX51 XS	OSRAM	18000	225	BT37	GX51	300	6000	1600000
HMI 200 W/SE	OSRAM	200	70	T6 1/4	GZY9.5	200	6000	16000
HMI 250 W/SE	OSRAM	270	50	BT4	FAX1.5 / SPECIAL	250	6000	16200
HMI 2500 W/DXS	OSRAM	2500	115	TB10	SFA21	500	6000	240000
HMI 2500 W/S XS	OSRAM	2500	115	TB10	SFA21	500	6000	240000
HMI 2500 W/SE XS	OSRAM	2500	115	TB19	G38 / MOGUL BI POST	500	6000	240000
HMI 400 W/SE	OSRAM	400	70	T7 1/4	GZZ9.5	650	6000	3300
HMI 4000 W/DXS	OSRAM	4000	200	TB13	SFA21	500	6000	380000
HMI 4000 W/SE XS	OSRAM	4000	200	TB24	G38 / MOGUL BI POST	500	6000	38000
HMI 575 W/DXS	OSRAM	575	95	BT7	SFC10-4	1000	6000	49000
HMI 575 W/SEL XS	OSRAM	575	95	T9	G22 / MED BI POST	1000	6000	49000
HMI 6000 W/DXS	OSRAM	6000	123	T5	25X51 CYL 165MM LEAD	500	6000	570000
HMI 6000 W/SE XS	OSRAM	6000	123	T23	GX38 / MOGUL BI POST	500	6000	600000
HMI 700 W/SE XS	OSRAM	700	95	T9 1/2	G22 / MED BI POST	750	6000	55000
HQI-DE150/NDX	OSRAM	150	95	T7	R7S / RSC	12000	4200	11250
HQI-DE150/WDX	OSRAM	150	95	T7	R7S / RSC	12000	3000	11000
HQI-DE70/NDX	OSRAM	70	85	T6	R7S / RSC	9000	4000	5500
HQI-R150/NDX/FO	OSRAM	150	95	R30	2 PIN CONNECTOR	9000	4200	11000
HQI-SE 150/NDX	OSRAM	150	N/A	T7 1/2	G12 / BI PIN	9000	4200	13000
HSR 1200/60	OSRAM	1200	100	T12	G22 / MED BI POST	1000	6000	110000
HSR 400/60	OSRAM	400	67	T7 1/4	GX9.5 / 2 PIN PREFOCUS	650	6000	33000
HSR 575/60	OSRAM	575	95	T5	GX9.5 / 2 PIN PREFOCUS	1000	6000	49000
HSR 575/72	OSRAM	575	95	T10	GX9.5 / 2 PIN PREFOCUS	1000	7200	49000
HSR 700/60	OSRAM	700	72	T9 1/2	G22 / MED BI POST	1000	6000	58000
HTI 1200 W/SE XS	OSRAM	1200	100	T10	GY22 / 2 PIN	750	5400	99000
HTI 150 W	OSRAM	150	90	T4 1/2	GY9.5 / 2 PIN PREFOCUS	750	6500	9500
HTI 152 W	OSRAM	150	95	N/A	GY9.5 / 2 PIN PREFOCUS	2000	5000	9500
HTI 1800W/SE XS	OSRAM	1800	100	N/A	GY22 / 2 PIN	750	5600	155000
HTI 250 W/22	OSRAM	270	45	BT4	W/O CABLE PLUG	250	5600	N/A
HTI 250 W/32	OSRAM	270	45	BT4	W/O CABLE PLUG	250	5600	N/A
HTI 2500 W/DEL	OSRAM	2500	115	N/A	SPECIAL DOUBLE ENDED	2000	6000	270000
HTI 2500 W/SE XS	OSRAM	2500	115	N/A	G22+CABLE	600	6000	240000
HTI 400 W/24	OSRAM	400	55	BT4 1/2	WITH CABLE PLUG	250	5600	N/A
HTI 4000 W/DE	OSRAM	4000	115	N/A	25X51 CYL 165MM LEAD	500	6300	360000
HTI 403 W/24	OSRAM	400	55	BT4 1/2	SPECIAL	750	5600	N/A
HTI 600 W/SE	OSRAM	600	95	BT BULGE	FAX1.5 / SPECIAL	300	5300	48000
HTI 700 W/SE/75 XS	OSRAM	700	70	N/A	FAX1.5 / SPECIAL	500	7500	59000
HTI 705 W/SE XS	OSRAM	700	70	N/A	GY9.5 / 2 PIN PREFOCUS	500	5500	59000
HTI S 35/12	OSRAM	35	85	N/A	P32D-2	3000	4250	3200

HID BULBS

SECTION 53 - SPECIAL TYPES HID: SHARXS/BABY SHARXS/MAXI SHARXS/4ARXS SERIES

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	INITIAL LUMENS
4ARXS HSD 150W/70	OSRAM	150	97	T6 1/2	G12 / BI PIN	3000	7000	12000
4ARXS HSD 150W/UL/75	OSRAM	150	97	T7 1/4	G12 / BI PIN	6000	7500	11000
4ARXS HSD 200W/60	OSRAM	200	70	T7 1/4	GY9.5 / 2 PIN PREFOCUS	2000	6000	13000
SHARXS HTI 200W/D3/70	OSRAM	200	60	N/A	SFC10-4	3000	7000	13000
4ARXS HSD 250W/60	OSRAM	250	90	T7 1/4	GY9.5 / 2 PIN PREFOCUS	2000	6000	17000
4ARXS HSD 250W/80	OSRAM	250	95	T7 1/4	GY9.5 / 2 PIN PREFOCUS	3000	8000	17000
4ARXS HSD 250W/UL/75	OSRAM	250	90	T7 1/4	GY9.5 / 2 PIN PREFOCUS	6000	7500	15000
BABY SHARXS HTI 250W/D5/80	OSRAM	250	90	N/A	SFC10-4	3000	8000	18000
BABY SHARXS HTI 300W/D5/57	OSRAM	300	80	N/A	SFC10-4	3000	5700	20000
BABY SHARXS HTI 300W/D5/65	OSRAM	300	80	N/A	SFC10-4	750	6500	22000
BABY SHARXS HTI 400W/D5/60	OSRAM	400	95	N/A	SFC10-4	750	6000	33000
SHARXS HTI 400W/D3/75	OSRAM	400	49	N/A	SFC10-4	1000	7500	26000
4ARXS HSD 575W/60	OSRAM	575	88	T10	GX9.5 / 2 PIN PREFOCUS	3000	6000	45000
4ARXS HSD 575W/72	OSRAM	575	88	T10	GX9.5 / 2 PIN PREFOCUS	3000	7200	45000
4ARXS HSD 575W/UL/75	OSRAM	575	88	T10	GX9.5 / 2 PIN PREFOCUS	6000	7500	43000
BABY SHARXS HTI 575W/D5/56	OSRAM	575	97	N/A	SFC10-4	500	5600	43000
BABY SHARXS HTI 575W/D5/75	OSRAM	575	97	N/A	SFC10-4	750	7500	43000
SHARXS HTI 575W/D4/60	OSRAM	575	69	BT37	SFC10-4	750	6000	49000
SHARXS HTI 575W/D4/75	OSRAM	575	64	N/A	SFC10-4	750	7500	44000
SHARXS HTI 700W/D4/60	OSRAM	700	70	N/A	SFC10-4	750	6000	59000
SHARXS HTI 700W/D4/75	OSRAM	700	70	N/A	SFC10-4	750	7500	59000
4ARXS HSD 1200W/60	OSRAM	1200	100	N/A	G22 / MED BI POST	3000	6000	100000
SHARXS HTI 1200W/D7/60	OSRAM	1200	100	T6	SFC10-4	750	6000	110000
SHARXS HTI 1200W/D7/75	OSRAM	1200	100	N/A	SFC10-4	750	7500	110000
SHARXS HTI 1500W/D7/60	OSRAM	1500	110	N/A	SFC10-4	750	6000	145000
MAXI SHARXS HTI 2000W/D10/60	OSRAM	2000	105	N/A	SFC15-5	750	6000	200000

SECTION 54 - LOK-IT



LOK-IT HTI 1500W/60/P50	OSRAM	1500	100	N/A	PGJX50	750	6000	135000

SECTION 55 - SPECIAL TYPES HID: MSR/MSD/MSA/MSI/MHD/MPXL BULBS



MPXL

MHD 1800	PHILIPS	1800	120	SPECIAL	PSFC20-6 SFC20-6	4000	5600	155000
MPXL DL35 24PK	PHILIPS	35	N/A	N/A	N/A	5000	6500	3600
MPXL DL50	PHILIPS	50	N/A	N/A	SPECIAL	3000	3900	5300
MPXL DUV	PHILIPS	35	N/A	N/A	SPECIAL	500	N/A	N/A
MPXL RP50	PHILIPS	35	N/A	N/A	SPECIAL	5000	3900	N/A
MSA 2000 SE	PHILIPS	2000	207	N/A	G22 / MED BI POST	2000	6000	175000
MSA 2500 DE	PHILIPS	2500	207	N/A	SPECIAL	2000	5600	200000
MSD 1200	PHILIPS	1200	115	T12	G22 / MED BI POST	3000	6000	92000
MSD 150/2	PHILIPS	150	96	N/A	G12 / BI PIN	3000	8500	10500
MSD 200	PHILIPS	200	70	T8	GY9.5 / 2 PIN PREFOCUS	2000	6000	13500
MSD 200/2	PHILIPS	200	70	T8	GY9.5 / 2 PIN PREFOCUS	3000	6700	13500
MSD 250	PHILIPS	250	90	T8	GY9.5 / 2 PIN PREFOCUS	3000	6700	17000

HID BULBS

SECTION 55 - SPECIAL TYPES HID: MSR/MSD/MSA/MSI/MHD/MPXL BULBS CON'T



MSD



MSR

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	INITIAL LUMENS
MSD 250/2	PHILIPS	250	90	T8	GY9.5 / 2 PIN PREFOCUS	3000	8500	17000
MSD 300/2 MINIFASTFIT GOLD	PHILIPS	300	N/A	N/A	PGJX28 FAST FIT	2000	8400	22000
MSD 575	PHILIPS	575	95	T10	GX9.5 / 2 PIN PREFOCUS	3000	6000	45000
MSD 575 HR	PHILIPS	575	95	N/A	G22 / MED BI POST	2000	6000	46000
MSD 700	PHILIPS	700	72	T10	G22 / MED BI POST	3000	6000	55000
MSI 1200	PHILIPS	1200	207	N/A	SFC15.5-6	1000	5600	110000
MSI 12000	PHILIPS	12000	360	N/A	S30X70	300	6000	1100000
MSI 1800	PHILIPS	1800	100	N/A	SFC10-4	750	6000	155000
MSI 2500	PHILIPS	2500	207	N/A	SFA21-12	600	5600	240000
MSI 4000	PHILIPS	4000	360	N/A	SFA21-12	600	6000	410000
MSI 575	PHILIPS	575	207	N/A	SFC10-4	1000	5600	49000
MSI 575/2	PHILIPS	575	207	N/A	SFC10-4	750	6800	47000
MSI 6000	PHILIPS	6000	207	N/A	S25.5X60	400	6000	570000
MSR 1200	PHILIPS	1200	100	T13	G22 / MED BI POST	800	5900	110000
MSR 1200 FASTFIT GOLD	PHILIPS	1200	207	N/A	PGJX50	750	6300	95000
MSR 1200 HR	PHILIPS	1200	100	T13	G38 / MOGUL BI POST	1000	6000	110000
MSR 1200 SA	PHILIPS	1200	100	T10	GY22 / 2 PIN	750	6000	96000
MSR 1200 SA/2 DE GOLD	PHILIPS	1200	207	N/A	SFC10-4	750	7500	103000
MSR 1200 SA/DE GOLD	PHILIPS	1200	100	T6 1/2	SFC10-4	1000	6000	110000
MSR 1200 SA/SE GOLD	PHILIPS	1200	93	N/A	PGJ5	500	6300	95000
MSR 1200/2	PHILIPS	1200	90	T12	G22 / MED BI POST	800	7200	110000
MSR 12000 HR	PHILIPS	12000	160	N/A	GY38	300	6000	1200000
MSR 125 HR	PHILIPS	125	80	T6	GZX9.5	200	6000	9400
MSR 1500 GOLD FASTFIT	PHILIPS	1500	207	N/A	PGJX50	750	6000	120000
MSR 1510 SA/2 DE GOLD	PHILIPS	1500	207	N/A	SFC10-4	750	7000	126000
MSR 1510 SA/DE GOLD	PHILIPS	1500	207	N/A	SFC10-4	750	7000	140000
MSR 18000 HR	PHILIPS	18000	225	N/A	GX51	300	6000	1650000
MSR 1800DE	PHILIPS	1800	N/A	N/A	SFC15.5-6	750	6000	145000
MSR 200 HR	PHILIPS	200	70	T8	GZY9.5	200	6000	15000
MSR 2000 SA	PHILIPS	2000	110	N/A	GY22 / 2 PIN	750	6000	155000
MSR 2000 SA GOLD FASTFIT	PHILIPS	2000	110	N/A	PGJX50	750	6000	150000
MSR 2000/2 SA GOLD FASTFIT	PHILIPS	2000	N/A	N/A	PGJX50	750	7500	160000
MSR 250 HR	PHILIPS	250	96	N/A	GY9.5 / 2 PIN PREFOCUS	500	6000	20000
MSR 2500 HR	PHILIPS	2500	115	TB19	G38 / MOGUL BI POST	500	6000	240000
MSR 2500/2 FASTFIT GOLD	PHILIPS	2500	N/A	N/A	PGJX50	750	7500	193000
MSR 300 FASTFIT GOLD	PHILIPS	300	96	N/A	PGJX28 FAST FIT	750	8000	23000
MSR 300/2 MINIFASTFIT GOLD	PHILIPS	300	N/A	N/A	PGJX28 FAST FIT	750	8000	23000
MSR 400	PHILIPS	400	70	T7 1/4	GX9.5 / 2 PIN PREFOCUS	1000	5900	32000
MSR 400 HR	PHILIPS	400	70	T8	GZZ9.5	750	6000	32000
MSR 400 SA	PHILIPS	400	54	T8	GY9.5 / 2 PIN PREFOCUS	750	5500	30000
MSR 400 SA/2 DE GOLD	PHILIPS	400	207	N/A	SFC10-4	1000	7500	27000
MSR 400 SA/DE GOLD	PHILIPS	400	48	N/A	SFC10-4	1000	7500	27000
MSR 4000 HR	PHILIPS	4000	200	TB24	G38 / MOGUL BI POST	500	6000	380000
MSR 575 HR	PHILIPS	575	95	T9	G22 / MED BI POST	1000	6000	49000
MSR 575 SA/2 DE GOLD	PHILIPS	575	94	N/A	SFC10-4	750	7200	43000
MSR 575/2	PHILIPS	575	95	T10	GX9.5 / 2 PIN PREFOCUS	1000	7200	49000
MSR 6000 HR	PHILIPS	6000	125	T24	GY38	500	6000	570000
MSR 700	PHILIPS	700	72	N/A	G22 / MED BI POST	1000	5900	55000
MSR 700 FASTFIT GOLD	PHILIPS	700	207	N/A	PGJX50	750	7500	51000
MSR 700 SA	PHILIPS	700	72	T10	GY9.5 / 2 PIN PREFOCUS	750	5600	45000
MSR 700 SA/2 DE GOLD	PHILIPS	700	70	N/A	SFC10-4	1000	6500	59000
MSR 700 SA/DE GOLD	PHILIPS	700	70	N/A	SFC10-4	1000	6500	59000
MSR 700/2	PHILIPS	700	72	T10	G22 / MED BI POST	1000	7200	55000
MSR 700/2 FASTFIT GOLD	PHILIPS	700	72	N/A	PGJX50	1000	7200	45000
MSR 700/2 MINIFASTFIT GOLD	PHILIPS	700	N/A	N/A	PGJX28 FAST FIT	750	7500	50000



HID BULBS

SECTION 56 - SPECIAL TYPES HID: CMH/SPL/CID/CSI/MQI BULBS



CMH



CSI

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	INITIAL LUMENS
99-0201CSI	GE	400	100	T6	G22 / MED BI POST	500	4000	32000
99-0221CSI	GE	1000	77	T10	G22 / MED BI POST	500	4000	90000
99-0222CID	GE	1000	77	T10	G22 / MED BI POST	500	5500	70000
99-0415CID	GE	575	95	T7	G22 / MED BI POST	500	5500	40250
99-0431CID/HR	GE	2500	100	G13	G38 / MOGUL BI POST	350	5500	200000
99-1225CID	GE	1000	77	PAR64	G38 / MOGUL BI POST	1500	5500	850000
99-1425CID/HR	GE	1000	77	PAR64	G38 / MOGUL BI POST	1000	5500	850000
99-1435CID/HR	GE	1200	100	PAR64	G38 / MOGUL BI POST	1000	5500	820000
CMH150/PAR56/830/GX16D/MFL	GE	150	N/A	PAR56	GX16D / EMEP	5000	3000	N/A
CMH150/PAR56/830/GX16D/SP	GE	150	N/A	PAR56	GX16D / EMEP	5000	3000	N/A
CMH150/PAR56/830/GX16D/WFL	GE	150	N/A	PAR56	GX16D / EMEP	5000	3000	N/A
CMH150/PAR56/942/GX16D/MFL	GE	150	N/A	PAR56	GX16D / EMEP	5000	4200	N/A
CMH150/PAR56/942/GX16D/SP	GE	150	N/A	PAR56	GX16D / EMEP	5000	4200	N/A
CMH150/PAR56/942/GX16D/WFL	GE	150	N/A	PAR56	GX16D / EMEP	5000	4200	N/A
CMH150/PAR64/830/GX16D/MFL	GE	150	N/A	PAR64	GX16D / EMEP	8000	3000	N/A
CMH150/PAR64/830/GX16D/SP	GE	150	N/A	PAR64	GX16D / EMEP	8000	3000	N/A
CMH150/PAR64/830/GX16D/WFL	GE	150	N/A	PAR64	GX16D / EMEP	8000	3000	N/A
CMH150/PAR64/942/GX16D/MFL	GE	150	N/A	PAR64	GX16D / EMEP	8000	4200	N/A
CMH150/PAR64/942/GX16D/SP	GE	150	N/A	PAR64	GX16D / EMEP	8000	4200	N/A
CMH150/PAR64/942/GX16D/WFL	GE	150	N/A	PAR64	GX16D / EMEP	8000	4200	N/A
MQI/2000/T9/40	GE	2000	N/A	T9	#10 SPADE	4000	4000	200000
SPL1000/PAR64/840	GE	1000	77	PAR64	G38 / MOGUL BI POST	3500	4000	1350000
SPL1000/PAR64/HR	GE	1000	77	PAR64	G38 / MOGUL BI POST	3500	4000	1350000
SPL1500/H/652	GE	1500	N/A	T7	RX7S / RRSC	6000	5200	120000

SECTION 57 - CERAMIC ST BULBS

CERAMIC ST 250HR	PHILIPS	250	100	T7	GZY9.5	4000	3200	22000
CERAMIC ST 250 MINIFASTFIT	PHILIPS	250			PGJX28 FAST FIT	4000	3200	22000
CERAMIC ST 500HR	PHILIPS	500	90	N/A	GY22 / 2 PIN	1000	3200	45000

SECTION 58 - CDM BULBS

CDM-SA/T 150/942	PHILIPS	150	207	T6	G12 / BI PIN	9000	4200	12900
CDM-SA/TD 150/942	PHILIPS	150	N/A	TD7	RX7S / RRSC	15000	4200	14200
CDM-SA/R 150/942	PHILIPS	150	207	MR16	AMP CONNECTOR CABLE	6000	4200	5000
CDM-SA/T 315	PHILIPS	315	N/A	N/A	GX9.5 / 2 PIN PREFOCUS	10000	3100	36700



STUDIO FLUORESCENTS

PART#	MFG	WATTS	SHAPE	BASE	MOL (IN)	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
SECTION 59 - 2G11 / 4 PIN								
F55/CFL	KINO FLO	55	N/A	2G11 / 4 PIN	20.87"	N/A	BLUE	
F55/CFL	KINO FLO	55	N/A	2G11 / 4 PIN	20.87"	N/A	2900	2800
F55/CFL	KINO FLO	55	N/A	2G11 / 4 PIN	20.87"	N/A	5500	2800
F55/CFL	KINO FLO	55	N/A	2G11 / 4 PIN	20.87"	N/A	GREEN	N/A
F55BX/CINPLUS/32	GE	55	T5	2G11 / 4 PIN	21.1"	2000	3200	2400
F55BX/CINPLUS/55	GE	55	T5	2G11 / 4 PIN	21.1"	2000	5500	2400
F55BX/STUDIOBIAX32	GE	55	T5	2G11 / 4 PIN	21.1"	8000	3200	4100
F55BX/STUDIOBIAX56	GE	55	T5	2G11 / 4 PIN	21.1"	8000	5600	4100
STUDIOLINE 55W/3200	OSRAM	55	T5	2G11 / 4 PIN	21.1"	8000	3200	3800
STUDIOLINE 55W/5600	OSRAM	55	T5	2G11 / 4 PIN	21.1"	8000	5600	3800
SECTION 60 - G10q								
FC20/T5	KINO FLO	20	N/A	G10Q	6"	N/A	3200	1150
FC20/T5	KINO FLO	20	N/A	G10Q	6"	N/A	5500	1150
FC30/T5	KINO FLO	30	N/A	G10Q	9"	N/A	3200	1690
FC30/T5	KINO FLO	30	N/A	G10Q	9"	N/A	5500	1690
F55/QFL	KINO FLO	55	N/A	G10Q	12.6"	N/A	2900	2720
F55/QFL	KINO FLO	55	N/A	G10Q	12.6"	N/A	5500	2720
F96/CFL	KINO FLO	96	N/A	G10Q	33.86"	N/A	BLUE	N/A
F96/CFL	KINO FLO	96	N/A	G10Q	33.86"	N/A	2900	5100
F96/CFL	KINO FLO	96	N/A	G10Q	33.86"	N/A	5500	5100
F96/CFL	KINO FLO	96	N/A	G10Q	33.86"	N/A	GREEN	N/A
SECTION 61 - G13 / MEDIUM BI PIN								
F20/T12	KINO FLO	20	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	BLUE	N/A
F20/T12	KINO FLO	20	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	BLUE	N/A
F20/T12	KINO FLO	20	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	BLACKLIGHT	N/A
F30/T12/HO	KINO FLO	30	N/A	G13 / MEDIUM BI PIN	14.17"	N/A	2900	1120
F30/T12/HO	KINO FLO	30	N/A	G13 / MEDIUM BI PIN	14.17"	N/A	2900	1120
F30/T12/HO	KINO FLO	30	N/A	G13 / MEDIUM BI PIN	14.17"	N/A	3200	1130
F30/T12/HO	KINO FLO	30	N/A	G13 / MEDIUM BI PIN	14.17"	N/A	3200	1130
F30/T12/HO	KINO FLO	30	N/A	G13 / MEDIUM BI PIN	14.17"	N/A	5500	1100
F30/T12/HO	KINO FLO	30	N/A	G13 / MEDIUM BI PIN	14.17"	N/A	5500	1100
F32/T8	KINO FLO	32	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	3200	2080
F32/T8	KINO FLO	32	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	3200	2080
F32/T8	KINO FLO	32	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	5500	2040
F32/T8	KINO FLO	32	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	5500	2040
F20T12/CINEMA32/HO	GE	35	T12	G13 / MEDIUM BI PIN	24"	2000	3200	1130
F20T12/CINEMA32/HO/CVG	GE	35	T12	G13 / MEDIUM BI PIN	24"	2000	3200	1130
F20T12/CINEMA55/HO	GE	35	T12	G13 / MEDIUM BI PIN	24"	2000	5500	1100
F20T12/CINEMA55/HO/CVG	GE	35	T12	G13 / MEDIUM BI PIN	24"	2000	5500	1100

STUDIO FLUORESCENTS

SECTION 61 - G13 / MEDIUM BI PIN CON'T



PART#	MFG	WATTS	SHAPE	BASE	MOL (IN)	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	2900	1625
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	2900	1625
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	3200	1640
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	3200	1640
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	BLUE	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	BLUE	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	GREEN	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	5500	1610
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	5500	1610
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	GREEN	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	GOLD	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	GOLD	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	PINK	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	PINK	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	RED	N/A
F40/T12/HO	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	23.62"	N/A	RED	N/A
F40/T12	KINO FLO	40	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	BLACKLIGHT	N/A
F48T8/CINEMA32	GE	55	T8	G13 / MEDIUM BI PIN	48"	2000	3200	2750
F48T8/CINEMA32/CVG	GE	55	T8	G13 / MEDIUM BI PIN	48"	2000	3200	2750
F48T8/CINEMA55	GE	55	T8	G13 / MEDIUM BI PIN	48"	2000	5500	2750
F48T8/CINEMA55/CVG	GE	55	T8	G13 / MEDIUM BI PIN	48"	2000	5500	2750
F60/T12/HO	KINO FLO	60	N/A	G13 / MEDIUM BI PIN	35.43"	N/A	2900	2475
F60/T12/HO	KINO FLO	60	N/A	G13 / MEDIUM BI PIN	35.43"	N/A	2900	2475
F60/T12/HO	KINO FLO	60	N/A	G13 / MEDIUM BI PIN	35.43"	N/A	3200	2500
F60/T12/HO	KINO FLO	60	N/A	G13 / MEDIUM BI PIN	35.43"	N/A	3200	2500
F60/T12/HO	KINO FLO	60	N/A	G13 / MEDIUM BI PIN	35.43"	N/A	5500	2450
F60/T12/HO	KINO FLO	60	N/A	G13 / MEDIUM BI PIN	35.43"	N/A	5500	2450
F40T12/CINEMA32/HO	GE	60	T12	G13 / MEDIUM BI PIN	48"	2000	3200	2900
F40T12/CINEMA32/HO/CVG	GE	60	T12	G13 / MEDIUM BI PIN	48"	2000	3200	2900
F40T12/CINEMA55/HO	GE	60	T12	G13 / MEDIUM BI PIN	48"	2000	5500	2820
F40T12/CINEMA55/HO/CVG	GE	60	T12	G13 / MEDIUM BI PIN	48"	2000	5500	2820
F65/T12/HO	KINO FLO	65	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	BLUE	N/A
F65/T12/HO	KINO FLO	65	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	BLUE	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	2900	3320
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	2900	3320
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	3200	3350
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	3200	3350
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	BLUE	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	BLUE	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	GREEN	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	5500	3290
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	5500	3290
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	GREEN	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	GREEN	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	GREEN	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	GOLD	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	GOLD	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	PINK	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	PINK	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	RED	N/A
F75/T12/HO	KINO FLO	75	N/A	G13 / MEDIUM BI PIN	47.24"	N/A	RED	N/A

STUDIO FLUORESCENTS



SECTION 61 - G13 / MEDIUM BI PIN CON'T



PART#	MFG	WATTS	SHAPE	BASE	MOL (IN)	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
F72T12/CINEMA32/HO	GE	85	T12	G13 / MEDIUM BI PIN	72"	2000	3200	4150
F72T12/CINEMA32/HO/CVG	GE	85	T12	G13 / MEDIUM BI PIN	72"	2000	3200	4150
F72T12/CINEMA55/HO	GE	85	T12	G13 / MEDIUM BI PIN	72"	2000	5500	4050
F72T12/CINEMA55/HO/CVG	GE	85	T12	G13 / MEDIUM BI PIN	72"	2000	5500	4050
F100/T12/HO	KINO FLO	100	N/A	G13 / MEDIUM BI PIN	70.87"	N/A	2900	4675
F100/T12/HO	KINO FLO	100	N/A	G13 / MEDIUM BI PIN	70.87"	N/A	2900	4675
F100/T12/HO	KINO FLO	100	N/A	G13 / MEDIUM BI PIN	70.87"	N/A	3200	4720
F100/T12/HO	KINO FLO	100	N/A	G13 / MEDIUM BI PIN	70.87"	N/A	3200	4720
F100/T12/HO	KINO FLO	100	N/A	G13 / MEDIUM BI PIN	70.87"	N/A	5500	4620
F100/T12/HO	KINO FLO	100	N/A	G13 / MEDIUM BI PIN	70.87"	N/A	5500	4620
F96T12/CINEMA32/HO	GE	110	T12	G13 / MEDIUM BI PIN	96"	2000	3200	5800
F96T12/CINEMA32/HO/CVG	GE	110	T12	G13 / MEDIUM BI PIN	96"	2000	3200	5800
F96T12/CINEMA55/HO	GE	110	T12	G13 / MEDIUM BI PIN	96"	2000	5500	5650
F96T12/CINEMA55/HO/CVG	GE	110	T12	G13 / MEDIUM BI PIN	96"	2000	5500	5650
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	2900	5660
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	2900	5660
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	3200	5770
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	3200	5770
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	BLUE	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	BLUE	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	GREEN	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	5500	5650
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	5500	5650
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	GREEN	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	GOLD	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	GOLD	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	PINK	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	PINK	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	RED	N/A
F120/T12/HO	KINO FLO	120	N/A	G13 / MEDIUM BI PIN	94.5"	N/A	RED	N/A

SECTION 62 - MINI BIPIN

F6/T5	KINO FLO	6	N/A	MINI BIPIN	8.35"	N/A	2900	280
F6/T5	KINO FLO	6	N/A	MINI BIPIN	8.35"	N/A	5500	280
F8/T5	KINO FLO	8	N/A	MINI BIPIN	12"	N/A	2900	410
F8/T5	KINO FLO	8	N/A	MINI BIPIN	12"	N/A	5500	410

SECTION 63 - WIRE HARNESS

F2/T2	KINO FLO	2	N/A	WIRE HARNESS	3.94"	N/A	3200	26
F2/T2	KINO FLO	2	N/A	WIRE HARNESS	3.94"	N/A	5500	24
F4/T2	KINO FLO	4	N/A	WIRE HARNESS	5.91"	N/A	3200	43
F4/T2	KINO FLO	4	N/A	WIRE HARNESS	5.91"	N/A	5500	39

BAYONET & PREFOCUSED BASED BULBS

SECTION 64 - BA15D / DC BAYONET



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
BLC	GE	30	120	S11	BA15D / DC BAYONET	1.38"	50	2775	400
BLX	GE	50	120	S11	BA15D / DC BAYONET	1.73"	50	2850	780
CAX	OSRAM	50	120	T4	BA15D / DC BAYONET	1.38"	250	3000	750
CAX	GE	50	120	T8	BA15D / DC BAYONET	1.38"	50	2875	775
CBX/CBS	GE	75	120	T8	BA15D / DC BAYONET	1.38"	50	2925	1200
ESR	GE	100	120	T4	BA15D / DC BAYONET	1.38"	750	2950	1800
Q100CL/DC	GE	100	120	T4	BA15D / DC BAYONET	1.38"	2000	2950	1600
Q100DC	GE	100	120	T4	BA15D / DC BAYONET	1.38"	2000	2950	1550
CDJ	GE	100	120	T8	BA15D / DC BAYONET	1.38"	50	2975	2000
CEB	GE	100	120	T8	BA15D / DC BAYONET	1.38"	50	2975	1850
ESP	GE	150	120	T4	BA15D / DC BAYONET	1.38"	1000	2950	2800
ETC	PHILIPS	150	120	T4	BA15D / DC BAYONET	1.5"	200	2900	2800
ETC	GE	150	120	T4	BA15D / DC BAYONET	1.38"	2000	2950	2800
ETF	PHILIPS	150	120	T4	BA15D / DC BAYONET	1.5"	2000	2900	2700
ETF	GE	150	120	T4	BA15D / DC BAYONET	1.38"	2000	2950	2700
FEV	OSRAM	200	120	T4	BA15D / DC BAYONET	1.38"	50	3200	5500
FEV	PHILIPS	200	120	T4	BA15D / DC BAYONET	1.38"	50	3200	5500
FEV	GE	200	120	T4	BA15D / DC BAYONET	1.38"	50	3200	5500
ESS	PHILIPS	250	120	T4	BA15D / DC BAYONET	1.61"	2000	3000	5000
ESS	GE	250	120	T4	BA15D / DC BAYONET	1.61"	2000	2950	5000
ETB	GE	250	120	T4	BA15D / DC BAYONET	1.61"	2000	2950	4850
Q250CL/DC	GE	250	130	T4	BA15D / DC BAYONET	1.61"	2000	2950	5000
Q250DC	GE	250	130	T4	BA15D / DC BAYONET	1.61"	2000	2950	4850
Q500CL/DC	GE	500	120	T4	BA15D / DC BAYONET	2.13"	2000	2950	10450
Q500DC	GE	500	120	T4	BA15D / DC BAYONET	2.13"	2000	2950	10100

SECTION 65 - P28S / MED PREFOCUS



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
BTH	OSRAM	500	115	T6	P28S / MED PREFOCUS	2.17"	300	3250	15500
EGC (Q500/5CL/P)	GE	500	120	T4	P28S / MED PREFOCUS	3.5"	500	3150	12700
EGE	PHILIPS	500	120	T4	P28S / MED PREFOCUS	3.5"	2000	3000	10450
EGE (Q500CL/P)	GE	500	120	T4	P28S / MED PREFOCUS	3.5"	2000	2950	10450
EGE	OSRAM	500	120	T5	P28S / MED PREFOCUS	3.5"	2000	3000	10000
BTL	OSRAM	500	120	T6	P28S / MED PREFOCUS	2.17"	750	3050	11000
BTL / T17 / T24 (6800C)	PHILIPS	500	120	T6	P28S / MED PREFOCUS	2.17"	500	3050	11000
BTL / T17 (Q500T6/CL/P)	GE	500	120	T6	P28S / MED PREFOCUS	2.17"	500	3000	11000
BTM	OSRAM	500	120	T6	P28S / MED PREFOCUS	2.17"	100	3200	13000
BTM (Q500T6/4CL/2P)	GE	500	120	T6	P28S / MED PREFOCUS	2.17"	150	3200	13000
DNS/FMC	OSRAM	500	120	T6	P28S / MED PREFOCUS	3.5"	500	3050	11000
BTL / T17 / T24 (6800C)	PHILIPS	500	230	N/A	P28S / MED PREFOCUS	2.19"	750	2950	9500
FKF / T17	GE	500	230	T6	P28S / MED PREFOCUS	2.17"	750	2950	9500

Image Courtesy of OSRAM SYLVANIA Inc

BAYONET & PREFOCUSED BASED BULBS

SECTION 65 - P28S / MED PREFOCUS CON'T



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
T28	GE	500	230	T6	P28S / MED PREFOCUS	2.17"	300	3000	11000
T17 / T24 (6800C)	PHILIPS	500	240	N/A	P28S / MED PREFOCUS	2.19"	750	2950	9500
T17	GE	500	240	T6	P28S / MED PREFOCUS	2.17"	750	2950	9500
T28	GE	500	240	T6	P28S / MED PREFOCUS	2.17"	300	3000	11000
FKB / T13 / T22 (6998C)	PHILIPS	650	230	N/A	P28S / MED PREFOCUS	2.19"	750	3000	13000
FKB / T13	GE	650	230	T8	P28S / MED PREFOCUS	2.17"	750	3000	13500
FKB / T13 / T22 (6998C)	PHILIPS	650	240	N/A	P28S / MED PREFOCUS	2.19"	750	3000	12600
CP51	GE	650	240	T8	P28S / MED PREFOCUS	2.17"	200	3200	16900
T13	GE	650	240	T8	P28S / MED PREFOCUS	2.17"	750	3000	13500
EGG	PHILIPS	750	120	N/A	P28S / MED PREFOCUS	3.5"	2000	3000	15000
EGG	OSRAM	750	120	T5	P28S / MED PREFOCUS	3.5"	2000	3000	15000
EGF (Q750/4CL/P)	GE	750	120	T6	P28S / MED PREFOCUS	3.5"	300	3200	20400
EGG (Q750CL/P)	GE	750	120	T6	P28S / MED PREFOCUS	3.5"	2000	3000	15750
BTN	OSRAM	750	120	T7	P28S / MED PREFOCUS	2.17"	500	3200	17000
BTN (Q750T7/CL/2P)	GE	750	120	T7	P28S / MED PREFOCUS	2.17"	500	3050	17600
BTP	OSRAM	750	120	T7	P28S / MED PREFOCUS	2.17"	200	3200	20000
BTP (6827C)	PHILIPS	750	120	T7	P28S / MED PREFOCUS	2.17"	200	3200	21000
BTP (Q750T7/4CL/2P)	GE	750	120	T7	P28S / MED PREFOCUS	2.17"	200	3200	21000
BTN (7001C)	PHILIPS	750	120	T8	P28S / MED PREFOCUS	2.17"	500	3050	17600
DRB	GE	1000	120	T20	P28S / MED PREFOCUS	2.17"	25	3350	32000
DRS / A1/58	GE	1000	120	T20	P28S / MED PREFOCUS	2.17"	25	3325	28500
BTR	OSRAM	1000	120	T6	P28S / MED PREFOCUS	2.17"	250	3200	27500
EGJ	OSRAM	1000	120	T6	P28S / MED PREFOCUS	3.5"	400	3200	25500
EGJ	PHILIPS	1000	120	T6	P28S / MED PREFOCUS	3.5"	400	3200	27500
EGJ (Q1000/4/CL/P)	GE	1000	120	T6	P28S / MED PREFOCUS	3.5"	300	3200	27500
EGK	OSRAM	1000	120	T6	P28S / MED PREFOCUS	3.5"	400	3200	24500
EGK (Q1000/4/P)	GE	1000	120	T6	P28S / MED PREFOCUS	3.5"	300	3200	26500
EGM (Q1000CL/P)	GE	1000	120	T6	P28S / MED PREFOCUS	3.5"	2000	3000	21500
BTR (6995C)	PHILIPS	1000	120	T7	P28S / MED PREFOCUS	2.17"	250	3200	28500
BTR (Q1000T7/4CL/2P)	GE	1000	120	T7	P28S / MED PREFOCUS	2.17"	250	3200	28500
FKD / T14	GE	1000	230	G11	P28S / MED PREFOCUS	2.17"	750	3050	23000
FKD / T14 / T20 (6996C)	PHILIPS	1000	230	T14	P28S / MED PREFOCUS	2.17"	900	3050	21000
FKE / T15	GE	1000	240	G11	P28S / MED PREFOCUS	3.5"	750	3050	23000
FKN / CP52	GE	1000	240	G11	P28S / MED PREFOCUS	2.17"	200	3200	26000
T14	GE	1000	240	G11	P28S / MED PREFOCUS	2.17"	750	3050	23000
FKD / T14 / T20 (6996C)	PHILIPS	1000	240	T14	P28S / MED PREFOCUS	2.17"	900	3050	21000
EWE	GE	1000	240	T6	P28S / MED PREFOCUS	3.5"	250	3200	26500

SECTION 66 - P40S / MOG PREFOCUS



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	LCL (IN)	RATED LIFE(HR)	DESIGN COLOR TEMPERATURE (K)	LUMENS
BVV	OSRAM	1000	120	T6	P40S / MOG PREFOCUS	3.94"	200	3200	27500
BVT	OSRAM	1000	120	T7	P40S / MOG PREFOCUS	3.94"	500	3050	23000
BVT (Q1000T7/CL/MP)	GE	1000	120	T7	P40S / MOG PREFOCUS	3.94"	500	3050	24500
BVV (Q1000T7/4CL/MP)	GE	1000	120	T7	P40S / MOG PREFOCUS	3.94"	200	3200	28500
T16	GE	1000	240	G11	P40S / MOG PREFOCUS	3.43"	750	3050	23000
DTA	OSRAM	1500	120	T8	P40S / MOG PREFOCUS	3.43"	100	3200	39000
DTA (Q1500T8/4CL)	GE	1500	120	T8	P40S / MOG PREFOCUS	3.43"	300	3200	41000
BVW / CP53 (Q2000T10/4CL/MP)	GE	2000	120	T10	P40S / MOG PREFOCUS	3.94"	350	3200	59000
BVW	OSRAM	2000	120	T9 1/2	P40S / MOG PREFOCUS	3.94"	280	3200	29000
CP53	GE	2000	230	G13	P40S / MOG PREFOCUS	3.43"	400	3200	54000
CP53	GE	2000	240	G13	P40S / MOG PREFOCUS	3.43"	400	3200	54000

CABLES & CONNECTORS

Brands Offered

Bates
CamTech Devices
Group 5
Hubbell
Leviton
Leviton ECT
Marinco
Neutric
Rosco
Union Connector

Products Offered

Edison 15A/20A Connectors
Adapters
CAM Connectors
DMX Cables (Custom & Standard)
Multi Pin Connectors
NEMA Connectors
Panel Mounts
Stage Pin Connectors
Miscellaneous Cables/Connectors

EXPENDABLES

Products Offered

BlackWrap
Clothes Pins
Dust Off
Duvatyne
Flashlights
Floor
Fog Fluid
Grip Equipment
Iddings Deep Colors
Lens Tissue
Safety Cables
Sash Cord
Scene Paint
Special Effects Paint
Stagehand Tools
Studio & Dance Floors
Supersaturated Paint
Tie Line
Tiffen Camera Filters

SCREW BASED BULBS

SECTION 67 - E11 / MINI CANDELABRA-BASED BULBS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	MOL (IN)	LCL (IN)	RATED LIFE (HR)	LUMENS
ESN (100Q/CL)	PHILIPS	100	120	T4	E11 / MINI CANDELABRA	1.38"	N/A	1000	1900
ESN (Q100CL/MC/2V)	GE	100	120	T4	E11 / MINI CANDELABRA	1.38"	N/A	750	1800
Q100CL/MC	GE	100	120	T4	E11 / MINI CANDELABRA	1.38"	N/A	2000	1600
Q100MC	GE	100	120	T4	E11 / MINI CANDELABRA	1.38"	N/A	2000	1550
ETG (150Q/CL)	PHILIPS	150	120	T4	E11 / MINI CANDELABRA	1.5"	N/A	2000	2800
ETG (150Q/CL)	PHILIPS	150	120	T4	E11 / MINI CANDELABRA	1.5"	N/A	2000	2800
ETG (Q150CL/MC)	GE	150	120	T4	E11 / MINI CANDELABRA	1.5"	N/A	2000	2800
ETH (150Q)	PHILIPS	150	120	T4	E11 / MINI CANDELABRA	1.5"	N/A	2000	2700
ETH (Q150MC)	GE	150	120	T4	E11 / MINI CANDELABRA	1.5"	N/A	2000	2700
EHT (250Q/CL)	PHILIPS	250	120	T4	E11 / MINI CANDELABRA	1.61"	N/A	2000	5000
EHT (Q250CL/MC)	GE	250	120	T4	E11 / MINI CANDELABRA	1.61"	N/A	2000	5000
ESM (Q250MC)	GE	250	120	T4	E11 / MINI CANDELABRA	1.61"	N/A	2000	4850
250Q/CL	PHILIPS	250	130	T4	E11 / MINI CANDELABRA	1.61"	N/A	2000	5000
Q250CL/MC	GE	250	130	T4	E11 / MINI CANDELABRA	1.61"	N/A	2000	5000
Q250MC	GE	250	130	T4	E11 / MINI CANDELABRA	1.61"	N/A	2000	4850
Q400CL/MC	GE	400	120	T4	E11 / MINI CANDELABRA	2"	N/A	2000	8250
Q400MC	GE	400	120	T4	E11 / MINI CANDELABRA	2"	N/A	2000	7850
EVR (500Q/CL)	PHILIPS	500	120	T4	E11 / MINI CANDELABRA	2"	N/A	2000	10000
EVR (Q500CL/MC)	GE	500	120	T4	E11 / MINI CANDELABRA	2"	N/A	2000	10450

SECTION 68 - A BULBS

211	OSRAM	75	120	A21	MED / E26,E27	N/A	N/A	65	1000
PH211	IMPORT	75	115/125	A21	MED / E26,E27	N/A	N/A	100	1000
212	OSRAM	150	120	A21	MED / E26,E27	N/A	N/A	100	2300
PH212	IMPORT	150	115/125	A21	MED / E26,E27	N/A	N/A	100	2300
BBA 118V	OSRAM	250	118	A21	MED / E26,E27	N/A	N/A	4	8700
BCA 118V	OSRAM	250	118	A21	MED / E26,E27	N/A	N/A	12	8912
BBA	IMPORT	250	120	A21	MED / E26,E27	N/A	N/A	3	8500
BCA	IMPORT	250	120	A21	MED / E26,E27	N/A	N/A	3	2970
ECA	IMPORT	250	120	A23	MED / E26,E27	N/A	N/A	20	6500
ECA 120V	OSRAM	250	120	A23	MED / E26,E27	N/A	N/A	20	6500
PH213	IMPORT	250	115/125	A21	MED / E26,E27	N/A	N/A	3	7000

SCREW BASED BULBS

SECTION 69 - PAR38 / R40 / BR40 BULBS



PART#	MFG	WATTS	VOLTS	SHAPE	BASE	MOL (IN)	LCL (IN)	RATED LIFE (HR)	LUMENS
250BR40	OSRAM	250	120	BR40	MED / E26,E27	6.5"	N/A	5000	N/A
250PAR38/HAL/FL30 120V	OSRAM	250	120	PAR38	MED / E26,E27	5.31"	N/A	4500	3600
250PAR38/HAL/SP10 120V	OSRAM	250	120	PAR38	MED / E26,E27	5.31"	N/A	4500	3600
Q250PAR/FL30	GE	250	120	PAR38	MED / E26,E27	5.31"	N/A	4200	3600
Q250PAR/SP10	GE	250	120	PAR38	MED / E26,E27	5.31"	N/A	4200	3600
250R40/10	OSRAM	250	120	R40	MED / E26,E27	6.88"	N/A	5000	N/A
300BR/FL	OSRAM	300	120	BR40	MED / E26,E27	6.5	N/A	2000	N/A
300R/FL	GE	300	120	R40	MED / E26,E27	6.56"	N/A	2000	3700
300R/SP	GE	300	120	R40	MED / E26,E27	6.56"	N/A	2000	3700
EAL	GE	500	120	R40	MED / E26,E27	6.63"	N/A	15	6800CP
DXB	GE	500	120	R40	MED / E26,E27	6.63"	N/A	6	45000CP
DXC	GE	500	120	R40	MED / E26,E27	6.63"	N/A	6	5500CP
500R/3FL	GE	500	120	R40	MED / E26,E27	7.25"	N/A	2000	6000

SECTION 70 - PS25 BULBS

EBV 118V	OSRAM	500	118	PS25	MED / E26,E27	N/A	N/A	8	17800
EBV	IMPORT	500	120	PS25	MED / E26,E27	N/A	N/A	6	17000
EBV (#2)	GE	500	120	PS25	MED / E26,E27	N/A	N/A	6	17000
EBW	IMPORT	500	120	PS25	MED / E26,E27	N/A	N/A	6	6680
EBW (#B2)	GE	500	120	PS25	MED / E26,E27	N/A	N/A	6	10500
ECT	GE	500	120	PS25	MED / E26,E27	N/A	N/A	60	13650
ECT	IMPORT	500	120	PS25	MED / E26,E27	N/A	N/A	60	13650
ECT 120V	OSRAM	500	120	PS25/5	MED / E26,E27	N/A	N/A	60	13650

SECTION 71 - PS35 BULBS



300 120V	PHILIPS	300	120	PS35	MOG / E39,E40	9.37"	7"	1000	5700
300/CL/99/XL 120V	OSRAM	300	120	PS35	MOG / E39,E40	9.37"	7"	2500	5190
300/IF 120V	PHILIPS	300	120	PS35	MOG / E39,E40	9.37"	7"	1000	5700
300/SBIF 120V	OSRAM	300	120	PS35	MOG / E39,E40	9.37"	7"	1000	5250
300IF 120V	OSRAM	300	120	PS35	MOG / E39,E40	9.37"	7"	1000	5700
300PS35/CL 120V	OSRAM	300	120	PS35	MOG / E39,E40	9.37"	7"	1000	5700
300	GE	300	130	PS35	MOG / E39,E40	9.37"	7"	1000	5820
300/99 130V	GE	300	130	PS35	MOG / E39,E40	9.37"	7"	2500	5190
300/99IF	GE	300	130	PS35	MOG / E39,E40	9.37"	7"	2500	5190
300/CL 130V	OSRAM	300	130	PS35	MOG / E39,E40	9.37"	7"	1000	5250
300/IF	GE	300	130	PS35	MOG / E39,E40	9.37"	7"	1000	5820
300/PS35/IF 130V	OSRAM	300	130	PS35	MOG / E39,E40	9.37"	7"	1000	5250
300/SBIF 130V	GE	300	130	PS35	MOG / E39,E40	9.37"	7"	1000	5410
300/IF 120V/130V	PHILIPS	300	120/130	PS35	MOG / E39,E40	9.37"	7"	1000	5700
300/99IF/XL 125-130V	OSRAM	300	125/130	PS35	MOG / E39,E40	9.37"	7"	2500	5070
500 120V	PHILIPS	500	120	PS35	MOG / E39,E40	9.37"	7"	1000	10750
500 PS35/CL 120V	OSRAM	500	120	PS35	MOG / E39,E40	9.37"	7"	1000	10000
500 PS35/IF 120V	OSRAM	500	120	PS35	MOG / E39,E40	9.37"	7"	1000	10000
500/99IF 130V	GE	500	120	PS35	MOG / E39,E40	9.37"	7"	2000	9070
500 130V	GE	500	130	PS35	MOG / E39,E40	9.37"	7"	1000	10850
500/IF 130V	GE	500	130	PS35	MOG / E39,E40	9.37"	7"	1000	10850
500PS35/CL 130V	OSRAM	500	130	PS35	MOG / E39,E40	9.37"	7"	1000	10000
500PS35/IF 130V	OSRAM	500	130	PS35	MOG / E39,E40	9.37"	7"	1000	10000
500/99 120-130V	PHILIPS	500	120/130	PS35	MOG / E39,E40	9.37"	7"	2500	8750
500/IF 120-130V	PHILIPS	500	120/130	PS35	MOG / E39,E40	9.37"	7"	1000	10750

SCREW BASED BULBS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	MOL (IN)	LCL (IN)	RATED LIFE (HR)	LUMENS
SECTION 72 - PS52 BULBS									
1000SBIF	GE	1000	120	PS52	MOG / E39,E40	13"	9.5"	1000	N/A
DKZ/DSE (Q1000PS52)	GE	1000	120	PS52	MOG / E39,E40	13"	9.5"	750	28000
1000PS52 130V	GE	1000	130	PS52	MOG / E39,E40	13"	9.5"	1000	23740
1000PS52/99	GE	1000	130	PS52	MOG / E39,E40	13"	9.5"	2500	19800
DKX/DSF (Q1500PS52)	GE	1500	120	PS52	MOG / E39,E40	13"	9.5"	1000	41000
SECTION 73 - OTHER MOG / E39,E40-BASED BULBS									
DSE (Q1000)	GE	1000	120	E37	MOG / E39,E40	21.61"	N/A	750	28000
DSF (Q1500)	GE	1500	120	E37	MOG / E39,E40	21.61"	N/A	1000	41000
BWF (Q2000/4CL)	GE	2000	120	T8	MOG / E39,E40	11.3"	N/A	500	54000
CP59	GE	2000	240	T10	MOG / E39,E40	11.3"	N/A	300	50000



BLACKLIGHTS

SECTION 74 - BLACKLIGHTS

PART#	MFG	WATTS	VOLTS	SHAPE	BASE	MOL (IN)	RATED LIFE(HR)	SPECTRAL OUTPUT (NM)
BPESL15T/BLB	IMPORT	15	120	SPIRAL	MED / E26,E27	4.9"	10000	N/A
F32T8BLB	IMPORT	32	N/A	T8	G13 / MEDIUM BI PIN	48"	N/A	N/A
F40/BLB/RP	OSRAM	40	N/A	T12	G13 / MEDIUM BI PIN	48"	20000	365
F40BLB	GE	40	N/A	T12	G13 / MEDIUM BI PIN	48"	20000	365
75A19/BL	IMPORT	75	120	A19	MED / E26,E27	4.25"	500	N/A
H37KB-250	PHILIPS	250	N/A	ED28	MOG / E39,E40	8.31"	24000	N/A
H400BL	IWASAKI	400	N/A	BT37	MOG / E39,E40	11.5"	3000	N/A
HPA40030/SL	PHILIPS	400	230	T12	R7S / RSC	4.13"	800	N/A
HPA400S	PHILIPS	400	125	T6	RX7S / RRSC	4.65"	750	315-400 UVA
MHL-450	USHIO	450	N/A	T5	R7S / RSC	4.13"	500	300-450

SOCKETS

Brands Offered

Bender & Wirth
Mitronix
Osram/Sylvania
Vcom (Buhl)

Image courtesy of Paul Kevin Picone/Pic Corp and OSRAM SYLVANIA

XENON BULBS

SECTION 75 -OSRAM XENON CINEMA PROJECTION, FOLLOWSPOT & SEARCHLIGHT BULBS

PART#	MFG	WATTS	BASE ANODE	BASE CATHODE	MOL (IN)	WARRANTY HOURS
XBO 500 W/H OFR	OSRAM	500	SFA16-8	SFA15-10	7.48"	2500
XBO 900 W OFR	OSRAM	900	SFA25-10	SFA25-12	12.8"	3000
XBO 1000 W/HS OFR	OSRAM	1000	SFA27-11	SFCX27-8	9.25"	3000
XBO 1000 W/HSC OFR	OSRAM	1000	SK27/50	SFCX27-8	9.29"	3000
XBO 1000 W/HTP OFR	OSRAM	1000	SFA25-14	SFC25-14	13"	3000
XBO 1600 W/HS CL OFR	OSRAM	1550	SFA27-11	SFCX27-8	9.25"	2000
XBO 1600 W/HS XL OFR	OSRAM	1550	SFA27-11	SFA27-11	9.25"	2500
XBO 1600 W/HSC CL OFR	OSRAM	1550	SK27/50	SFCX27-8	9.29"	2000
XBO 1600 W/HSC XL OFR	OSRAM	1550	SK27/50	SFCX27-8/45	9.29"	2500
XBO 1600 W CL OFR	OSRAM	1600	SFA27-10	SFA27-12	14.57"	2400
XBO 1600 W XL OFR	OSRAM	1600	SFA27-10	SFA27-12	14.57"	3500
XBO 1600 W/CA OFR	OSRAM	1600	SFAX27-10	SFA27-12	14.57"	2400
XBO 2000 W/DHP OFR	OSRAM	2000	SFAX27-14X80	SFC27-16/45	13.58"	2400
XBO 2000 W/DTP OFR	OSRAM	2000	SFA25-14	SFC25-14	15.87"	2400
XBO 2000 W/H CL OFR	OSRAM	2000	SFAX27-10	SFAX27-12	14.57"	2400
XBO 2000 W/H OFR	OSRAM	2000	SFAX27-10	SFAX27-12	14.57"	3000
XBO 2000 W/H XL OFR	OSRAM	2000	SFAX27-10	SFAX27-12	14.57"	3500
XBO 2000 W/HCC OFR	OSRAM	2000	SFAX27-10	SFAX27-12	14.57"	3000
XBO 2000 W/HPS OFR	OSRAM	2000	SFAX30-14/68	SFC30-20/50	13.15"	2400
XBO 2000 W/HS CL OFR	OSRAM	2000	SFAX27-9.5	SFA27-7.9	13.46"	2400
XBO 2000 W/HS OFR	OSRAM	2000	SFAX27-9.5	SFA27-7.9	13.46"	3000
XBO 2000 W/HTP CL OFR	OSRAM	2000	SFA25-14	SFC25-14	14.57"	2400
XBO 2000 W/HTP OFR	OSRAM	2000	SFA25-14	SFC25-14	14.57"	3000
XBO 2000 W/HTP XL OFR	OSRAM	2000	SFA25-14	SFC25-14	14.57"	3500
XBO 2000 W/HTT OFR	OSRAM	2000	SFCX25-10	SFCX25-10	14.57"	2400
XBO 2000 W/SHSC CL OFR	OSRAM	2000	SK27/50	SFCX27-8	9.29"	2000
XBO 2000 W/SHSC OFR	OSRAM	2000	SK27/50	SFCX27-8	9.29"	2500
XBO 2001 W/HTP OFR	OSRAM	2000	SFA25-14	SFC25-14	14.76"	3000
XBO 2500 W OFR	OSRAM	2500	SFAX27-13	SFAX27-14	16.85"	2000
XBO 2500 W/HS CL OFR	OSRAM	2500	SFAX27-9.5	SFA27-7.9	13.46"	1500
XBO 2500 W/HS OFR	OSRAM	2500	SFAX27-9.5	SFA27-7.9	13.46"	2000
XBO 2500 W/HS XL OFR	OSRAM	2500	SFAX27-9.5	SFA27-7.9	13.46"	2200
XBO 2500 W/HTP OFR	OSRAM	2500	SFA27-14	SFC27-14	15.67"	2000
XBO 3000 W/DHP OFR	OSRAM	3000	SFAX27-14X80	SFC27-16/45	13.58"	1500

Image courtesy of Paul Kevin Picone/Pic Corp and OSRAM SYLVANIA

XENON BULBS

SECTION 75 - OSRAM XENON CINEMA PROJECTION, FOLLOWSPOT & SEARCHLIGHT BULBS CON'T

PART#	MFG	WATTS	BASE ANODE	BASE CATHODE	MOL (IN)	WARRANTY HOURS
XBO 3000 W/DHS OFR	OSRAM	3000	SFAX 27-9.5	SFA27-7.9	13.46"	1500
XBO 3000 W/DTP OFR	OSRAM	3000	SFC27-14	SFA27-14	15.87"	1500
XBO 3000 W/H CL OFR	OSRAM	3000	SFAX27-13	SFA27-14	16.85"	1500
XBO 3000 W/H OFR	OSRAM	3000	SFAX27-13	SFA27-14	16.85"	2000
XBO 3000 W/H XL OFR	OSRAM	3000	SFAX27-13	SFA27-14	16.85"	2200
XBO 3000 W/HPS OFR	OSRAM	3000	SFAX30-14/68	SFC30-20/50	13.15"	1000
XBO 3000 W/HS CL OFR	OSRAM	3000	SFAX27-9.5	SFA27-7.9	13.46"	1500
XBO 3000 W/HS OFR	OSRAM	3000	SFAX27-9.5	SFA27-7.9	13.46"	2000
XBO 3000 W/HS XL OFR	OSRAM	3000	SFAX27-9.5	SFA27-7.9	13.46"	2200
XBO 3000 W/HSLA OFR	OSRAM	3000	SFAX 27-9.5	SFA27-7.9	13.46"	1500
XBO 3000 W/HTC OFR	OSRAM	3000	SFC28-13	SFAX28-13	15.67"	1500
XBO 3000 W/HTP CL OFR	OSRAM	3000	SFA27-14	SFC27-14	15.94"	1500
XBO 3000 W/HTP OFR	OSRAM	3000	SFA27-14	SFC27-14	15.94"	2000
XBO 3000 W/HTP XL OFR	OSRAM	3000	SFA27-14	SFC27-14	15.94"	2200
XBO 3600 W/HTC OFR	OSRAM	3600	SFA28-13	SFA28-13	15.28"	1000
XBO 3600 W/HTM OFR	OSRAM	3600	SFC28-13	SFA28-13	16.26"	1000
XBO 4000 W/DHP OFR	OSRAM	4000	SFAX27-14X80	SFC27-16/45	13.58"	700
XBO 4000 W/HS CL OFR	OSRAM	4000	SFAX30-9.5	SFA30-7.9	16.14"	1000
XBO 4000 W/HS XL OFR	OSRAM	4000	SFAX30-9.5	SFA30-7.9	16.14"	1500
XBO 4000 W/HSA OFR	OSRAM	4000	SFAX30-9.5	SFA30-7.9	16.14"	1000
XBO 4000 W/HTP CL OFR	OSRAM	4000	SFA27-14	SFC27-14	17.05"	1000
XBO 4000 W/HTP XL OFR	OSRAM	4000	SFA27-14	SFC27-14	17.05"	1500
XBO 4200 W/CA OFR	OSRAM	4200	SFAX27-13	SFAX27-14	16.85"	1000
XBO 4200 W/GS OFR	OSRAM	4200	SFAX27-13	SFAX27-14	16.85"	1000
XBO 4200 W/HPS OFR	OSRAM	4200	SFAX30-14/68	SFC30-20/50	13.15"	500
XBO 4500 W/DHP OFR	OSRAM	4500	SFAX30-9.5	SFA30-7.9	16.14"	1000
XBO 4500 W/DTP OFR	OSRAM	4500	SFCX27-14	SFA27-14	17.05"	1000
XBO 4500 W/HS OFR	OSRAM	4500	SFA30-7.9	SFAX30-9.5	16.14"	1500
XBO 4500 W/HS XL OFR	OSRAM	4500	SFAX30-9.5	SFA30-7.9	16.14"	1400
XBO 4500 W/HSLA OFR	OSRAM	4500	SFAX30-9.5	SFA30-7.9	16.14"	1000
XBO 4500 W/HTP OFR	OSRAM	4500	SFA27-14	SFC27-14	17.05"	1500
XBO 4500 W/HTP XL OFR	OSRAM	4500	SFA27-14	SFC27-14	17.05"	1400
XBO 5000 W/H CL OFR	OSRAM	5000	SFAX30-16	SFA28-18	17.05"	800
XBO 5000 W/H OFR	OSRAM	5000	SFAX27-13	SFAX27-14	17.05"	1500
XBO 5000 W/H XL OFR	OSRAM	5000	SFAX30-16	SFA28-18	17.05"	1200
XBO 5000 W/HBM CL OFR	OSRAM	5000	SFAX30-9.5	SFAX30-7.9	17.17"	800
XBO 5000 W/HBM XL OFR	OSRAM	5000	SFAX30-9.5	SFAX30-7.9	17.17"	1200
XBO 5000 W/HTP OFR	OSRAM	5000	SFA27-14	SFC27-14	17.05"	1500
XBO 6000 W/DHP OFR	OSRAM	6000	SFAX30-9.5	SFA30-7.9	17.05"	600
XBO 6000 W/DTP OFR	OSRAM	6000	SFC27-14	SFA27-14	17.05"	600
XBO 6000 W/HS CL OFR	OSRAM	6000	SFAX30-9.5	SFA30-7.9	17.05"	500
XBO 6000 W/HS OFR	OSRAM	6000	SFAX30-9.5	SFA30-7.9	17.05"	900
XBO 6000 W/HS XL OFR	OSRAM	6000	SFAX30-9.5	SFA30-7.9	17.05"	750
XBO 6000 W/HSLA OFR	OSRAM	6000	SFAX30-9.5	SFA30-7.9	17.05"	600
XBO 6000 W/HTP OFR	OSRAM	6000	SFAX27-14	SFC27-14	16.93"	900
XBO 6000 W/HTP XL OFR	OSRAM	6000	SFA30-14	SFC30-14	17.05"	750
XBO 6500 W/DHP OFR	OSRAM	6000	SFAX30-9.5	SFA30-7.9	17.05"	500
XBO 6500 W/HSLA OFR	OSRAM	6500	SFAX30-9.5	SFA30-7.9	17.05"	500
XBO 7000 W/HS CL OFR	OSRAM	7000	SFAX30-9.5	SFA30-7.9	17.05"	500
XBO 7000 W/HS OFR	OSRAM	7000	SFAX30-9.5	SFA30-8.0	17.05"	900
XBO 7000 W/HS XL OFR	OSRAM	7000	SFAX30-9.5	SFA30-7.9	17.05"	650
XBO 8000 W/HS OFR	OSRAM	8000	SFAX30-9.5	SFA30-7.9	17.05"	500
XBO 10000 W/HS OFR	OSRAM	10000	SFAX30-9.5	SFA30-7.9	17.05"	500

XENON BULBS

PART#	MFG	WATTS	BASE ANODE	BASE CATHODE	MOL (IN)	RATED LIFE (HR)

SECTION 76 - OSRAM X-STAGE XENON BULBS

XSTAGE 2000W OFR	OSRAM	2000	SFAX27-9.5	SFC28-27	11.81"	1000
XSTAGE 3000W OFR	OSRAM	3000	SFAX27-9.5	SFC28-27	11.81"	1000
XSTAGE 4000W OFR	OSRAM	4000	SFAX27-9.5	SFC28-27	12.4"	1000
XSTAGE 7000W OFR	OSRAM	7000	SFAX28-27	SFC28-27	15.94"	1000

SECTION 77 - PHILIPS XENON FOLLOWSPOT & SEARCHLIGHT BULBS (FORMERLY PHILIPS LTI BRAND PRODUCTS)

LTIX-700W-HS	PHILIPS	700	N/A	N/A	9.25"	1500
LTIX-1000W-HS	PHILIPS	1000	N/A	N/A	9.25"	1500
LTIX-1600W-HS	PHILIPS	1600	N/A	N/A	9.25"	1500
LTIX-2000W-H	PHILIPS	2000	N/A	N/A	14.57"	2400
LTIX-2000W-HS	PHILIPS	2000	N/A	N/A	13.46"	2400
LTIX-2000W-HTP	PHILIPS	2000	N/A	N/A	14.76"	2400
LTIX-2000W-HEHS	PHILIPS	2000	N/A	N/A	N/A	N/A
LTIX-2000W-SHSC	PHILIPS	2000	N/A	N/A	9.25"	2400
LTIX-2000W-XB	PHILIPS	2000	N/A	N/A	10.79"	1000
LTIX-2000W-XS	PHILIPS	2000	N/A	N/A	13.46"	1000
LTIX-2500W-HS	PHILIPS	2500	N/A	N/A	13.46"	1200
LTIX-3000W-H	PHILIPS	3000	N/A	N/A	16.85"	1500
LTIX-3000W-HS	PHILIPS	3000	N/A	N/A	13.46"	1500
LTIX-3000W-HEHS	PHILIPS	3000	N/A	N/A	N/A	N/A
LTIX-4000W-HTP	PHILIPS	4000	N/A	N/A	17.05"	1200
LTIX-4000W-XS	PHILIPS	4000	N/A	N/A	16.46"	1000
LTIX-4500W-HS	PHILIPS	4000	N/A	N/A	N/A	N/A
LTIX-4202W-HEHS	PHILIPS	4200	N/A	N/A	N/A	N/A
LTIX-6002W-HS	PHILIPS	6000	N/A	N/A	17.05"	500
LTIX-7000W-HS	PHILIPS	7000	N/A	N/A	17.05"	600
LTIX-7000W-XS	PHILIPS	7000	N/A	N/A	16.46"	500
LTIX-8000W-HEHS	PHILIPS	8000	N/A	N/A	N/A	N/A
LTIX-10001W-HS	PHILIPS	10000	N/A	N/A	N/A	N/A

SECTION 78 - PHILIPS XOP BULBS



XOP 15-OF	PHILIPS	1000	N/A	N/A	15.55"	250
XOP 25-OF	PHILIPS	1100	N/A	N/A	21.26"	250

SECTION 79 - PHILIPS LARGE VENUE XENON BULBS

XE 2003CH	PHILIPS	2000	N/A	N/A	N/A	N/A
XE 2200 SHSC	PHILIPS	2200	N/A	N/A	N/A	1000
XE 2200BA	PHILIPS	2200	N/A	N/A	N/A	N/A
XE 2003 HS	PHILIPS	2400	N/A	N/A	N/A	750
XE 3000 SHSC	PHILIPS	3000	N/A	N/A	N/A	750
XE 3000BA	PHILIPS	3000	N/A	N/A	N/A	N/A
XE 3002 SHSC	PHILIPS	3000	N/A	N/A	N/A	750
XE 3002DP	PHILIPS	3000	N/A	N/A	N/A	N/A
XE 3003 SHSC	PHILIPS	3000	N/A	N/A	N/A	750
XE3003BA	PHILIPS	3000	N/A	N/A	N/A	N/A

LCD PROJECTOR BULBS

SECTION 80 - LCD PROJECTOR BULBS



3D PERCEPTION
3M
ACER
ADI
ADVANCE ELECTRONIC
ADVENT
AMPRO
ANDERS KERN
APOLLO
APTI
ASK
AV VISION
AVIO
BARCO
BENQ
BLUESKY
BOXLIGHT
CANON
CASIO
CHATANI ENRICH
CHISHOLM
CHRISTIE
CLARITY
CLAXAN
COMPAQ
CTX
DAVIS
DELL
DELTA
DIGITAL PROJECTION
DREAM VISION
DUKANE
DWIN
EIKI
EIZO
ELECTROHOME
ELITE VIDEO
ELMO
ELUX
EPSON
EVEREST
FAQTOR
FUJITSU
FUJITSU-SIEMENS
GATEWAY
GE
GEHA
HEWLETT PACKARD
HITACHI
HUGHES JVC
IBM
IIYAMA
INFOCUS
IQI
JVC
KINDERMAN
KNOLL
KODAK
LASERGRAPHICS
LG
LIESEGANG
LIGHTWARE
LUMENS
LUXEON
MAGINON
MARANTZ
MEDIAVISION
MEDION
MEDIUM
MEGAPOWER
METAVISION
MITSUBISHI
MLX
MULTIVISION
MUSTEK
NEC
NEXGEN
NOBO
NVIEW
OHP
OLYMPUS
OPTOMA
PACKARD BELL
PANASONIC
PHILIPS
PIONEER
PLANAR
PLUS
POLAROID
PREMIER
PROJECTIONDESIGN
PROJECTOREUROPE
PROKIA
PROXIMA
RCA
REFLECTA
RELISYS
ROLLEI
RUNCO
SAGEM
SAHARA
SAMSUNG
SANYO
SAUERWEIN
SAVILLE AV
SCHNEIDER AG
SCOTT
SELECO
SHARP
SIM2
SMARTBOARD
SONY
STUDIO EXPERIENCE
SYNELEC
TA
TAXAN
TELEX
THOMPSON
TOSHIBA
UMAX
UTAX
VIDEO 7
VIDIKRON
VIEWSONIC
VISION
VIVITAR
XEROX
YAMAHA
YOKOGAWA
ZENITH
& MORE

Carrying the latest in

LED Lighting Technology

for a wide variety of products and applications

- LED Lamps
- Linear LEDs
- LED Drivers & Controllers
- LED Fixtures
- LED Flashlights & Retrofits
- Miniature Based LEDs and more!



View the Bulbtronics LED Lighting Guide Online at:

http://www.bulbtronics.com/led/LEDGuide.aspx

Phone: 1-800-227-2852 - http://www.bulbtronics.com

BULBTRONICS®
The Brightest Source On Earth

Farmingdale, NY (HQs) • New York City • Miami, FL • Orlando, FL • Las Vegas, NV • Hollywood, CA • Munich, Germany
Corporate Headquarters: 45 Banfi Plaza, Farmingdale, NY 11735
Tel: 1-800-227-2852 • Fax: 631-249-7742 • email: sttv@bulbtronics.com • www.bulbtronics.com